

Bodenmesswerte

Hochwald

Weide / Baumgarten

Braunerde-Pseudogley


Koordinaten 2615762 / 1257063, 656 müM

schwerer Boden


2023 Tag	Jan		Feb		Mär		Apr		Mai		Jun		Jul		Aug		Sep		Okt		Nov		Dez	
	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)
1	2.1	0.0	1.5	0.0	3.7	0.0	2.8	4.4	1.6	11.3	12.9	0.0	47.4	0.9	40.3	8.4	31.0	0.1	26.0	0.0	1.6	1.7	0.2	12.5
2	2.4	6.4	1.4	0.1	3.7	0.0	1.9	2.2	1.4	5.0	14.6	0.0	44.8	0.0	40.9	5.1	31.2	0.0	26.2	0.0	1.1	12.4	1.2	0.0
3	1.5	0.7	1.8	0.0	3.7	0.0	1.1	5.1	2.3	0.0	16.7	0.0	44.7	0.0	43.0	0.0	31.5	0.0	26.7	0.0	1.4	1.0	1.6	3.2
4	1.6	0.4	2.1	3.4	3.8	0.0	1.9	0.0	2.8	0.0	19.1	0.0	45.8	0.8	44.7	10.9	31.4	0.0	27.4	0.0	1.6	4.1	1.7	14.0
5	1.9	0.4	1.6	3.8	3.8	0.0	2.4	0.0	3.2	4.4	21.8	0.0	47.5	4.5	45.3	1.3	31.2	0.0	27.7	0.0	0.8	6.7	0.3	2.4
6	2.2	0.5	0.9	0.0	3.9	0.0	2.6	0.0	3.5	0.0	25.7	0.0	49.9	0.0	45.6	10.4	31.2	0.0	28.1	0.0	1.0	5.6	0.6	1.7
7	2.3	0.0	1.6	0.0	4.0	0.0	2.7	6.3	3.9	5.8	30.2	0.0	51.0	0.0	46.0	5.6	31.1	0.0	28.4	0.0	1.4	0.4	1.4	0.1
8	1.9	8.4	2.0	0.0	4.1	2.9	2.5	0.0	3.8	3.5	35.1	0.0	37.8	27.3	42.0	0.0	30.9	0.0	28.5	0.0	2.1	0.0	1.1	5.5
9	0.8	7.0	2.3	0.0	3.8	7.2	2.5	0.0	3.1	14.3	41.9	0.0	31.5	0.0	38.2	0.0	30.5	0.0	28.5	0.0	2.3	0.7	0.8	7.9
10	1.5	0.0	2.5	0.1	1.7	9.6	2.8	0.0	1.0	2.9	49.7	0.0	13.8	15.3	37.1	0.0	30.2	0.0	28.6	0.0	1.0	9.9	0.8	2.1
11	1.8	3.2	2.7	0.0	0.9	7.5	3.0	3.3	2.1	7.7	58.7	0.0	8.8	6.4	37.3	0.0	29.7	0.0	28.7	0.0	1.5	1.7	0.9	5.8
12	1.5	0.0	2.7	0.0	0.9	2.8	2.9	9.4	1.8	0.2	66.4	0.0	11.5	1.8	37.8	1.0	29.4	2.6	29.0	0.0	0.9	22.9	0.7	8.1
13	1.3	5.1	2.8	0.0	1.4	12.1	1.1	1.4	2.3	2.5	71.3	0.0	13.2	0.0	37.9	16.7	28.7	26.5	29.1	0.0	1.0	4.0	0.6	3.3
14	1.4	0.2	2.9	0.0	0.7	4.3	1.8	0.0	2.6	6.7	75.1	0.0	14.1	0.0	37.0	0.0	24.5	0.2	29.7	9.7	0.4	26.2	1.0	2.9
15	1.8	3.0	3.0	0.0	1.6	0.0	1.9	6.6	2.1	3.6	64.1	0.8	15.6	12.0	36.4	0.0	24.0	0.1	30.4	0.0	1.4	0.7	1.2	2.8
16	1.7	0.5	3.1	0.0	2.0	0.0	1.0	7.0	1.6	7.5	67.1	0.0	16.9	1.4	36.6	0.0	23.8	0.3	30.8	0.0	1.7	5.6	1.9	0.2
17	2.0	0.0	3.2	0.0	2.3	0.0	0.8	7.7	1.9	0.0	75.0	0.0	24.3	0.0	22.7	0.0	23.8	0.0	31.2	0.0	1.0	1.4	2.1	0.0
18	2.2	0.0	3.3	0.0	2.5	0.0	1.6	0.0	2.6	0.0	78.9	0.2	26.8	1.9	19.7	0.0	23.8	12.4	31.2	2.7	1.8	6.4	2.1	0.0
19	2.2	9.5	3.4	0.3	2.7	10.2	2.3	4.8	2.9	0.0	79.5	0.4	29.7	0.0	24.4	0.0	23.4	0.0	30.8	5.8	0.6	3.2	2.1	0.0
20	2.1	0.3	3.5	0.0	1.3	0.2	1.2	10.7	3.1	0.2	79.2	19.5	33.6	0.0	31.8	0.0	23.4	0.0	30.4	6.0	1.6	0.0	1.0	7.5
21	2.2	0.0	3.6	0.0	1.9	0.0	1.7	0.3	3.3	0.0	78.0	6.8	37.5	0.3	37.0	0.0	23.4	4.8	31.8	0.7	2.1	5.2	1.0	2.5
22	2.3	0.0	3.7	0.9	2.3	0.0	2.3	0.2	3.7	0.0	76.6	8.3	41.2	0.0	38.4	0.0	23.8	5.8	32.6	0.0	1.2	1.9	0.6	7.4
23	2.4	0.0	3.9	0.1	2.6	0.4	2.6	2.0	4.1	5.7	76.2	9.3	45.0	0.0	42.2	0.0	24.5	0.0	32.7	2.9	1.4	0.2	1.1	0.0
24	2.5	0.3	4.0	2.8	2.4	10.9	2.8	2.0	4.3	0.5	74.1	0.0	47.0	28.7	46.7	9.7	24.8	0.0	32.7	13.4	1.9	1.4	1.4	3.5
25	2.4	1.2	4.1	3.6	0.9	3.1	2.9	4.9	4.7	0.0	69.4	0.0	44.3	11.7	47.0	3.3	24.9	0.0	32.5	0.6	1.9	3.1	1.2	0.0
26	2.2	0.0	4.0	0.0	1.9	3.9	2.6	0.1	5.2	0.0	65.0	0.0	43.0	4.3	47.1	17.1	24.9	0.0	32.2	15.5	1.1	1.1	1.7	0.0
27	2.1	0.0	3.8	0.0	1.6	3.0	2.8	1.2	5.9	0.0	61.6	0.0	41.2	0.0	47.4	7.0	24.9	0.0	4.3	12.7	1.2	13.3	1.9	0.0
28	2.2	0.0	3.7	0.0	1.8	0.2	2.0	21.5	6.8	0.0	59.2	0.0	40.3	0.0	47.9	15.1	25.1	0.0	1.2	0.0	0.7	2.7	2.1	1.4
29	2.3	0.1			2.3	0.0	1.3	0.0	8.0	0.0	58.4	0.0	39.4	5.8	34.2	10.3	25.4	0.0	2.2	0.0	1.4	2.9	2.1	0.2
30	2.5	0.9			2.6	2.0	2.2	0.0	9.5	0.0	55.9	18.7	38.9	0.0	30.7	0.0	25.8	0.0	2.3	12.0	1.0	27.0	2.1	0.0
31	2.6	0.1			2.8	5.9			11.1	0.0			39.5	0.0	30.7	5.7			1.1	1.3		2.1	3.6	

SS35 = Tagesmittelwerte Saugspannung (cbar) in 35 cm Tiefe; N = Tagessummen Niederschlag (mm);

		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez
Niederschlag (mm)	Monatssumme	48.2	15.1	86.2	101.1	81.8	64.0	123.1	127.6	52.8	83.3	173.4	98.6
Saugspannung 20 cm (cbar)	Monatsmittel	2.3	3.6	2.8	2.3	6.4	68.0	20.8	13.9	11.4	18.4	1.5	1.4
	Maximum	3.9	6.5	6.0	3.9	32.4	80.0	46.5	54.3	29.6	30.2	3.0	3.0
	Minimum	-0.3	0.4	0.0	0.0	0.2	16.4	0.5	0.3	1.6	-0.1	-0.5	-0.5
Saugspannung 35 cm (cbar)	Monatsmittel	2.0	2.8	2.4	2.1	3.8	55.3	34.4	38.5	27.1	25.2	1.3	1.3
	Maximum	2.9	4.1	4.2	3.2	12.2	80.0	52.0	48.1	31.6	33.0	2.4	2.4
	Minimum	0.0	0.3	-0.1	0.1	0.5	12.1	1.8	15.0	23.2	0.6	-0.2	-0.2
Bodentemperatur 20 cm (°C)	Monatsmittel	5.1	3.8	6.0	8.4	12.5	17.8	19.9	18.8	17.9	13.9	7.8	4.6
	Maximum	8.2	6.5	8.8	11.6	15.0	21.3	23.0	22.0	20.0	16.9	11.3	7.1
	Minimum	2.5	1.6	3.0	6.0	11.0	14.2	17.5	15.5	15.0	11.3	3.9	3.1
Bodentemperatur 35 cm (°C)	Monatsmittel	5.8	4.2	5.9	8.2	12.0	16.7	19.1	18.4	17.7	14.2	8.7	5.1
	Maximum	7.9	6.2	8.3	10.7	13.9	19.4	20.7	20.6	19.1	16.6	11.9	6.7
	Minimum	3.5	2.5	3.7	6.7	10.7	13.9	17.6	16.1	15.7	11.9	5.2	4.1
Lufttemperatur (°C)	Monatsmittel	2.4	3.4	6.5	7.2	12.9	19.1	19.1	18.8	18.0	13.3	5.5	4.3
	Maximum	18.5	15.7	19.7	17.5	23.5	29.3	32.3	34.0	29.0	26.4	14.9	13.1
	Minimum	-7.3	-6.2	-4.0	-2.8	4.6	9.4	9.8	8.9	6.4	2.6	-2.5	-8.4



Temperaturen Hochwald 2023



Darstellung der Tagesmittelwerte; Lücken = keine Daten

Bodenmesswerte

Hochwald

Weide / Baumgarten

Braunerde-Pseudogley


Koordinaten 2615762 / 1257063, 656 müM


schwerer Boden

2022 Tag	Jan		Feb		Mär		Apr		Mai		Jun		Jul		Aug		Sep		Okt		Nov		Dez	
	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)
1	1.8	0.0	2.6	1.4	2.6	0.0	0.4	14.0	3.0	0.0	26.7	0.4	80.0	6.2	80.0	0.0	80.0	0.0	2.1	4.7	3.9	2.4	2.5	0.0
2	1.9	0.0	1.3	6.3	2.7	0.0	0.5	0.1	3.3	0.0	32.0	0.7	80.0	0.0	80.0	0.0	80.0	1.9	1.3	1.6	4.1	0.0	2.4	0.0
3	2.1	0.0	0.1	0.0	2.8	0.0	0.6	16.1	3.3	0.0	36.4	0.9	80.0	0.4	80.0	0.0	80.0	19.9	1.3	7.9	4.2	2.7	2.5	0.0
4	2.2	6.9	0.8	0.0	2.9	0.0	0.4	9.8	3.6	0.7	41.2	11.8	80.0	6.4	80.0	0.0	80.0	0.2	2.3	0.2	4.4	0.9	2.6	3.0
5	0.4	3.4	1.1	2.2	3.0	0.0	0.1	0.8	3.7	16.1	43.4	3.2	80.0	0.9	80.0	1.4	80.0	0.3	2.7	0.1	4.4	4.6	2.3	0.4
6	1.3	0.4	1.1	0.4	3.2	0.0	-0.1	0.0	1.2	13.5	44.2	0.1	80.0	0.0	80.0	2.2	80.0	7.4	3.0	0.0	3.6	0.5	2.0	0.3
7	1.7	0.0	0.6	5.7	3.3	0.0	0.6	8.4	0.9	0.7	46.1	5.6	80.0	0.0	80.0	0.0	80.0	9.9	3.3	0.0	3.2	0.0	2.0	0.0
8	1.7	2.6	1.2	0.0	3.4	0.0	-0.2	16.3	1.9	0.0	46.1	1.6	80.0	0.0	80.0	0.0	80.0	13.5	3.5	0.1	3.1	0.0	2.2	0.0
9	0.2	5.1	1.6	0.0	3.5	0.0	0.2	9.5	2.4	0.0	48.1	0.3	80.0	0.0	80.0	0.0	80.0	1.9	3.8	0.0	2.2	17.6	2.3	0.4
10	0.6	2.7	1.8	0.4	3.5	0.0	1.2	0.0	2.8	0.0	51.7	0.0	80.0	0.0	80.0	0.0	80.0	0.4	4.0	0.5	1.6	0.3	2.3	0.0
11	1.3	0.0	0.6	9.8	3.6	0.0	1.8	0.0	3.1	0.0	57.9	0.0	80.0	0.0	80.0	0.0	80.0	0.9	4.3	0.0	2.2	0.3	2.0	0.0
12	1.8	0.0	0.9	0.0	3.8	0.0	2.1	0.0	3.6	0.2	62.9	0.1	80.0	0.0	80.0	0.0	80.0	0.0	4.6	0.0	2.4	0.3	1.5	0.0
13	2.0	0.0	1.4	0.0	4.0	0.0	2.5	0.0	3.8	2.2	68.9	1.2	80.0	0.0	80.0	0.0	80.0	0.0	4.9	2.4	2.6	0.2	1.4	0.0
14	2.0	0.0	1.1	7.2	4.3	0.2	2.8	0.0	4.2	0.0	73.7	0.0	80.0	0.0	80.0	0.1	80.0	8.7	5.1	9.4	2.8	0.2	0.9	13.5
15	2.1	0.0	0.5	0.3	4.2	4.2	3.0	0.0	4.8	0.0	78.2	0.0	80.0	0.0	80.0	2.9	80.0	22.2	1.4	3.2	2.9	8.5	0.9	0.4
16	2.2	0.1	1.1	1.6	4.3	0.0	3.2	0.0	5.6	0.3	80.0	3.2	80.0	0.0	80.0	0.0	80.0	1.1	2.2	0.0	1.0	4.7	1.4	0.0
17	2.3	0.0	1.2	2.7	4.6	0.0	3.4	0.0	6.1	0.0	80.0	0.0	68.7	0.0	80.0	14.3	80.0	0.8	2.8	0.0	1.6	14.1	1.9	0.0
18	2.3	0.1	1.2	1.1	4.7	0.0	3.6	0.0	7.1	0.0	80.0	0.0	1.0	0.0	80.0	4.2	80.0	0.0	3.1	0.0	0.9	6.4	2.1	0.1
19	2.4	0.1	1.7	0.4	5.0	0.0	3.7	3.5	8.4	0.0	80.0	0.0	37.2	0.0	80.0	5.2	80.0	0.0	3.4	0.0	1.8	0.5	1.9	3.0
20	2.5	1.6	2.0	0.0	5.3	0.0	4.1	0.0	9.7	0.0	80.0	0.0	80.0	11.0	80.0	7.6	80.0	0.0	3.7	0.2	2.1	1.4	0.5	0.3
21	2.5	0.4	1.5	6.6	5.5	0.0	4.3	0.0	9.9	8.9	80.0	0.2	80.0	4.3	80.0	0.0	80.0	0.0	2.5	17.4	2.3	1.7	0.5	5.8
22	2.5	0.0	0.9	0.0	5.7	0.0	4.6	0.0	10.8	0.0	79.6	16.9	80.0	0.8	80.0	0.0	80.0	0.0	1.4	3.7	2.3	0.2	1.3	2.0
23	2.5	0.0	1.6	1.0	6.0	0.0	4.9	0.0	7.2	14.7	79.0	9.0	80.0	1.7	80.0	0.0	80.0	0.0	2.4	0.0	2.4	5.9	0.6	10.6
24	2.5	0.0	1.9	0.6	6.3	0.0	5.2	17.6	5.5	1.3	78.2	10.6	80.0	0.0	80.0	0.0	80.0	11.7	1.8	23.3	1.0	1.4	1.3	0.4
25	2.5	0.3	2.3	0.4	6.7	0.0	4.2	14.0	7.3	0.0	77.8	0.9	80.0	0.0	80.0	0.0	80.0	1.5	1.6	0.8	1.7	0.9	1.8	0.2
26	2.5	0.0	2.4	0.7	7.1	0.0	0.3	16.6	9.0	0.0	77.6	3.5	80.0	0.0	80.0	17.3	80.0	3.5	2.4	1.7	2.1	0.2	1.5	10.0
27	2.6	0.0	2.5	0.0	7.7	0.0	1.5	0.0	10.4	0.0	77.6	11.7	80.0	0.0	80.0	0.7	80.0	24.2	2.7	0.0	2.3	0.0	1.2	0.7
28	2.7	2.7	2.6	0.0	8.1	0.0	2.1	0.0	12.9	0.0	77.2	1.6	80.0	0.0	80.0	0.0	23.0	27.5	3.0	0.0	2.4	0.2	1.7	0.0
29	2.7	0.0			8.5	0.0	2.5	0.0	15.2	0.0	76.3	0.0	80.0	0.1	80.0	0.0	0.8	7.7	3.3	0.0	2.6	1.4	2.0	5.4
30	2.7	0.4			8.4	17.2	2.8	1.2	18.2	0.0	75.6	14.5	80.0	0.0	80.0	4.6	1.6	0.1	3.5	0.0	2.7	1.0	1.0	2.4
31	2.6	0.8			7.1	21.4			22.1	1.4			80.0	0.0	80.0	22.6							1.5	0.0

SS35 = Tagesmittelwerte Saugspannung (cbar) in 35 cm Tiefe; N = Tagessummen Niederschlag (mm);

		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez
Niederschlag (mm)	Monatssumme	27.6	48.8	45.2	125.7	60.0	98.0	31.8	83.1	165.3	77.2	78.5	58.9
Saugspannung 20 cm (cbar)	Monatsmittel	2.9	1.9	11.1	4.3	17.1	59.1	57.9	62.0	72.8	3.8	2.8	1.7
	Maximum	4.4	4.0	29.8	14.1	67.7	72.5	80.0	80.0	80.0	7.9	6.2	3.2
	Minimum	-0.2	-0.4	-0.3	-0.6	-0.3	34.4	-0.4	-0.3	-0.3	-0.3	-0.4	-0.4
Saugspannung 35 cm (cbar)	Monatsmittel	2.0	1.4	4.9	2.2	6.8	64.6	75.7	80.0	72.7	2.9	2.6	1.7
	Maximum	2.9	2.9	9.7	5.4	25.0	80.0	80.0	80.0	80.0	5.2	4.5	2.7
	Minimum	-0.1	-0.3	0.7	-0.4	0.2	25.0	-0.1	80.0	0.0	0.0	0.0	-0.1
Bodentemperatur 20 cm (°C)	Monatsmittel	2.8	3.7	5.2	8.1	14.4	17.7	19.4	19.6	16.0	13.7	9.6	5.3
	Maximum	6.9	5.9	8.3	11.7	17.9	21.0	21.7	22.3	19.1	15.0	13.9	7.9
	Minimum	1.1	2.0	1.9	3.8	10.6	14.3	17.3	0.0	11.5	11.5	6.9	3.1
Bodentemperatur 35 cm (°C)	Monatsmittel	3.6	4.0	5.2	8.0	13.6	16.8	18.5	19.1	16.4	13.8	10.4	6.0
	Maximum	6.6	5.3	7.8	10.8	16.2	19.0	20.0	20.5	18.8	14.4	14.0	8.3
	Minimum	2.0	2.7	2.8	4.7	10.6	14.3	17.3	0.0	12.6	12.4	8.0	4.2
Lufttemperatur (°C)	Monatsmittel	1.4	4.3	6.9	8.2	14.9	18.5	20.3	20.2	13.4	14.1	7.2	2.5
	Maximum	16.7	15.7	18.8	20.4	29.9	32.4	33.6	34.1	26.1	24.7	17.6	19.0
	Minimum	-6.9	-2.5	-4.6	-6.5	4.3	7.5	10.0	0.0	4.0	6.6	0.0	-8.5





Darstellung der Tagesmittelwerte; Lücken = keine Daten

Bodenmesswerte

Hochwald

Weide / Baumgarten

Braunerde-Pseudogley


Koordinaten 2615762 / 1257063, 656 müM


schwerer Boden

2021 Tag	Jan		Feb		Mär		Apr		Mai		Jun		Jul		Aug		Sep		Okt		Nov		Dez	
	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)
1	0.7	1.4	0.2	8.7	3.6	0.0	3.1	0.0	7.8	26.6	7.4	0.0	2.2	0.1	1.1	17.6	28.5	0.0	49.7	0.0	5.3	23.6	1.2	5.5
2	1.0	0.0	0.9	0.5	3.8	0.0	3.3	0.0	1.1	9.2	9.7	0.5	3.6	0.0	2.1	0.9	31.8	0.0	51.3	0.0	1.7	1.4	0.6	1.6
3	1.5	0.0	0.6	8.2	3.9	0.0	3.5	0.0	2.0	0.0	11.7	1.3	4.5	8.1	2.6	8.5	34.4	0.0	53.7	10.4	2.3	2.4	1.1	5.3
4	1.7	0.0	1.1	0.1	4.0	3.5	3.8	0.0	2.6	0.0	13.4	5.2	4.5	4.5	1.6	6.0	36.9	0.0	54.4	1.9	2.5	0.6	-0.3	34.2
5	1.9	0.0	1.7	0.0	4.1	0.6	4.0	0.5	3.0	4.3	12.8	11.4	4.6	0.8	1.3	7.1	39.9	0.0	46.4	9.4	2.8	2.0	0.6	0.4
6	2.1	0.0	2.0	0.1	4.3	0.0	4.1	4.3	2.5	18.3	13.1	0.5	3.6	13.1	2.3	2.7	43.9	0.0	39.1	9.5	2.7	0.1	1.0	2.9
7	2.3	0.1	2.1	1.6	4.3	0.0	4.2	3.6	0.5	6.5	12.7	11.5	1.4	5.1	2.1	15.2	47.7	0.0	7.3	2.3	2.9	1.6	1.0	0.5
8	2.2	0.1	2.1	0.7	4.5	0.0	4.7	0.0	1.9	0.0	10.5	9.0	2.5	23.6	2.2	0.0	52.9	0.0	6.8	0.0	3.1	0.0	0.0	12.1
9	2.3	0.0	1.3	0.0	4.6	0.0	5.0	0.0	2.7	0.0	6.7	0.9	1.8	0.0	3.1	0.0	56.7	1.7	7.6	0.0	3.2	0.0	0.1	7.7
10	2.3	0.0	0.9	0.0	4.8	0.0	5.6	0.1	2.8	9.0	7.9	0.1	2.6	19.9	3.6	0.0	57.0	5.5	8.2	0.0	3.4	0.0	0.6	6.9
11	2.4	0.0	1.2	0.0	4.4	11.9	5.9	6.9	2.0	12.0	11.2	0.0	2.0	0.0	4.0	0.0	57.5	1.7	8.7	0.1	3.6	0.0	0.9	1.8
12	2.5	7.3	1.4	0.0	3.8	0.8	2.8	21.6	1.0	0.2	15.1	0.0	3.1	6.8	4.6	0.0	58.4	0.0	8.9	1.1	3.7	0.0	1.0	0.3
13	1.0	2.2	1.8	0.0	3.5	5.8	1.5	0.1	2.2	0.3	19.8	0.0	0.8	41.4	5.4	0.0	60.4	0.1	9.3	4.8	3.9	6.2	1.1	0.0
14	0.2	4.8	2.0	0.0	1.3	6.6	1.8	0.0	2.3	4.4	29.8	0.0	2.2	12.4	6.4	0.0	63.5	0.8	9.6	0.1	1.4	7.8	1.2	0.0
15	0.5	0.0	2.2	6.3	0.3	7.7	2.0	0.4	1.2	6.0	39.9	0.0	0.2	33.9	7.1	1.5	64.7	4.0	10.2	0.0	1.8	0.1	1.5	0.3
16	1.0	0.0	1.1	0.2	0.5	2.3	2.3	0.0	0.4	15.1	51.0	0.0	1.7	7.4	9.1	1.5	65.0	7.7	10.5	0.2	2.7	0.7	1.7	0.2
17	1.3	0.0	0.9	0.5	0.7	5.7	2.5	0.0	0.6	7.6	65.0	0.0	2.3	9.7	11.0	0.5	64.9	0.0	10.7	0.2	3.0	0.8	1.8	0.0
18	1.2	0.2	1.5	0.0	0.5	4.4	2.6	0.3	1.5	4.2	74.5	16.6	2.1	0.1	13.9	0.0	65.7	0.0	11.2	0.2	3.1	0.0	1.9	0.0
19	1.0	26.2	1.9	0.0	1.1	0.3	2.7	0.0	2.5	3.1	75.9	0.1	3.3	0.0	14.5	1.4	66.8	14.5	11.5	0.1	3.2	0.3	2.0	0.0
20	0.7	1.7	2.2	0.0	1.6	0.2	3.0	0.0	2.7	0.6	76.4	12.4	3.9	0.0	15.7	0.0	67.6	3.1	12.4	0.0	3.3	0.1	2.1	0.2
21	-0.1	0.0	2.5	0.0	1.9	0.0	3.2	0.0	2.3	15.2	76.9	7.3	4.5	0.0	16.7	0.0	68.4	0.1	15.9	4.5	3.4	0.4	2.1	0.0
22	0.9	5.5	2.7	0.0	2.0	0.0	3.6	0.0	1.2	1.9	77.4	21.8	5.5	0.0	16.8	4.4	68.7	0.1	16.3	4.6	3.6	1.3	2.2	0.0
23	0.2	13.3	2.9	0.0	2.2	0.0	4.0	0.0	2.5	2.4	76.9	17.7	7.2	0.0	17.5	0.0	68.9	0.0	15.9	0.0	3.7	0.0	2.2	0.0
24	0.7	0.1	3.0	0.0	2.3	0.0	4.5	0.0	2.7	3.2	70.3	8.4	7.9	19.2	18.9	0.0	69.2	0.1	16.7	0.0	3.8	0.0	2.2	1.6
25	1.4	1.0	3.1	0.0	2.4	2.4	5.2	0.0	3.6	0.5	33.0	0.2	2.5	32.0	20.5	0.0	69.5	0.0	17.0	0.0	3.8	0.2	1.1	12.3
26	1.7	0.1	3.3	0.0	2.6	0.7	6.1	0.0	3.6	0.3	6.1	0.0	1.1	11.2	21.4	0.3	47.6	20.0	16.9	0.7	3.8	3.0	-0.2	9.3
27	1.7	10.3	3.4	0.0	1.6	7.5	7.2	0.0	2.3	11.3	7.8	6.9	2.0	0.5	22.6	0.0	39.4	0.4	16.7	0.3	3.9	0.7	-0.1	5.9
28	-0.2	14.1	3.5	0.0	2.0	0.0	8.3	0.7	2.3	0.0	8.6	12.2	2.0	6.8	24.4	0.0	44.1	0.4	17.4	0.1	3.9	0.1	0.1	4.3
29	0.1	15.3			2.3	0.0	9.0	1.4	3.3	0.0	2.1	39.5	2.6	0.0	24.5	2.2	46.2	0.1	18.4	0.0	3.9	5.5	0.0	16.4
30	0.0	9.7			2.5	0.0	8.6	12.9	4.2	0.0	2.1	8.4	2.5	25.2	25.4	0.1	48.4	0.0	18.9	1.0	3.8	19.2	0.8	0.2
31	0.1	6.2			2.8	0.0			5.2	0.0			2.2	2.9	26.8	0.3			19.3	0.0			1.5	0.3

SS35 = Tagesmittelwerte Saugspannung (cbar) in 35 cm Tiefe; N = Tagessummen Niederschlag (mm);

		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez
Niederschlag (mm)	Monatssumme	119.6	26.9	60.4	52.8	162.2	191.9	285.8	69.1	60.3	51.5	78.1	130.2
Saugspannung 20 cm (cbar)	Monatssumme	1.6	2.9	4.9	14.7	4.1	34.5	4.4	16.4	55.9	7.9	2.5	1.6
	Maximum	4.3	7.2	13.4	52.1	36.7	80.0	22.6	42.0	75.4	20.5	14.8	3.7
	Minimum	-1.0	-0.3	-0.5	-0.2	-0.9	-0.8	-0.8	-0.6	3.5	-0.2	-0.3	-0.7
Saugspannung 35 cm (cbar)	Monatssumme	1.2	1.9	2.7	4.3	2.5	30.9	3.0	11.3	54.5	19.9	3.3	1.1
	Maximum	3.2	3.6	5.6	10.0	8.2	78.7	9.6	28.7	69.8	55.3	21.0	3.6
	Minimum	-1.4	-0.4	-0.1	0.9	-0.4	-0.9	-1.2	0.0	26.5	4.8	0.8	-0.8
Bodentemperatur 20 cm (°C)	Monatssumme	2.4	4.4	5.0	7.5	10.1	16.0	17.0	17.1	16.4	11.1	6.6	3.6
	Maximum	4.9	7.2	9.6	10.5	12.4	19.1	18.9	19.9	18.6	14.6	10.7	7.0
	Minimum	1.4	1.4	2.7	4.4	7.6	11.8	15.2	15.4	13.7	8.7	3.8	1.7
Bodentemperatur 35 cm (°C)	Monatssumme	3.0	4.5	5.2	7.5	9.9	15.1	16.6	16.9	16.4	11.8	7.6	4.3
	Maximum	4.5	6.2	8.0	9.8	11.6	17.2	17.6	18.5	17.6	14.7	10.8	6.3
	Minimum	2.3	2.3	3.6	5.6	8.2	11.6	15.5	15.8	14.7	9.9	5.0	2.9
Lufttemperatur (°C)	Monatssumme	0.2	4.2	4.9	6.6	9.7	17.6	16.6	16.0	15.5	9.6	3.1	2.6
	Maximum	10.6	18.4	22.5	21.7	25.3	29.0	26.6	29.1	25.7	21.3	13.9	15.5
	Minimum	-8.6	-11.1	-4.2	-5.9	1.0	9.8	10.0	8.0	4.7	0.5	-2.7	-6.2





Darstellung der Tagesmittelwerte; Lücken = keine Daten

Bodenmesswerte

Hochwald

Weide / Baumgarten

Braunerde-Pseudogley


Koordinaten 2615762 / 1257063, 656 müM

schwerer Boden


2020 Tag	Jan		Feb		Mär		Apr		Mai		Jun		Jul		Aug		Sep		Okt		Nov		Dez		
	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	SS35 (cbar)	N (mm)	
1	-	-	-	-	-	-	-	-	-	-	10.9	0.0	4.9	0.0	80.0	4.5	2.4	2.9	2.6	2.8	2.2	4.1	2.9	8.3	
2	-	-	-	-	-	-	-	-	-	-	11.5	0.0	5.8	4.4	80.0	20.9	3.8	0.0	2.5	0.0	1.5	0.0	2.7	0.8	
3	-	-	-	-	-	-	-	-	-	-	12.3	1.6	6.5	0.0	77.8	8.7	4.4	0.0	1.4	15.5	1.2	8.6	1.0	2.5	
4	-	-	-	-	-	-	-	-	-	-	13.0	13.3	7.5	0.0	77.1	6.9	5.2	0.0	2.1	2.6	1.2	2.9	0.5	1.1	
5	-	-	-	-	-	-	-	-	-	-	13.7	3.1	9.0	0.0	76.7	0.0	6.3	0.0	2.1	1.4	1.9	0.0	0.3	6.7	
6	-	-	-	-	-	-	-	-	-	-	11.4	18.6	10.5	0.3	76.4	0.0	7.2	0.0	2.2	6.7	2.1	0.0	-0.1	8.5	
7	-	-	-	-	-	-	-	-	-	-	0.9	6.9	12.1	0.0	75.3	0.0	8.0	0.0	1.1	1.3	2.4	0.0	0.1	2.2	
8	-	-	-	-	-	-	-	-	-	-	2.0	2.2	14.2	0.0	75.5	0.0	9.3	0.0	2.1	0.0	2.6	0.0	1.1	0.0	
9	-	-	-	-	-	-	-	-	-	-	1.7	6.7	16.8	0.0	75.1	0.0	11.0	0.0	2.5	0.0	2.8	0.0	1.4	0.0	
10	-	-	-	-	-	-	-	-	-	-	1.3	1.9	20.3	0.0	73.9	0.0	12.8	0.0	1.4	20.4	2.7	0.0	1.3	0.0	
11	-	-	-	-	-	-	-	-	-	-	1.2	4.4	25.7	0.0	73.1	0.0	14.4	0.0	1.6	3.3	3.0	0.0	1.0	6.6	
12	-	-	-	-	-	-	-	-	-	-	2.2	0.4	30.9	0.0	72.2	0.0	16.0	0.1	1.3	2.0	3.2	0.1	0.3	3.0	
13	-	-	-	-	-	-	-	-	-	-	2.4	12.3	37.7	0.0	71.4	0.0	18.1	0.0	1.7	0.1	3.3	0.0	0.5	9.2	
14	-	-	-	-	-	-	-	-	-	-	1.7	0.5	44.8	0.0	70.7	4.6	20.6	0.0	2.2	0.0	3.5	0.0	1.5	0.0	
15	-	-	-	-	-	-	-	-	-	-	2.5	0.0	52.2	4.0	70.0	0.0	23.6	0.0	2.4	4.2	3.7	2.4	1.1	7.4	
16	-	-	-	-	-	-	-	-	-	-	3.0	2.4	52.4	5.4	69.1	49.4	27.3	0.9	1.1	7.2	3.8	1.4	1.1	0.1	
17	-	-	-	-	-	-	-	-	-	-	1.7	18.1	52.0	11.3	61.8	6.5	30.3	0.0	0.8	1.3	3.8	1.3	1.7	0.0	
18	-	-	-	-	-	-	-	-	-	-	1.6	8.6	54.1	0.0	53.6	3.6	33.8	0.0	1.8	0.7	4.0	0.0	2.0	0.0	
19	-	-	-	-	-	-	-	-	-	-	1.1	11.4	59.1	0.0	46.6	0.2	36.8	0.0	2.1	0.0	3.4	5.3	2.2	0.0	
20	-	-	-	-	-	-	-	-	-	-	1.7	0.2	63.9	0.0	42.1	0.0	38.7	0.1	2.4	0.0	2.3	5.4	2.4	0.0	
21	-	-	-	-	-	-	-	-	-	-	2.7	0.0	68.6	0.0	41.1	0.0	43.1	0.0	2.6	0.0	1.1	0.1	2.4	4.5	
22	-	-	-	-	-	-	-	-	-	-	3.3	0.0	72.4	0.0	42.6	10.0	37.9	22.0	2.9	5.7	1.3	0.0	1.1	2.3	
23	-	-	-	-	-	-	-	-	-	-	4.1	4.4	75.3	0.0	43.5	0.0	9.2	4.0	0.7	24.0	1.6	0.0	0.8	9.9	
24	-	-	-	-	-	-	-	-	-	-	4.8	0.0	75.1	11.4	45.0	0.0	11.7	4.0	0.9	6.4	1.8	0.0	0.6	5.3	
25	-	-	-	-	-	-	-	-	-	-	6.3	0.0	63.2	0.0	46.7	0.0	10.9	5.8	1.9	0.2	2.1	0.3	0.9	1.4	
26	-	-	-	-	-	-	-	-	-	-	5.9	17.3	59.2	0.2	53.2	0.0	10.9	6.6	0.5	22.2	2.3	0.0	1.7	0.5	
27	-	-	-	-	-	-	-	-	-	-	4.2	0.1	62.8	0.0	60.9	0.0	10.4	0.8	1.5	0.0	2.4	0.0	1.9	0.0	
28	-	-	-	-	-	-	-	-	-	11.8	2.4	5.1	10.1	71.1	1.0	65.3	12.2	8.6	3.9	1.6	3.4	2.5	0.0	1.4	4.6
29	-	-	-	-	-	-	-	-	10.0	0.0	2.3	5.8	76.2	0.0	65.0	2.6	2.2	15.3	1.4	1.7	2.7	0.0	1.0	0.6	
30	-	-	-	-	-	-	-	-	9.9	0.0	4.0	0.0	79.7	0.0	25.4	34.4	2.1	0.1	2.0	0.0	2.7	0.0	1.3	1.2	
31	-	-	-	-	-	-	-	-	10.3	0.0	-	-	79.5	0.0	3.4	5.6	-	-	2.3	0.2	-	-	1.0	1.9	

SS35 = Tagesmittelwerte Saugspannung (cbar) in 35 cm Tiefe; N = Tagessummen Niederschlag (mm);

		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez
Niederschlag (mm)	Monatssumme	-	-	-	-	2.4	150.3	38.0	171.3	65.3	133.3	31.9	88.6
Saugspannung 20 cm (cbar)	Monatssumme	-	-	-	-	2.1	8.0	59.0	50.5	20.7	2.3	3.7	1.8
	Maximum	-	-	-	-	22.7	32.5	80.0	72.5	54.4	5.1	7.6	5.0
	Minimum	-	-	-	-	-0.6	-1.0	5.4	-0.4	-0.5	-0.5	-0.2	-0.2
Saugspannung 35 cm (cbar)	Monatssumme	-	-	-	-	1.2	4.6	44.0	60.9	15.9	1.8	2.5	1.3
	Maximum	-	-	-	-	13.2	14.4	80.0	80.0	46.2	3.3	4.2	3.2
	Minimum	-	-	-	-	0.0	-0.1	4.1	1.9	0.5	-0.6	-0.4	-0.5
Bodentemperatur 20 cm (°C)	Monatssumme	-	-	-	-	2.1	16.3	18.8	19.2	15.8	10.9	8.3	4.3
	Maximum	-	-	-	-	21.6	21.3	22.6	22.5	18.1	12.8	11.9	7.8
	Minimum	-	-	-	-	0.0	0.0	16.1	15.0	11.8	9.3	4.0	2.8
Bodentemperatur 35 cm (°C)	Monatssumme	-	-	-	-	1.8	15.7	18.4	19.0	16.0	11.4	8.9	5.0
	Maximum	-	-	-	-	16.3	19.4	19.9	20.5	17.2	13.2	11.6	7.3
	Minimum	-	-	-	-	0.0	0.0	15.6	14.7	12.9	10.1	5.3	3.8
Lufttemperatur (°C)	Monatssumme	-	-	-	-	1.9	15.5	18.8	19.2	15.3	9.0	6.7	2.9
	Maximum	-	-	-	-	22.1	26.6	33.9	31.2	28.4	19.4	20.8	16.2
	Minimum	-	-	-	-	-0.6	8.5	8.4	9.2	4.8	1.5	-3.7	-5.7



Anlage wurde am 27. Mai 2020 in Betrieb gesetzt.



Darstellung der Tagesmittelwerte; Lücken = keine Daten