

Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 2 610 450 / 1 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2023		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	444.44	444.22 +	444.17	444.20	444.10 -	444.18 +	444.10	444.08	444.09	444.10	444.20 -	444.56	1
	2	444.41	444.21	444.17	444.21	444.11	444.17	444.10	444.09	444.08	444.10	444.21	444.78	2
	3	444.38	444.22	444.17	444.23	444.11	444.17	444.09	444.08	444.08	444.09	444.24	444.72	3
	4	444.36	444.22	444.16	444.25	444.11	444.16	444.09	444.08	444.08	444.09	444.26	444.65	4
	5	444.34	444.22	444.16	444.26 +	444.11	444.16	444.09	444.08	444.08	444.08	444.30	444.59	5
	6	444.33	444.22	444.15	444.25	444.10	444.16	444.09	444.08	444.07	444.07	444.34	444.63	6
	7	444.32	444.21	444.15	444.23	444.10	444.15	444.09	444.09	444.07	444.07	444.35	444.58	7
	8	444.31	444.21	444.14	444.22	444.11	444.15	444.08	444.09 +	444.07	444.06	444.34	444.54	8
	9	444.38	444.20	444.14	444.20	444.16	444.15	444.08	444.09	444.07	444.05	444.32	444.52	9
	10	444.47	444.20	444.14 -	444.19	444.24	444.14	444.08	444.08	444.06	444.05	444.30	444.63	10
müM	11	444.49 +	444.20	444.14	444.18	444.30	444.14	444.08	444.08	444.04	444.04	444.28	444.68	11
	12	444.45	444.20	444.16	444.17	444.30 +	444.14	444.08	444.08	444.04	444.04	444.30	444.91	12
	13	444.42	444.19	444.17	444.16	444.28	444.13	444.10	444.08	444.03 -	444.04	444.44	445.16 +	13
	14	444.41	444.19	444.24	444.16	444.26	444.13	444.10 +	444.08	444.06	444.03 -	444.68	445.06	14
	15	444.40	444.19	444.30	444.15	444.24	444.12	444.10	444.07	444.06	444.04	444.99 +	444.90	15
	16	444.40	444.19	444.32 +	444.15	444.24	444.12	444.10	444.07	444.05	444.04	444.86	444.78	16
	17	444.39	444.19	444.31	444.14	444.23	444.12	444.09	444.07	444.06	444.05	444.75	444.68	17
	18	444.38	444.18	444.29	444.14	444.23	444.11	444.09	444.07	444.10	444.05	444.68	444.60	18
	19	444.38	444.18	444.27	444.14	444.22	444.11	444.09	444.07	444.12	444.06	444.63	444.54	19
	20	444.37	444.18	444.25	444.13	444.22	444.11	444.08	444.06	444.13	444.06	444.61	444.49	20
+ Maximum	21	444.35	444.18	444.23	444.13	444.22	444.11	444.08	444.06	444.13	444.07	444.56	444.45	21
	22	444.33	444.18	444.21	444.12	444.21	444.11	444.08	444.06	444.14	444.07	444.51	444.42	22
	23	444.32	444.18	444.20	444.12	444.21	444.11	444.08 -	444.05	444.14 +	444.08	444.46	444.44	23
	24	444.30	444.18	444.19	444.11	444.21	444.11	444.08 -	444.05	444.14	444.08	444.42	444.45	24
	25	444.29	444.18	444.18	444.11	444.20	444.11	444.08	444.04	444.14	444.09	444.39	444.42	25
- Minimum	26	444.27	444.18	444.17	444.10	444.20	444.11	444.08	444.04 -	444.13	444.10	444.36	444.40	26
	27	444.26	444.18	444.18	444.10	444.20	444.10	444.08	444.04	444.13	444.15	444.34	444.38	27
	28	444.25	444.18 -	444.20	444.10	444.19	444.10	444.08	444.05	444.13	444.19	444.34	444.36	28
	29	444.24		444.21	444.10	444.19	444.10	444.08	444.07	444.12	444.20 +	444.36	444.34	29
	30	444.23		444.21	444.10 -	444.18	444.10 -	444.09	444.08	444.11	444.19	444.36	444.32	30
	31	444.23 -		444.20		444.18		444.08	444.09	444.09	444.20		444.31 -	31
Monatsmittel	444.35	444.19	444.20	444.16	444.19	444.13	444.09	444.07 -	444.09	444.09	444.44	444.59 +	müM	
Maximum (Spitze) Datum	444.50 11.	444.22 1.	444.32 16.	444.26 5.	444.31 11. / 12.	444.18 1.	444.10 14. / 15.	444.09 8.	444.15 23. / 24.	444.20 29. / 31.	445.04 15.	445.19 + 13.	müM	
Monatsamplitude	0.27	0.05	0.19	0.16	0.21	0.08	0.03 -	0.05	0.12	0.17	0.84	0.88 +	m	
Jahr	Mittel 444.22	Max (Spitze) 445.19 (13.12.)				Min (Spitze) 444.03 (13.9.)				Jahresamplitude (Spitze) 1.16				



Periode	2000 - 2023 (24 Jahre)												
Monatsmittel	444.35 +	444.32	444.30	444.25	444.21	444.18	444.17	444.13	444.11 -	444.14	444.22	444.31	müM
Maximum (Spitze) Jahr	445.29 2018	444.84 2021	445.28 2006	445.31 + 2006	444.98 2015	445.15 2021	445.03 2021	445.03 2007	444.77 2007	444.76 - 2006	445.04 2023	445.19 2023	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.13 2023	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.03 2018	müM
Monatsamplitude (Max) Jahr	0.99 2018	0.60 2021	0.99 2006	1.01 + 2006	0.80 2015	0.99 2021	0.79 2021	0.92 2007	0.67 2007	0.60 - 2006	0.84 2023	0.88 2023	m
Periode	Mittel 444.22	Max (Spitze) 445.31 (10.4.2006)				Min (Spitze) 443.88 (13.8.2003)				Periodenamplitude (Spitze) 1.43 +			



Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 2 610 450 / 1 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2022		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	444.54	444.20 -	444.27 +	444.18	444.20 +	444.13	444.18	444.09	444.09	444.33	444.23	444.24	1	
	2	444.49	444.20 -	444.26	444.18	444.20	444.13	444.21	444.09	444.09	444.32	444.21	444.23	2	
	3	444.44	444.20	444.25	444.18	444.19	444.13	444.21	444.08	444.09	444.33	444.20	444.22	3	
	4	444.41	444.20	444.24	444.18	444.19	444.13	444.20	444.08	444.09	444.31	444.21	444.21	4	
	5	444.40	444.20	444.23	444.18	444.19	444.13	444.23	444.07	444.09	444.29	444.21	444.20	5	
	müM	6	444.41	444.20	444.23	444.18	444.19	444.15	444.24 +	444.07	444.09	444.26	444.21	444.20	6
		7	444.39	444.22	444.22	444.17 -	444.19	444.15	444.23	444.07	444.10	444.24	444.21	444.19	7
		8	444.37	444.25	444.22	444.18	444.19	444.15 +	444.22	444.07	444.12	444.22	444.21	444.18	8
		9	444.44	444.27	444.21	444.20	444.19	444.15	444.20	444.07	444.13	444.21	444.20 -	444.18	9
		10	444.58 +	444.27	444.21	444.22	444.18	444.15	444.19	444.07	444.13	444.20	444.22	444.18	10
		11	444.56	444.27	444.20	444.22 +	444.18	444.14	444.18	444.07	444.12	444.18	444.23	444.17	11
		12	444.50	444.26	444.20	444.22	444.18	444.14	444.17	444.06	444.10	444.17	444.24	444.17	12
		13	444.45	444.26	444.20	444.21	444.18	444.13	444.16	444.06	444.09	444.17	444.23	444.17 -	13
		14	444.42	444.25	444.19	444.20	444.19	444.13	444.16	444.06 -	444.08	444.16	444.22	444.17 -	14
		15	444.39	444.25	444.19	444.20	444.18	444.12	444.15	444.06 -	444.08	444.16	444.21	444.19	15
	+ Maximum	16	444.36	444.25	444.19	444.19	444.18	444.12	444.14	444.06 -	444.10	444.16	444.20	444.27	16
		17	444.33	444.28	444.19	444.19	444.18	444.12	444.13	444.06 -	444.10	444.15	444.20	444.33	17
		18	444.31	444.37	444.19	444.19	444.18	444.11	444.13	444.06	444.10	444.15	444.26	444.34	18
		19	444.30	444.39 +	444.19	444.18	444.18	444.11	444.12	444.07	444.09	444.15	444.34	444.32	19
		20	444.28	444.38	444.19	444.18	444.17	444.10	444.11	444.08	444.08	444.14	444.34 +	444.30	20
		21	444.27	444.36	444.19	444.18	444.16	444.10	444.11	444.09	444.07	444.14 -	444.33	444.28	21
	- Minimum	22	444.26	444.35	444.18	444.18	444.16	444.10 -	444.11	444.09	444.07	444.16	444.31	444.27	22
		23	444.25	444.35	444.18	444.18	444.15	444.10	444.11	444.10 +	444.06 -	444.19	444.29	444.29	23
		24	444.24	444.34	444.18	444.18	444.15	444.13	444.11	444.09	444.06	444.22	444.29	444.47	24
		25	444.23	444.32	444.18	444.19	444.15	444.14	444.11	444.09	444.13	444.32	444.31	444.51 +	25
		26	444.22	444.31	444.18	444.20	444.15	444.15	444.11	444.09	444.25	444.35 +	444.31	444.47	26
		27	444.22	444.29	444.18	444.21	444.14	444.15	444.10	444.09	444.26	444.33	444.30	444.44	27
		28	444.21	444.28	444.18	444.21	444.14	444.15	444.10	444.09	444.28	444.30	444.28	444.42	28
		29	444.21	444.28	444.18	444.21	444.14	444.15	444.09	444.09	444.35	444.28	444.27	444.40	29
		30	444.20	444.28	444.18 -	444.20	444.13	444.15	444.09 -	444.09	444.36 +	444.26	444.25	444.42	30
		31	444.20 -	444.28	444.18 -	444.20	444.13 -	444.15	444.09	444.09	444.09	444.24	444.25	444.45	31
Monatsmittel		444.35 +	444.28	444.20	444.19	444.17	444.13	444.15	444.08 -	444.13	444.23	444.25	444.29	müM	
Maximum (Spitze) Datum		444.59 + 10.	444.39 19.	444.27 1.	444.22 11.	444.20 1.	444.16 30.	444.24 6.	444.10 23.	443.37 29. / 30.	444.35 26.	444.35 19.	444.51 25.	müM	
Monatsamplitude		0.39 +	0.19	0.10	0.05	0.07	0.06	0.15	0.04 -	0.31	0.21	0.15	0.34	m	
Jahr		Mittel 444.20	Max (Spitze) 444.59 (10.1.)				Min (Spitze) 444.06 (24.9.) (div)			Jahresamplitude (Spitze) 0.53					



Periode	2000 - 2022 (23 Jahre)												
Monatsmittel	444.35 +	444.33	444.31	444.25	444.21	444.19	444.17	444.13	444.11 -	444.14	444.21	444.30	müM
Maximum (Spitze) Jahr	445.29 2018	444.84 2021	445.28 2006	445.31 + 2006	444.98 2015	445.15 2021	445.03 2021	445.03 2007	444.77 2007	444.76 2006	444.75 - 2002	445.06 2012	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.03 2018	müM
Monatsamplitude (Max) Jahr	0.99 2018	0.60 2021	0.99 2006	1.01 + 2006	0.80 2015	0.99 2021	0.79 2021	0.92 2007	0.67 2007	0.60 2006	0.45 - 2002	0.73 2011	m
Periode	Mittel 444.22	Max (Spitze) 445.31 (10.4.2006)				Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43				



Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 2 610 450 / 1 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2021		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	444.41	444.81 +	444.23	444.22 +	444.18 -	444.29	445.00 +	444.24	444.13	444.09 -	444.12	444.12 -	1
	2	444.41	444.79	444.23	444.22	444.19	444.27	444.94	444.26	444.13	444.10	444.13	444.13	2
	3	444.41	444.77	444.23	444.22	444.19	444.26	444.77	444.25	444.13	444.10	444.15	444.13	3
	4	444.40	444.80	444.23	444.22	444.20	444.25	444.65	444.25	444.13	444.11	444.15	444.16	4
	5	444.38	444.72	444.23	444.22	444.20	444.26	444.56	444.26	444.13	444.11	444.16 +	444.27	5
	6	444.35	444.64	444.23	444.21	444.20	444.25	444.51	444.27	444.12	444.12	444.16 +	444.31	6
	7	444.33	444.58	444.23	444.21	444.21	444.24	444.51	444.28	444.12	444.12	444.15	444.33	7
	8	444.31	444.53	444.23	444.21	444.21	444.24	444.48	444.35	444.12	444.12	444.15	444.34	8
	9	444.29	444.48	444.24	444.21	444.21	444.24	444.66	444.36 +	444.12	444.12	444.14	444.40	9
	10	444.28	444.45	444.24	444.21	444.21	444.23	444.61	444.33	444.12	444.12	444.13	444.42	10
müM	11	444.27	444.42	444.26	444.21	444.21	444.23	444.53	444.30	444.12	444.12	444.13	444.41	11
	12	444.26	444.40	444.26	444.21	444.21	444.22	444.47	444.28	444.11	444.12	444.12	444.44	12
	13	444.26 -	444.38	444.24	444.20	444.22	444.22	444.66	444.25	444.10	444.12	444.12	444.43	13
	14	444.40	444.36	444.23	444.20	444.21	444.21	444.74	444.24	444.10	444.12	444.12	444.40	14
	15	444.75	444.34	444.24	444.20	444.21	444.20	444.91	444.22	444.09 -	444.12	444.14	444.37	15
	16	444.71	444.33	444.26	444.20	444.21	444.19	444.94	444.21	444.09 -	444.11	444.14	444.35	16
	17	444.63	444.32	444.27	444.20	444.23	444.19	444.80	444.20	444.11	444.11	444.14	444.34	17
	18	444.58	444.31	444.27	444.20	444.25	444.18	444.69	444.20	444.11	444.11	444.13	444.33	18
	19	444.54	444.29	444.28 +	444.20	444.27	444.18	444.60	444.19	444.12	444.11	444.13	444.32	19
	20	444.51	444.29	444.28 +	444.20	444.30	444.17	444.52	444.18	444.16	444.11	444.12	444.31	20
+ Maximum	21	444.47	444.28	444.28 +	444.20	444.31	444.17	444.46	444.17	444.17 +	444.12	444.12	444.29	21
	22	444.44	444.27	444.27	444.19	444.39	444.17 -	444.42	444.17	444.16	444.12	444.12	444.28	22
	23	444.44	444.27	444.27	444.19	444.43 +	444.17 -	444.38	444.16	444.15	444.12	444.12 -	444.27	23
	24	444.45	444.26	444.26	444.19	444.41	444.18	444.35	444.16	444.14	444.13	444.12 -	444.26	24
	25	444.46	444.25	444.26	444.19	444.39	444.19	444.32	444.16	444.13	444.13	444.12 -	444.24	25
- Minimum	26	444.44	444.25	444.26	444.19	444.38	444.19	444.30	444.15	444.12	444.13 +	444.12 -	444.29	26
	27	444.42	444.24	444.25	444.19	444.36	444.18	444.28	444.15	444.11	444.13 +	444.12 -	444.36	27
	28	444.52	444.24 -	444.24	444.18	444.35	444.32	444.27	444.14	444.10	444.13	444.12	444.42	28
	29	444.89		444.23	444.18	444.33	444.72	444.26	444.14	444.10	444.13	444.12	444.51	29
	30	444.91 +		444.23	444.17 -	444.32	445.09 +	444.25	444.14	444.09	444.12	444.12	444.64 +	30
	31	444.87		444.23 -		444.30		444.24 -	444.14 -		444.12		444.60	31
Monatsmittel	444.48	444.43	444.25	444.20	444.27	444.26	444.55 +	444.22	444.12	444.12 -	444.13	444.34	müM	
Maximum (Spitze) Datum	444.95 29.	444.84 4.	444.28 19.	444.22 1.	444.43 23.	445.15 + 30.	445.03 1.	444.37 8. / 9.	444.17 21.	444.14 - 26. / 27.	444.16 6.	444.65 30.	müM	
Monatsamplitude	0.69	0.60	0.06	0.05	0.26	0.99 +	0.79	0.23	0.08	0.05	0.04 -	0.53	m	
Jahr	Mittel 444.28	Max (Spitze) 445.15 (30.6.)					Min (Spitze) 444.09 (16.9./1.10.)			Jahresamplitude (Spitze) 1.06				



Periode	2000 - 2021 (22 Jahre)												
Monatsmittel	444.35 +	444.33	444.31	444.26	444.21	444.19	444.17	444.13	444.11 -	444.14	444.21	444.30	müM
Maximum (Spitze) Jahr	445.29 2018	444.84 2021	445.28 2006	445.31 + 2006	444.98 2015	445.15 2021	445.03 2021	445.03 2007	444.77 2007	444.76 2006	444.75 - 2002	445.06 2012	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.03 2018	müM
Monatsamplitude (Max) Jahr	0.99 2018	0.60 2021	0.99 2006	1.01 + 2006	0.80 2015	0.99 2021	0.79 2021	0.92 2007	0.67 2007	0.60 2006	0.45 - 2002	0.73 2011	m
Periode	Mittel 444.23	Max (Spitze) 445.31 (10.4.2006)					Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43			



Grundwasserstand

Linnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 2 610 450 / 1 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2020		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	444.37 +	444.33	444.61	444.21 +	444.17	444.14	444.15 +	444.09 -	444.19 +	444.12 -	444.31 +	444.16 -	1	
	2	444.35	444.33	444.63	444.20	444.18	444.14	444.15	444.09 -	444.18	444.12	444.29	444.16 -	2	
	3	444.32	444.37	444.62	444.20	444.19	444.14 -	444.14	444.10	444.17	444.14	444.27	444.16	3	
	4	444.30	444.41	444.59	444.20	444.19	444.14 -	444.14	444.12	444.16	444.17	444.26	444.16	4	
	5	444.29	444.42	444.57	444.19	444.19	444.14	444.14	444.14	444.15	444.18	444.24	444.16	5	
	6	444.27	444.42	444.68 +	444.19	444.20	444.14 -	444.13	444.14	444.14	444.18	444.23	444.18	6	
	7	444.26	444.39	444.63	444.19	444.20 +	444.14	444.13	444.14	444.14	444.18	444.23	444.22	7	
	8	444.25	444.36	444.56	444.19	444.20	444.15	444.13	444.13	444.13	444.19	444.22	444.28	8	
	9	444.24	444.34	444.51	444.19	444.20	444.15	444.12	444.13	444.13	444.19	444.21	444.29	9	
	10	444.23	444.32	444.47	444.19	444.19	444.15	444.12	444.12	444.12	444.18	444.20	444.29	10	
müM	11	444.22	444.30	444.47	444.19	444.19	444.15	444.12	444.11	444.12	444.18	444.20	444.28	11	
	12	444.22	444.30	444.46	444.19	444.18	444.15	444.12	444.11	444.11	444.17	444.19	444.26	12	
	13	444.21	444.31	444.44	444.19	444.18	444.14	444.12	444.10	444.10	444.17	444.19	444.26	13	
	14	444.21	444.38	444.41	444.18	444.18	444.14	444.12	444.10	444.09	444.17	444.18	444.28	14	
	15	444.20	444.42	444.39	444.18	444.18	444.14	444.11	444.10	444.08	444.16	444.17	444.28	15	
	16	444.20	444.41	444.36	444.18	444.18	444.14	444.11	444.10	444.08	444.15	444.17	444.28	16	
	17	444.19	444.38	444.34	444.18	444.17	444.15	444.11	444.21	444.07	444.15	444.18	444.27	17	
	18	444.19	444.35	444.32	444.18	444.17	444.16	444.11	444.22 +	444.06	444.14	444.18	444.27	18	
	19	444.19	444.34	444.31	444.18	444.17	444.19	444.11	444.21	444.06	444.14	444.18	444.26	19	
	20	444.18	444.34	444.29	444.18	444.17	444.20 +	444.11	444.20	444.06	444.13	444.18	444.25	20	
+ Maximum	21	444.18	444.34	444.28	444.18	444.16	444.20	444.10	444.18	444.05	444.13	444.18	444.24	21	
	22	444.18	444.33	444.27	444.17	444.16	444.19	444.10	444.17	444.05 -	444.12	444.18	444.23	22	
	23	444.18	444.32	444.26	444.17	444.16	444.18	444.11	444.16	444.06	444.15	444.18	444.23	23	
	24	444.18	444.31	444.25	444.17	444.16	444.17	444.11	444.15	444.06	444.32	444.18	444.25	24	
	25	444.18	444.29 -	444.24	444.17	444.16	444.16	444.11	444.14	444.06	444.35	444.17	444.29	25	
	- Minimum	26	444.17	444.29 -	444.23	444.17	444.16	444.16	444.11	444.13	444.07	444.37	444.17	444.31	26
		27	444.17 -	444.33	444.23	444.17 -	444.16	444.15	444.11	444.13	444.08	444.45 +	444.17	444.32	27
		28	444.17	444.46	444.22	444.17 -	444.15	444.15	444.10	444.12	444.09	444.42	444.17	444.31	28
		29	444.21	444.48 +	444.22	444.17 -	444.15	444.15	444.10	444.12	444.10	444.38	444.16	444.31	29
		30	444.28		444.21	444.17	444.15	444.15	444.10	444.12	444.11	444.35	444.16 -	444.36	30
31		444.32		444.21 -	444.17	444.14 -	444.15	444.10 -	444.18	444.11	444.33	444.16 +	444.41 +	31	
Monatsmittel	444.23	444.36	444.40 +	444.18	444.17	444.16	444.12	444.14	444.10 -	444.21	444.20	444.26	müM		
Maximum (Spitze) Datum	444.39 1.	444.50 29.	444.70 + 6.	444.21 1.	444.20 7.	444.20 20.	444.15 - 1.	444.23 18.	444.19 1.	444.45 27.	444.32 1.	444.41 31.	müM		
Monatsamplitude	0.22	0.21	0.49 +	0.04 -	0.06	0.06	0.06	0.14	0.14	0.33	0.16	0.26	m		
Jahr	Mittel 444.21	Max (Spitze) 444.70 (6.3.)					Min (Spitze) 444.05 (22.9.)			Jahresamplitude (Spitze) 0.65					



Periode	2000 - 2020 (21 Jahre)												
Monatsmittel	444.35 +	444.32	444.32	444.26	444.21	444.19	444.15	444.13	444.11 -	444.14	444.21	444.30	müM
Maximum (Spitze) Jahr	445.29 2018	444.72 - 2006	445.28 2006	445.31 + 2006	444.98 2015	444.83 2016	444.82 2016	445.03 2007	444.77 2007	444.76 2006	444.75 2002	445.06 2012	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.03 2018	müM
Monatsamplitude (Max) Jahr	0.99 2018	0.57 2006	0.99 2006	1.01 + 2006	0.80 2015	0.56 2013	0.64 2016	0.92 2007	0.67 2007	0.60 2006	0.45 - 2002	0.73 2011	m
Periode	Mittel 444.22	Max (Spitze) 445.31 (10.4.2006)					Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43			



Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 2 610 450 / 1 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2019		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	444.29	444.21	444.19	444.22	444.16	444.20 +	444.12 +	444.07	444.11 +	444.05 -	444.17 -	444.32	1
	2	444.27	444.26	444.19	444.21	444.16	444.19	444.12	444.07	444.11	444.06	444.18	444.31	2
	3	444.26	444.31	444.19	444.21	444.16	444.19	444.11	444.07	444.11	444.06	444.19	444.30	3
	4	444.24	444.33	444.19	444.21	444.16	444.18	444.11	444.07	444.11	444.06	444.22	444.28	4
	5	444.23	444.34 +	444.19	444.21	444.16	444.18	444.10	444.07 -	444.10	444.07	444.26	444.26	5
Tagesmittel	6	444.22	444.33	444.18	444.22 +	444.15	444.17	444.10	444.07 -	444.10	444.07	444.28	444.25	6
	7	444.21	444.31	444.18	444.21	444.15 -	444.17	444.10	444.07	444.09	444.07	444.30 +	444.24	7
	8	444.20	444.29	444.18	444.21	444.16	444.16	444.10	444.08	444.08	444.07	444.30	444.23	8
	9	444.19	444.27	444.18 -	444.20	444.16	444.16	444.10	444.08	444.07	444.08	444.28	444.22 -	9
	10	444.19	444.26	444.19	444.20	444.17	444.16	444.10	444.08	444.06	444.09	444.27	444.23	10
Tagesmittel	11	444.18	444.27	444.20	444.20	444.18	444.18	444.09	444.09	444.05	444.10	444.26	444.25	11
	12	444.18 -	444.31	444.21	444.19	444.18	444.19	444.09	444.10	444.05	444.10	444.24	444.26	12
	13	444.23	444.33	444.22	444.19	444.18	444.19	444.09	444.10	444.04	444.10	444.23	444.27	13
	14	444.38	444.33	444.23	444.19	444.18	444.19	444.09	444.10	444.03	444.10	444.22	444.37	14
	15	444.42 +	444.31	444.41	444.19	444.18	444.19	444.09	444.10	444.03	444.10	444.21	444.45	15
müM	16	444.41	444.30	444.51 +	444.19	444.17	444.19	444.09	444.10	444.03	444.11	444.20	444.44	16
	17	444.38	444.28	444.49	444.18	444.17	444.19	444.08	444.09	444.02	444.12	444.20	444.40	17
	18	444.35	444.27	444.45	444.18	444.18	444.19	444.08	444.09	444.02	444.12	444.19	444.37	18
	19	444.32	444.25	444.42	444.18	444.18	444.18	444.08	444.09	444.01	444.15	444.20	444.34	19
	20	444.30	444.24	444.39	444.18	444.19	444.17	444.08	444.12	444.01	444.20	444.20	444.32	20
+ Maximum	21	444.28	444.23	444.36	444.18	444.24	444.17	444.07	444.16	444.01 -	444.22	444.20	444.30	21
	22	444.27	444.23	444.34	444.18	444.25	444.16	444.07	444.18 +	444.01	444.25	444.20	444.30	22
	23	444.26	444.22	444.32	444.18	444.25 +	444.16	444.06	444.18	444.02	444.27 +	444.20	444.37	23
	24	444.24	444.21	444.30	444.17	444.24	444.15	444.06	444.17	444.03	444.26	444.20	444.43	24
	25	444.23	444.21	444.29	444.17	444.23	444.15	444.05	444.16	444.04	444.24	444.19	444.47	25
- Minimum	26	444.22	444.20	444.27	444.17	444.23	444.14	444.05	444.15	444.05	444.22	444.19	444.47	26
	27	444.22	444.20	444.26	444.17	444.22	444.14	444.04 -	444.14	444.05	444.21	444.19	444.48	27
	28	444.21	444.20 -	444.25	444.16	444.21	444.13	444.05	444.13	444.05	444.19	444.18	444.53 +	28
	29	444.20	444.24	444.24	444.16	444.21	444.13	444.06	444.13	444.06	444.18	444.20	444.49	29
	30	444.20	444.23	444.23	444.16 -	444.20	444.12 -	444.06	444.12	444.05	444.18	444.28	444.44	30
31	444.20	444.22	444.22	444.16	444.20	444.12	444.07	444.12	444.12	444.18	444.18	444.40	31	
Monatsmittel		444.26	444.27	444.27	444.19	444.19	444.17	444.08	444.11	444.05 -	444.14	444.22	444.35 +	müM
Maximum (Spitze) Datum		444.42 15.	444.34 5.	444.52 16.	444.22 6.	444.25 22. / 23.	444.20 1.	444.12 1.	444.18 22. / 23.	444.11 1.	444.27 23.	444.31 30.	444.53 + 28.	müM
Monatsamplitude		0.24	0.15	0.34 +	0.06 -	0.10	0.08	0.08	0.12	0.11	0.22	0.14	0.32	m
Jahr	Mittel	444.19					Max (Spitze) 444.53 (28.12.)			Min (Spitze) 444.01 (21.9.)			Jahresamplitude (Spitze) 0.52	



Periode	2000 - 2019 (20 Jahre)													
Monatsmittel	444.35 +	444.32	444.31	444.26	444.21	444.19	444.15	444.13	444.11 -	444.14	444.21	444.30	müM	
Maximum (Spitze) Jahr	445.29 2018	444.72 - 2006	445.28 2006	445.31 + 2006	444.98 2015	444.83 2016	444.82 2016	445.03 2007	444.77 2007	444.76 2006	444.75 2002	445.06 2012	müM	
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.03 2018	müM	
Monatsamplitude (Max) Jahr	0.99 2018	0.57 2006	0.99 2006	1.01 + 2006	0.80 2015	0.56 2013	0.64 2016	0.91 2007	0.67 2007	0.60 2006	0.45 - 2002	0.73 2011	m	
Periode	Mittel	444.22					Max (Spitze) 445.31 (10.4.2006)			Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43	



Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 2 610 450 / 1 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2018		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	444.52	444.45	444.24	444.31	444.15 +	444.14	444.10	444.05	444.06	444.02	444.18 +	444.04 -	1	
	2	444.55	444.50 +	444.24	444.33 +	444.15	444.14	444.09	444.05	444.06 +	444.03	444.17	444.04	2	
	3	444.62	444.47	444.23	444.32	444.14	444.14	444.09	444.04	444.06 +	444.03	444.16	444.10	3	
	4	444.82	444.43	444.22	444.31	444.14	444.14	444.09	444.04	444.06 +	444.04	444.15	444.20	4	
	5	445.03	444.40	444.22 -	444.30	444.14	444.13	444.10	444.04	444.06	444.04	444.13	444.28	5	
	6	444.88	444.38	444.23	444.29	444.14	444.13	444.13	444.03	444.05	444.05	444.11	444.29	6	
	7	444.78	444.36	444.23	444.28	444.14	444.12	444.15	444.03 -	444.05	444.05	444.10	444.28	7	
	8	444.68	444.34	444.24	444.27	444.13	444.12	444.16 +	444.03	444.05	444.05	444.09	444.28	8	
	9	444.60	444.32	444.27	444.26	444.13	444.12	444.15	444.04	444.04	444.05	444.08	444.29	9	
	10	444.53	444.30	444.28	444.25	444.13	444.12	444.14	444.04	444.03	444.05	444.07	444.35	10	
müM	11	444.48	444.29	444.28	444.24	444.13	444.12	444.14	444.04	444.02	444.05	444.06	444.38	11	
	12	444.43	444.28	444.28	444.23	444.13	444.12	444.13	444.05	444.02	444.04	444.06	444.36	12	
	13	444.39	444.27	444.30	444.23	444.12	444.17	444.12	444.05	444.02	444.04	444.05	444.33	13	
	14	444.36	444.26	444.32	444.22	444.12	444.20	444.12	444.05	444.02 -	444.04	444.06	444.29	14	
	15	444.34	444.25	444.33	444.21	444.13	444.20 +	444.11	444.05	444.02 -	444.04	444.06	444.27	15	
	16	444.32	444.26	444.33	444.21	444.14	444.19	444.11	444.05	444.02	444.04	444.06	444.25	16	
	17	444.31 -	444.29	444.32	444.21	444.15	444.18	444.10	444.05	444.03	444.03	444.05	444.23	17	
	18	444.37	444.37	444.32	444.20	444.15	444.17	444.10	444.05	444.04	444.03	444.05	444.22	18	
	19	444.55	444.40	444.34 +	444.20	444.14	444.16	444.09	444.06	444.04	444.02	444.04	444.21	19	
	20	444.59	444.39	444.33	444.19	444.14	444.15	444.09	444.06 +	444.04	444.02	444.04	444.21	20	
+ Maximum	21	444.74	444.37	444.32	444.19	444.14	444.14	444.09	444.05	444.04	444.01	444.04	444.22	21	
	22	445.07	444.34	444.31	444.18	444.13	444.13	444.09	444.05	444.03	444.01	444.04	444.30	22	
	23	445.19 +	444.32	444.29	444.18	444.13	444.13	444.09	444.05	444.03	444.01	444.04	444.37	23	
	24	445.00	444.30	444.28	444.18	444.13	444.12	444.09	444.05	444.02	444.00	444.04	444.50	24	
	25	444.86	444.29	444.26	444.17	444.13	444.12	444.08	444.05	444.02	444.00	444.04	444.57 +	25	
	- Minimum	26	444.74	444.27	444.25	444.17	444.13	444.11	444.08	444.05	444.02	444.00 -	444.04	444.51	26
		27	444.64	444.26	444.24	444.17	444.12	444.11	444.07	444.05	444.02	444.00	444.04	444.46	27
		28	444.56	444.25 -	444.24	444.16	444.12	444.10	444.07	444.05	444.02	444.08	444.04	444.42	28
		29	444.51		444.24	444.16	444.12	444.10	444.07	444.05	444.02	444.13	444.04	444.38	29
		30	444.46		444.26	444.15 -	444.12 -	444.10 -	444.06	444.05	444.02	444.15	444.04 -	444.35	30
31		444.42		444.28		444.13		444.05 -	444.05		444.18 +		444.32	31	
Monatsmittel		444.62 +	444.34	444.27	444.23	444.13	444.14	444.10	444.05	444.03 -	444.04	444.07	444.30	müM	
Maximum (Spitze) Datum		445.29 + 22.	444.51 2.	444.34 19.	444.33 2.	444.15 1.	444.21 14. / 15.	444.16 8.	444.06 - 19. / 20.	444.06 div	444.18 31.	444.18 1.	444.58 25.	müM	
Monatsamplitude		0.99 +	0.26	0.12	0.18	0.03	0.11	0.11	0.03 -	0.04	0.19	0.15	0.55	m	
Jahr		Mittel 444.19	Max (Spitze) 445.29 (22.1.)				Min (Spitze) 444.00 (26.10./27.10.)				Jahresamplitude (Spitze) 1.30				



Periode	2000 - 2018 (19 Jahre)												
Monatsmittel	444.36 +	444.32	444.31	444.27	444.21	444.19	444.16	444.13	444.11 -	444.14	444.21	444.30	müM
Maximum (Spitze) Jahr	445.29 2018	444.72 - 2006	445.28 2006	445.31 + 2006	444.98 2015	444.83 2016	444.82 2016	445.03 2007	444.77 2007	444.76 2006	444.75 2002	445.06 2012	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.03 2018	müM
Monatsamplitude (Max) Jahr	0.99 2018	0.57 2006	0.99 2006	1.01 + 2006	0.80 2015	0.56 2013	0.64 2016	0.91 2007	0.67 2007	0.60 2006	0.45 - 2002	0.73 2011	m
Periode	Mittel 444.22	Max (Spitze) 445.31 (10.4.2006)				Min (Spitze) 443.88 (13.8.2003)				Periodenamplitude (Spitze) 1.43			



Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 2 610 450 / 1 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	444.16	444.33	444.29	444.22 +	444.18	444.15	444.11	444.09	444.08	444.05 -	444.08 -	444.17	1
	2	444.16	444.40	444.37	444.21	444.17	444.15	444.11 +	444.09	444.08	444.05	444.08 -	444.17	2
	3	444.16	444.40	444.45	444.21	444.16	444.15	444.11 +	444.09	444.08 +	444.06	444.08 -	444.17	3
	4	444.16	444.38	444.44	444.20	444.16	444.16	444.11	444.09	444.08	444.06	444.08	444.17	4
	5	444.16	444.37	444.41	444.20	444.16	444.17	444.11	444.08	444.08	444.06	444.08	444.17	5
	6	444.16	444.39	444.51	444.19	444.16	444.18 +	444.10	444.08	444.07	444.06	444.09	444.17	6
	7	444.16	444.44	444.65 +	444.19	444.17	444.17	444.10	444.07	444.07	444.06	444.09	444.16 -	7
	8	444.16	444.45 +	444.61	444.19	444.17	444.17	444.10	444.07 -	444.07	444.06	444.09	444.17	8
	9	444.16 -	444.45	444.58	444.18	444.20	444.16	444.10	444.08	444.07	444.06	444.09	444.17	9
	10	444.16	444.42	444.56	444.18	444.21 +	444.16	444.10	444.09	444.06	444.06	444.10	444.18	10
müM	11	444.16 -	444.39	444.52	444.18	444.21	444.15	444.10	444.10	444.06	444.06	444.10	444.27	11
	12	444.16	444.36	444.48	444.17	444.20	444.15	444.11	444.10 +	444.05	444.06	444.12	444.48	12
	13	444.19	444.34	444.44	444.17	444.20	444.14	444.11	444.10 +	444.05	444.07	444.16	444.51	13
	14	444.20	444.32	444.41	444.17	444.19	444.14	444.11	444.10	444.05	444.07	444.18	444.52	14
	15	444.21	444.31	444.38	444.17	444.19	444.13	444.10	444.10	444.04	444.07	444.18 +	444.76 +	15
	16	444.22	444.29	444.36	444.16	444.18	444.13	444.10	444.10	444.04	444.07	444.18	444.70	16
	17	444.22 +	444.28	444.34	444.16	444.18	444.12	444.10	444.10	444.04	444.07	444.17	444.62	17
	18	444.22 +	444.27	444.32	444.16	444.17	444.12	444.09	444.10	444.04	444.06	444.16	444.58	18
	19	444.21	444.26	444.31	444.16	444.17	444.12	444.09	444.10	444.04	444.06	444.16	444.50	19
	20	444.21	444.26	444.29	444.16	444.17	444.11	444.09	444.09	444.04	444.06	444.15	444.45	20
+ Maximum	21	444.21	444.25	444.28	444.16	444.17	444.11	444.09	444.09	444.03	444.06	444.14	444.42	21
	22	444.20	444.24	444.27	444.15	444.17	444.11	444.09 -	444.09	444.03	444.06	444.14	444.39	22
	23	444.20	444.24	444.26	444.15	444.16	444.11	444.09	444.09	444.03 -	444.07	444.14	444.37	23
	24	444.20	444.23	444.26	444.15	444.16	444.10	444.09	444.09	444.03	444.07	444.13	444.36	24
	25	444.19	444.23	444.25	444.15 -	444.16	444.10	444.09	444.08	444.04	444.07	444.14	444.34	25
- Minimum	26	444.19	444.23	444.25	444.16	444.15	444.10	444.10	444.08	444.04	444.07	444.16	444.32	26
	27	444.18	444.22 -	444.24	444.17	444.15	444.10 -	444.10	444.08	444.04	444.07	444.17	444.31	27
	28	444.18	444.23	444.23	444.17	444.15	444.10	444.10	444.08	444.05	444.08	444.18	444.29	28
	29	444.18	444.23	444.23	444.18	444.14	444.11	444.10	444.08	444.05	444.08 +	444.18	444.28	29
	30	444.18	444.22	444.23	444.18	444.14	444.11	444.10	444.08	444.05	444.08	444.17	444.31	30
	31	444.19	444.22 -	444.22	444.18	444.14 -	444.11	444.09	444.08	444.08	444.08 +	444.17	444.51	31
Monatsmittel	444.18	444.32	444.37 +	444.17	444.17	444.13	444.10	444.09	444.05 -	444.06	444.13	444.35	müM	
Maximum (Spitze) Datum	444.24 31.	444.46 8. / 9.	444.67 7.	444.22 1.	444.21 10.	444.18 5. / 6.	444.11 3.	444.11 13.	444.08 3.	444.08 div	444.19 15.	444.79 15.	müM	
Monatsamplitude	0.08	0.23	0.45	0.07	0.07	0.08	0.03	0.04	0.05	0.03 -	0.11	0.63 +	m	
Jahr	Mittel 444.18	Max (Spitze) 444.79 (15.12.)					Min (Spitze) 444.03 (23.9.)			Jahresamplitude (Spitze) 0.76				



Periode	2000 - 2017 (18 Jahre)												
Monatsmittel	444.34 +	444.32	444.32	444.27	444.22	444.19	444.16	444.14	444.11 -	444.14	444.22	444.30	müM
Maximum (Spitze) Jahr	445.08 2016	444.72 - 2006	445.28 2006	445.31 + 2006	444.98 2015	444.83 2016	444.82 2016	445.03 2007	444.77 2007	444.76 2006	444.75 2002	445.06 2012	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.06 2003	müM
Monatsamplitude (Max) Jahr	0.93 2004	0.57 2006	0.99 2006	1.01 + 2006	0.80 2015	0.56 2013	0.64 2016	0.91 2007	0.67 2007	0.60 2006	0.45 - 2002	0.73 2011	m
Periode	Mittel 444.23	Max (Spitze) 445.31 (10.4.2006)					Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43			



Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 2 610 450 / 1 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2016		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	444.16 -	444.57	444.33	444.21	444.24	444.46	444.78 +	444.19 +	444.12	444.12	444.16	444.23 +	1	
	2	444.16	444.56	444.32	444.20	444.24	444.42	444.72	444.18	444.12	444.12	444.15	444.22	2	
	3	444.17	444.51	444.31	444.20	444.24	444.39	444.67	444.18	444.12	444.12	444.15	444.21	3	
	4	444.20	444.48	444.33	444.20	444.24	444.36	444.59	444.18	444.12	444.12	444.14	444.21 -	4	
	5	444.28	444.46	444.37	444.20	444.23	444.34	444.52	444.18	444.12	444.12	444.15	444.20	5	
	müM	6	444.31	444.45	444.47	444.20	444.23	444.32	444.46	444.18	444.12 +	444.12	444.21	444.20	6
		7	444.32	444.43	444.48 +	444.20	444.23	444.30	444.42	444.18	444.12 +	444.12	444.26	444.19	7
		8	444.38	444.40	444.45	444.19	444.22	444.29 -	444.38	444.17	444.12	444.12	444.28	444.19	8
		9	444.63	444.39	444.42	444.19	444.22	444.29	444.35	444.17	444.12	444.12	444.29	444.19	9
		10	444.75	444.43	444.39	444.19	444.21	444.30	444.32	444.17	444.12	444.12	444.31	444.18	10
		11	444.96	444.45	444.37	444.19	444.21 -	444.30	444.30	444.17	444.11	444.12	444.44	444.18	11
		12	445.05 +	444.42	444.35	444.19 -	444.21	444.30	444.40	444.16	444.11	444.12	444.51 +	444.18	12
		13	445.00	444.44	444.33	444.19	444.39	444.30	444.60	444.16	444.10	444.12	444.47	444.18	13
		14	444.86	444.58	444.31	444.22	444.56 +	444.36	444.57	444.16	444.10	444.12	444.42	444.17	14
		15	444.74	444.65 +	444.30	444.23	444.55	444.41	444.50	444.15	444.09	444.12	444.38	444.17	15
	+ Maximum	16	444.65	444.58	444.29	444.24	444.50	444.42	444.46	444.15	444.09	444.12	444.36	444.17	16
		17	444.57	444.53	444.28	444.28	444.45	444.73 +	444.41	444.15	444.09 -	444.12	444.33	444.17	17
		18	444.52	444.49	444.27	444.42	444.41	444.69	444.38	444.15	444.09	444.12	444.31	444.17	18
		19	444.47	444.45	444.26	444.49 +	444.38	444.64	444.35	444.15	444.11	444.12	444.40	444.17	19
		20	444.43	444.41	444.25	444.47	444.35	444.60	444.32	444.14	444.12	444.12	444.49	444.17	20
		21	444.40	444.39	444.25	444.43	444.33	444.55	444.30	444.14	444.12	444.11	444.45	444.17	21
	- Minimum	22	444.37	444.37	444.24	444.39	444.31	444.49	444.28	444.14	444.12	444.11	444.41	444.17	22
		23	444.35	444.35	444.24	444.37	444.34	444.45	444.26	444.14	444.12	444.11 -	444.37	444.17	23
		24	444.34	444.34 -	444.23	444.34	444.51	444.41	444.25	444.14	444.12	444.11 -	444.34	444.17	24
		25	444.33	444.35	444.23	444.32	444.52	444.43	444.24	444.14	444.12	444.12	444.32	444.17	25
		26	444.32	444.40	444.22	444.30	444.47	444.44	444.23	444.13	444.12	444.15	444.30	444.17	26
	27	444.31	444.40	444.22	444.28	444.43	444.40	444.22	444.13	444.12	444.18	444.28	444.17	27	
	28	444.30	444.38	444.22	444.27	444.39	444.38	444.21	444.13	444.12	444.18 +	444.26	444.17	28	
	29	444.29	444.35	444.22	444.25	444.41	444.35	444.20	444.13	444.12	444.18	444.25	444.17	29	
	30	444.28		444.21	444.24	444.53	444.49	444.20	444.12	444.12	444.17	444.24	444.16	30	
	31	444.37		444.21 -		444.51		444.19 -	444.12 -		444.16		444.16 -	31	
Monatsmittel		444.46 +	444.45	444.30	444.27	444.36	444.42	444.39	444.15	444.11 -	444.13	444.31	444.18	müM	
Maximum (Spitze) Datum		445.08 + 12.	444.66 15.	444.48 6. / 7.	444.49 19.	444.57 14.	444.83 30.	444.82 1.	444.19 1.	444.12 6. / 7.	444.18 27. / 28.	444.51 12.	444.23 1.	müM	
Monatsamplitude		0.93 +	0.33	0.28	0.31	0.36	0.55	0.64	0.07	0.04 -	0.08	0.37	0.07	m	
Jahr		Mittel 444.29	Max (Spitze) 445.08 (12.1.)				Min (Spitze) 444.09 (17.9.)			Jahresamplitude (Spitze) 0.99					



Periode	2000 - 2016 (17 Jahre)												
Monatsmittel	444.35 +	444.32	444.31	444.28	444.22	444.19	444.16	444.14	444.12 -	444.15	444.22	444.29	müM
Maximum (Spitze) Jahr	445.08 2016	444.72 - 2006	445.28 2006	445.31 + 2006	444.98 2015	444.83 2016	444.82 2016	445.03 2007	444.77 2007	444.76 2006	444.75 2002	445.06 2012	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.06 2003	müM
Monatsamplitude (Max) Jahr	0.93 2004	0.57 2006	0.99 2006	1.01 + 2006	0.80 2015	0.56 2013	0.64 2016	0.91 2007	0.67 2007	0.60 2006	0.45 - 2002	0.73 2011	m
Periode	Mittel 444.23	Max (Spitze) 445.31 (10.4.2006)				Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43				





Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 610 450 / 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2015		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	444.26	444.53 +	444.27	444.33	444.24	444.18	444.15 +	444.09	444.07	444.08	444.10	444.20	1
	2	444.26 -	444.49	444.30	444.33	444.64	444.18	444.15	444.09	444.06	444.08	444.10	444.20 +	2
	3	444.27	444.45	444.36	444.34	444.83	444.18	444.15	444.09	444.07	444.08	444.10	444.20	3
	4	444.50	444.42	444.37 +	444.36	444.95 +	444.17	444.15	444.09	444.07	444.08 -	444.10	444.19	4
	5	444.54	444.40	444.36	444.37	444.84	444.17	444.14	444.09	444.07	444.08	444.09	444.18	5
	6	444.49	444.37	444.34	444.38 +	444.86	444.17	444.14	444.08	444.07	444.08	444.09	444.18	6
	7	444.44	444.35	444.32	444.36	444.77	444.19	444.14	444.07	444.07	444.09	444.09	444.17	7
	8	444.40	444.33	444.31	444.34	444.67	444.20	444.13	444.07	444.07	444.10	444.08	444.17	8
	9	444.37	444.32	444.29	444.32	444.59	444.19	444.13	444.06	444.06	444.10	444.08	444.17	9
	10	444.35	444.30	444.28	444.30	444.52	444.19	444.13	444.06	444.06	444.10	444.08	444.17	10
müM	11	444.33	444.29	444.27	444.28	444.47	444.19	444.12	444.06	444.06	444.10	444.08	444.16	11
	12	444.33	444.28	444.26	444.27	444.43	444.18	444.12	444.06	444.05	444.10	444.08	444.16	12
	13	444.32	444.27	444.25	444.26	444.39	444.18	444.12	444.06 -	444.05	444.10	444.07	444.16	13
	14	444.33	444.26	444.25	444.25	444.36	444.17	444.11	444.06	444.05	444.10	444.07	444.16	14
	15	444.37	444.25	444.24	444.25	444.33	444.19	444.11	444.06	444.05	444.10	444.07	444.16	15
	16	444.37	444.25	444.24	444.24	444.31	444.21	444.11	444.07	444.04 -	444.10	444.07	444.16 -	16
	17	444.37	444.24	444.23	444.23	444.29	444.22 +	444.10	444.08	444.05	444.10	444.07	444.16	17
	18	444.43	444.24	444.23	444.23	444.27	444.21	444.10	444.09	444.05	444.10	444.07	444.16	18
	19	444.42	444.23	444.22	444.22	444.25	444.20	444.09	444.10	444.05	444.11	444.07 -	444.16	19
	20	444.40	444.23	444.22	444.22	444.24	444.19	444.09	444.10 +	444.06	444.11 +	444.08	444.16	20
+ Maximum	21	444.37	444.23 -	444.22	444.21	444.23	444.19	444.09	444.10	444.06	444.11	444.17	444.16	21
	22	444.36	444.23 -	444.21	444.21	444.22	444.18	444.08	444.10	444.07	444.10	444.19	444.16	22
	23	444.35	444.24	444.21	444.20	444.22	444.18	444.08 -	444.09	444.07	444.10	444.20	444.16	23
	24	444.34	444.25	444.21	444.20	444.21	444.17	444.08	444.09	444.08	444.10	444.20	444.16	24
	25	444.32	444.27	444.21	444.19	444.21	444.17	444.08	444.10	444.08	444.10	444.19	444.16	25
- Minimum	26	444.31	444.28	444.20	444.19	444.21	444.17	444.09	444.10	444.08	444.10	444.19	444.16	26
	27	444.30	444.28	444.20	444.19	444.20	444.16	444.09	444.10	444.08 +	444.09	444.20 +	444.16	27
	28	444.29	444.27	444.20	444.18	444.20	444.16	444.09	444.10	444.08	444.09	444.20	444.16	28
	29	444.32	444.20	444.18	444.18	444.19	444.16	444.09	444.09	444.08	444.09	444.19	444.16	29
	30	444.56 +	444.25	444.18 -	444.18 -	444.19	444.16 -	444.09	444.08	444.08	444.10	444.19	444.16	30
	31	444.58 +	444.32	444.18 -	444.18 -	444.19 -	444.16 -	444.09	444.08	444.08	444.10	444.19	444.16 -	31
Monatsmittel	444.38	444.31	444.26	444.26	444.40 +	444.18	444.11	444.08	444.07 -	444.10	444.12	444.17	müM	
Maximum (Spitze) Datum	444.60 30.	444.56 1.	444.37 4.	444.38 6.	444.98 + 4.	444.22 17.	444.15 1.	444.11 20.	444.08 - div	444.11 div	444.20 27. / 28.	444.20 1. / 2.	müM	
Monatsamplitude	0.35	0.33	0.18	0.20	0.80 +	0.07	0.08	0.05	0.04	0.03 -	0.14	0.05	m	
Jahr	Mittel 444.20	Max (Spitze) 444.98 (4.5.)				Min (Spitze) 444.04 (16.9./17.9.)			Jahresamplitude (Spitze) 0.94					



Periode	2000 - 2015 (16 Jahre)												
Monatsmittel	444.34 +	444.32	444.31	444.28	444.21	444.18	444.15	444.14	444.12 -	444.15	444.22	444.30	müM
Maximum (Spitze) Jahr	445.00 2004	444.72 2006	445.28 2006	445.31 + 2006	444.98 2015	444.75 2013	444.55 - 2009	445.03 2007	444.77 2007	444.76 2006	444.75 2002	445.06 2012	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.06 2003	müM
Monatsamplitude (Max) Jahr	0.93 2004	0.57 2006	0.99 2006	1.01 + 2006	0.80 2015	0.56 2013	0.45 2009	0.91 2007	0.67 2007	0.60 2006	0.45 - 2002	0.73 2011	m
Periode	Mittel 444.23	Max (Spitze) 445.31 (10.4.2006)				Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43				



Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 610 450 / 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	444.41	444.29	444.31 +	444.22	444.24	444.21 +	444.15	444.37 +	444.15 +	444.08	444.15	444.22	1	
	2	444.39	444.28	444.30	444.22	444.24	444.20	444.15 -	444.34	444.15	444.07	444.15	444.22	2	
	3	444.36	444.28	444.30	444.21	444.25	444.20	444.15 -	444.32	444.15	444.07	444.14	444.21	3	
	4	444.35	444.28	444.29	444.21	444.25 +	444.20	444.15 -	444.30	444.15	444.07 -	444.14 -	444.20	4	
	5	444.41	444.28	444.29	444.21	444.25	444.20	444.16	444.28	444.15	444.08	444.16	444.20	5	
	Tagesmittel	6	444.43 +	444.27 -	444.28	444.21	444.25	444.19	444.16	444.26	444.14	444.09	444.26	444.19	6
		7	444.41	444.28	444.28	444.21	444.24	444.19	444.16	444.25	444.14	444.09	444.31	444.19	7
		8	444.38	444.31	444.27	444.21	444.24	444.19	444.20	444.23	444.14	444.11	444.30	444.19	8
		9	444.36	444.33	444.27	444.21	444.23	444.19	444.26	444.22	444.14	444.12	444.29	444.18	9
		10	444.34	444.35	444.26	444.21	444.22	444.18	444.29	444.21	444.14	444.13	444.26	444.18	10
		11	444.32	444.34	444.26	444.21	444.22	444.18	444.32	444.21	444.14	444.14	444.25	444.18	11
		12	444.31	444.33	444.26	444.20	444.21	444.18	444.35	444.20	444.14	444.15	444.23	444.18	12
		13	444.30	444.33	444.25	444.20	444.21	444.17	444.36	444.20	444.13	444.15	444.24	444.18	13
		14	444.29	444.47	444.25	444.20	444.21	444.17	444.34	444.19	444.13	444.15	444.27	444.17	14
		15	444.28	444.49	444.24	444.20	444.23	444.17	444.32	444.19	444.13	444.15	444.28	444.17	15
	müM	16	444.27 -	444.60	444.24	444.20	444.24	444.17	444.29	444.19	444.13	444.15	444.46	444.17 -	16
		17	444.34	444.62 +	444.24	444.20	444.25	444.16	444.27	444.20	444.13	444.15	444.55	444.17	17
		18	444.39	444.56	444.23	444.19	444.25	444.16	444.25	444.20	444.13	444.15	444.56 +	444.21	18
		19	444.39	444.51	444.23	444.19	444.24	444.16	444.24	444.20	444.13	444.15	444.51	444.26	19
		20	444.37	444.47	444.23	444.19	444.24	444.15	444.23	444.19	444.12	444.15	444.46	444.28	20
	+ Maximum	21	444.35	444.43	444.23	444.19	444.23	444.15	444.30	444.19	444.12	444.15	444.42	444.30	21
		22	444.33	444.40	444.23	444.19	444.22	444.15	444.37	444.18	444.11	444.16	444.38	444.30 +	22
		23	444.31	444.38	444.23	444.19	444.22	444.15 -	444.44 +	444.18	444.11	444.17	444.35	444.29	23
		24	444.30	444.36	444.23	444.19 -	444.23	444.16	444.43	444.17	444.10	444.17	444.33	444.27	24
		25	444.29	444.35	444.23	444.19 -	444.22	444.16	444.39	444.17	444.10	444.18 +	444.30	444.26	25
	- Minimum	26	444.29	444.33	444.23	444.19 -	444.22	444.16	444.37	444.17	444.09	444.17	444.29	444.24	26
		27	444.30	444.32	444.23	444.19	444.22	444.16	444.41	444.17	444.09	444.17	444.27	444.24	27
		28	444.31	444.31	444.22	444.20	444.22	444.16	444.40	444.16	444.09	444.16	444.26	444.24	28
		29	444.32		444.22	444.22	444.22	444.16	444.37	444.16	444.08	444.16	444.24	444.25	29
		30	444.31		444.22	444.23 +	444.21	444.15	444.36	444.16	444.08 -	444.16	444.23	444.26	30
		31	444.30		444.22 -		444.21 -		444.37	444.16 -		444.15		444.27	31
Monatsmittel	444.34	444.38 +	444.25	444.20	444.23	444.17	444.29	444.21	444.12 -	444.14	444.30	444.22	müM		
Maximum (Spitze) Datum	444.43 6.	444.65 + 16.	444.31 1.	444.23 30.	444.26 4.	444.21 1.	444.45 23.	444.38 1.	444.16 1.	444.18 24. / 25.	444.57 17. / 18.	444.30 21. / 22.	müM		
Monatsamplitude	0.16	0.38	0.09	0.05 -	0.05	0.06	0.30	0.23	0.08	0.11	0.43 +	0.13	m		
Jahr	Mittel 444.24	Max (Spitze) 444.65 (16.2.)					Min (Spitze) 444.07 (4.10.)			Jahresamplitude (Spitze) 0.58					



Periode	2000 - 2014 (15 Jahre)												
Monatsmittel	444.34 +	444.32	444.32	444.28	444.20	444.18	444.15	444.14	444.12 -	444.15	444.22	444.31	müM
Maximum (Spitze) Jahr	445.00 2004	444.72 2006	445.28 2006	445.31 + 2006	444.70 2001	444.75 2013	444.55 - 2009	445.03 2007	444.77 2007	444.76 2006	444.75 2002	445.06 2012	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.06 2003	müM
Monatsamplitude (Max) Jahr	0.93 2004	0.57 2006	0.99 2006	1.01 + 2006	0.45 2001	0.56 2013	0.45 2009	0.91 2007	0.67 2007	0.60 2006	0.45 - 2002	0.73 2011	m
Periode	Mittel 444.23	Max (Spitze) 445.31 (10.4.2006)					Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43			



Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 610 450 / 225 500


OK Terrain 449.7 müM

Abstichpunkt 445.847 müM

2013		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	444.51 +	444.43	444.28	444.43	444.31	444.61	444.19	444.20 +	444.13	444.15	444.35	444.25	1	
	2	444.47	444.61	444.27	444.42	444.29	444.72 +	444.19	444.19	444.13	444.15	444.32	444.25	2	
	3	444.44	444.63	444.26	444.40	444.28	444.64	444.19	444.18	444.12	444.14	444.42	444.24	3	
	4	444.41	444.59	444.25	444.37	444.27	444.57	444.19	444.17	444.12	444.14 -	444.53	444.24	4	
	5	444.39	444.63	444.24	444.35	444.26	444.52	444.19	444.17	444.12	444.15	444.56	444.23	5	
	Tagesmittel	6	444.37	444.68 +	444.24	444.33	444.25	444.47	444.18	444.16	444.12	444.15	444.62	444.23	6
		7	444.35	444.62	444.24	444.32	444.25	444.42	444.18	444.16	444.12 -	444.15	444.64 +	444.23	7
		8	444.34	444.58	444.23	444.31	444.24	444.39	444.18	444.16	444.12	444.15	444.57	444.22	8
		9	444.33	444.54	444.23	444.30 -	444.24	444.36	444.17	444.16	444.14	444.15	444.59	444.22	9
		10	444.31	444.50	444.22	444.30 -	444.25	444.34	444.17	444.16	444.15	444.15	444.57	444.22	10
	müM	11	444.31	444.47	444.22	444.31	444.26	444.32	444.17	444.15	444.15	444.17	444.56	444.21	11
		12	444.32	444.44	444.22	444.50	444.26	444.31	444.17	444.15	444.14	444.19	444.52	444.21	12
		13	444.33	444.41	444.21	444.54	444.26	444.30	444.16	444.15	444.14	444.24	444.48	444.21	13
		14	444.33	444.39	444.21	444.51	444.26	444.29	444.16	444.14	444.14	444.27	444.44	444.21	14
		15	444.32	444.37	444.21	444.47	444.25	444.28	444.16	444.14	444.13	444.27	444.40	444.20	15
	müM	16	444.31	444.36	444.21 -	444.44	444.25	444.27	444.15	444.14	444.12	444.29	444.37	444.20	16
		17	444.30	444.36	444.21	444.41	444.25	444.26	444.15	444.14	444.12 -	444.33	444.34	444.20	17
		18	444.30	444.36	444.21	444.39	444.24	444.25	444.15	444.13	444.14	444.33	444.32	444.20 -	18
		19	444.29	444.37	444.21	444.39	444.24	444.24	444.15	444.13	444.18	444.31	444.30	444.20 -	19
		20	444.28	444.38	444.22	444.53	444.24	444.23	444.15	444.13	444.18 +	444.29	444.29	444.24	20
	+ Maximum	21	444.28	444.37	444.22	444.58 +	444.24	444.23	444.15	444.13	444.17	444.26	444.27	444.30	21
		22	444.27	444.36	444.22	444.54	444.24	444.22	444.14	444.13	444.16	444.25	444.27	444.32	22
		23	444.27	444.35	444.23	444.49	444.24	444.22	444.14	444.12 -	444.16	444.23	444.28	444.32	23
		24	444.27	444.33	444.23	444.46	444.23	444.21	444.14	444.13	444.16	444.22	444.29	444.31	24
		25	444.26	444.32	444.23	444.43	444.23	444.21	444.14	444.13	444.15	444.22	444.30	444.30	25
	- Minimum	26	444.26	444.31	444.23	444.40	444.23	444.20	444.13	444.13	444.15	444.21	444.29	444.42	26
		27	444.26	444.30	444.22	444.38	444.23	444.20	444.13	444.13	444.15	444.25	444.28	444.55 +	27
		28	444.25 -	444.29 -	444.23	444.36	444.23 -	444.20	444.13 -	444.14	444.15	444.34	444.27	444.52	28
		29	444.27	444.33	444.25	444.34	444.25	444.19	444.15	444.14	444.15	444.37	444.26	444.50	29
		30	444.34	444.30	444.23	444.32	444.29	444.19 -	444.20	444.14	444.15	444.40 +	444.26 -	444.47	30
	31	444.40		444.41 +		444.31 +		444.21 +	444.13		444.38		444.44	31	
Monatsmittel		444.33	444.44 +	444.24	444.41	444.25	444.33	444.16	444.15	444.14 -	444.24	444.40	444.29	müM	
Maximum (Spitze)		444.54	444.69	444.43	444.59	444.39	444.75 +	444.21	444.20	444.19 -	444.40	444.68	444.56	müM	
Datum		1.	6.	31.	21.	31.	1.	31.	1.	19. / 20.	30.	6.	27.		
Monatsamplitude		0.28	0.41	0.22	0.29	0.16	0.56 +	0.08	0.08	0.07 -	0.26	0.42	0.36	m	
Jahr		Mittel 444.28			Max (Spitze) 444.75 (1.6.)			Min (Spitze) 444.12 (17.9./18.9.)			Jahresamplitude (Spitze) 0.63				



Periode	2000 - 2013 (14 Jahre)												
Monatsmittel	444.34 +	444.31	444.32	444.28	444.20	444.18	444.14	444.14	444.12 -	444.15	444.22	444.32	müM
Maximum (Spitze)	445.00	444.72	445.28	445.31 +	444.70	444.75	444.55 -	445.03	444.77	444.76	444.75	445.06	müM
Jahr	2004	2006	2006	2006	2001	2013	2009	2007	2007	2006	2002	2012	
Minimum (Spitze)	444.08	444.15 +	444.15	444.09	444.06	443.98	443.90	443.88 -	443.90	443.91	444.03	444.06	müM
Jahr	2004	2006	2003	2003	2003	2003	2003	2003	2003	2003	2009	2003	
Monatsamplitude (Max)	0.93	0.57	0.99	1.01 +	0.45	0.56	0.45	0.91	0.67	0.60	0.45 -	0.73	m
Jahr	2004	2006	2006	2006	2001	2013	2009	2007	2007	2006	2002	2011	
Periode	Mittel 444.23			Max (Spitze) 445.31 (10.4.2006)			Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43			



Grundwasserstand

Limnigraph Grütt - Derendingen


SO 610/225/001

Koordinaten 610 450 / 225 500

OK Terrain 449.7 müM

Abstichpunkt 445.85 müM

2012		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	444.74	444.39 +	444.31 +	444.21	444.24 +	444.16	444.16	444.13	444.13	444.09 -	444.16	444.42	1	
	2	444.70	444.37	444.31	444.21	444.23	444.16	444.18	444.12	444.14	444.10	444.16 -	444.39	2	
	3	444.68	444.35	444.30	444.21	444.22	444.16 -	444.21	444.12	444.14 +	444.10	444.16	444.36	3	
	4	444.65	444.33	444.30	444.21	444.22	444.16	444.23	444.12	444.14	444.11	444.16	444.39	4	
	5	444.74	444.32	444.29	444.21	444.22	444.16	444.22	444.12	444.14	444.11	444.25	444.51	5	
	6	444.90 +	444.30	444.28	444.21	444.22	444.16	444.25	444.13	444.13	444.11	444.30	444.54	6	
	7	444.79	444.28	444.27	444.21	444.21	444.16	444.31	444.13 +	444.13	444.11	444.31	444.52	7	
	8	444.70	444.26	444.26	444.21	444.21	444.17	444.31 +	444.13	444.12	444.12	444.30	444.47	8	
	9	444.62	444.25	444.26	444.20	444.21	444.19	444.29	444.12	444.11	444.14	444.28	444.43	9	
	10	444.57	444.24	444.25	444.20 -	444.20	444.19	444.27	444.12	444.10	444.18	444.27	444.40	10	
müM	11	444.52	444.23	444.25	444.21	444.20	444.20	444.25	444.12	444.09	444.23	444.44	444.38	11	
	12	444.48	444.22	444.24	444.21	444.20	444.21	444.23	444.12	444.08	444.24	444.55 +	444.36	12	
	13	444.44	444.21	444.24	444.23	444.20	444.25	444.22	444.11	444.08	444.24 +	444.50	444.35	13	
	14	444.41	444.20	444.23	444.23	444.19	444.31	444.21	444.11	444.08	444.23	444.45	444.34 -	14	
	15	444.38	444.20	444.23	444.23	444.19	444.31 +	444.20	444.11	444.07	444.22	444.41	444.42	15	
	16	444.36	444.19	444.23	444.25	444.19	444.29	444.19	444.11	444.07	444.20	444.38	444.71	16	
	17	444.34	444.19	444.23	444.28	444.19	444.27	444.18	444.11	444.07	444.19	444.35	444.94	17	
	18	444.32	444.18 -	444.22	444.30 +	444.18	444.25	444.17	444.11	444.06	444.18	444.32	445.04 +	18	
	19	444.31	444.19	444.22	444.30	444.18	444.23	444.17	444.11	444.06	444.16	444.30	444.97	19	
	20	444.30 -	444.19	444.22	444.29	444.18	444.22	444.16	444.11	444.05	444.15	444.28	444.83	20	
+ Maximum	21	444.35	444.20	444.23	444.28	444.18	444.21	444.16	444.10	444.05	444.15	444.26	444.76	21	
	22	444.43	444.20	444.22	444.27	444.18	444.20	444.15	444.10	444.05	444.14	444.25	444.70	22	
	23	444.46	444.21	444.22	444.27	444.18	444.19	444.15	444.10 -	444.05	444.14	444.24	444.86	23	
	24	444.44	444.22	444.22	444.27	444.17	444.19	444.15	444.10 -	444.05	444.13	444.23	444.77	24	
	25	444.41	444.27	444.22	444.27	444.17	444.18	444.14	444.10	444.05	444.13	444.22	444.68	25	
	- Minimum	26	444.40	444.30	444.22	444.27	444.17	444.18	444.14	444.11	444.05 -	444.13	444.21	444.75	26
		27	444.38	444.32	444.22	444.27	444.17	444.17	444.13	444.11	444.05	444.14	444.23	444.71	27
		28	444.39	444.32	444.22	444.26	444.17	444.17	444.13	444.10	444.06	444.14	444.31	444.75	28
		29	444.43	444.32	444.21	444.26	444.17	444.17	444.13	444.10	444.06	444.15	444.39	444.68	29
		30	444.44	444.32	444.21	444.25	444.16	444.16	444.13	444.10	444.07	444.16	444.44	444.61	30
31		444.42		444.21 -		444.16 -		444.13 -	444.11		444.16		444.56	31	
Monatsmittel	444.50	444.26	444.24	444.24	444.19	444.20	444.19	444.11	444.08 -	444.15	444.30	444.60 +	müM		
Maximum (Spitze) Datum	444.94 6.	444.41 1.	444.32 1.	444.30 18.	444.24 1.	444.31 14. / 15.	444.32 7. / 8.	444.13 - 7.	444.15 3.	444.24 13.	444.55 12.	445.06 18.	müM		
Monatsamplitude	0.64	0.22	0.11	0.10	0.08	0.16	0.19	0.03 -	0.10	0.16	0.39	0.73 +	m		
Jahr	Mittel 444.26	Max (Spitze) 445.06 (18.12.)					Min (Spitze) 444.04 (26.9.)			Jahresamplitude (Spitze) 1.02					



Periode	2000 - 2012 (13 Jahre)												
Monatsmittel	444.34 +	444.30	444.33	444.27	444.19	444.17	444.14	444.14	444.12 -	444.15	444.20	444.32	müM
Maximum (Spitze) Jahr	445.00 2004	444.72 2006	445.28 2006	445.31 + 2006	444.70 2001	444.39 - 2001	444.55 2009	445.03 2007	444.77 2007	444.76 2006	444.75 2002	445.06 2012	müM
Minimum (Spitze) Jahr	444.08 2004	444.15 + 2006	444.15 2003	444.09 2003	444.06 2003	443.98 2003	443.90 2003	443.88 - 2003	443.90 2003	443.91 2003	444.03 2009	444.06 2003	müM
Monatsamplitude (Max) Jahr	0.93 2004	0.57 2006	0.99 2006	1.01 + 2006	0.45 2001	0.22 - 2007	0.45 2009	0.91 2007	0.67 2007	0.60 2006	0.45 2002	0.73 2011	m
Periode	Mittel 444.22	Max (Spitze) 445.31 (10.4.2006)					Min (Spitze) 443.88 (13.8.2003)			Periodenamplitude (Spitze) 1.43			

