

Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 2 611 440 / 1 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2022		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	434.36 +	434.14	434.21 +	434.15	434.19 +	434.11	434.22	434.12	434.14	434.29	434.24	434.22	1	
	2	434.33	434.15	434.20	434.16	434.19	434.11 -	434.22	434.12	434.14	434.33	434.23	434.21	2	
	3	434.30	434.14	434.19	434.16	434.18	434.11	434.22	434.12	434.14	434.34 +	434.23	434.21	3	
	4	434.27	434.14	434.19	434.16	434.17	434.12	434.22	434.11	434.13	434.34 +	434.23	434.20	4	
	5	434.27	434.14	434.18	434.15	434.18	434.13	434.24 +	434.11	434.13	434.22	434.22	434.20	5	
	müM	6	434.26	434.14 -	434.17	434.15	434.18	434.15	434.23	434.10	434.14	434.31	434.22	434.19	6
		7	434.25	434.16	434.17	434.14 -	434.18	434.16	434.22	434.10	434.15	434.29	434.21	434.19	7
		8	434.25	434.17	434.16	434.17	434.18	434.17	434.21	434.10	434.18	434.28	434.21	434.19	8
		9	434.28	434.16	434.16	434.21	434.18	434.16	434.19	434.10	434.19	434.27	434.21	434.18	9
		10	434.34	434.16	434.16	434.21	434.18	434.16	434.18	434.10	434.19	434.26	434.23	434.18	10
		11	434.35	434.16	434.15	434.20	434.17	434.15	434.18	434.10	434.18	434.25	434.22	434.18	11
		12	434.35	434.16	434.15	434.20	434.17	434.15	434.17	434.10	434.16	434.25	434.21	434.19	12
		13	434.33	434.15	434.15	434.19	434.17	434.14	434.16	434.10	434.15	434.24	434.21	434.23	13
		14	434.30	434.15	434.14	434.18	434.17	434.14	434.16	434.10	434.14	434.23	434.21	434.25	14
		15	434.28	434.16	434.14	434.18	434.16	434.13	434.15	434.10	434.14	434.24	434.21 -	434.27	15
	+ Maximum	16	434.26	434.16	434.14	434.17	434.16	434.13	434.14	434.10	434.18	434.23	434.22	434.30	16
		17	434.24	434.20	434.14	434.17	434.16	434.13	434.14	434.09 -	434.18	434.23	434.21	434.30	17
		18	434.23	434.23	434.14	434.17	434.16	434.12	434.14	434.10	434.16	434.22	434.26	434.30	18
		19	434.22	434.23	434.14	434.17	434.16	434.12	434.13	434.11	434.15	434.21	434.28	434.30	19
		20	434.21	434.24	434.14	434.17	434.15	434.11	434.13	434.13	434.14	434.21	434.28	434.30	20
		21	434.20	434.24	434.14	434.17	434.15	434.11	434.14	434.15 +	434.14	434.21 -	434.29 +	434.30	21
	- Minimum	22	434.19	434.25 +	434.14	434.16	434.14	434.11 -	434.14	434.14	434.13	434.24	434.28	434.30	22
		23	434.18	434.25	434.14	434.16	434.13	434.12	434.15	434.14	434.13 -	434.25	434.27	434.32	23
		24	434.17	434.24	434.14	434.16	434.13	434.16	434.15	434.14	434.13 -	434.27	434.27	434.42	24
		25	434.17	434.23	434.14	434.20	434.13	434.17	434.15	434.13	434.13	434.30	434.26	434.44 +	25
		26	434.16	434.22	434.14	434.22	434.13	434.19 +	434.15	434.13	434.13	434.30	434.25	434.42	26
	Monatsmittel	434.24	434.19	434.15	434.18	434.16	434.14	434.17	434.12 -	434.16	434.27	434.24	434.28 +	müM	
	Maximum (Spitze) Datum	434.38 1.	434.26 22.	434.21 1.	434.23 26.	434.19 1.	434.19 30.	434.24 5.	434.15 31.	434.30 30.	434.34 3./4.	434.29 21.	434.45 25.	müM	
	Monatsamplitude	0.24	0.12	0.08	0.08	0.08	0.08	0.12	0.07 -	0.18	0.13	0.08	0.26 +	m	
	Jahr	Mittel 434.19	Max (Spitze) 434.45 (25.12.)					Min (Spitze) 434.08 (16.8.)			Jahresamplitude (Spitze) 0.36				



Periode	2000 - 2022 (23 Jahre)												
Monatsmittel	434.22 +	434.21	434.20	434.19	434.17	434.17	434.17	434.15	434.12 -	434.14	434.15	434.19	müM
Maximum (Spitze) Jahr	434.68 2018	434.60 2021	434.68 2006	434.70 + 2006	434.61 2015	434.61 2021	434.67 2021	434.57 2007	434.47 2007	434.43 - 2006	434.53 2002	434.62 2012	müM
Minimum (Spitze) Jahr	434.07 2017	434.07 2006	434.09 + 2018	434.07 2018	434.06 2018	434.08 2008	434.07 2006	434.07 2017	434.00 - 2017	434.02 2017	434.04 2007	434.04 2004	müM
Monatsamplitude (Max) Jahr	0.50 2018	0.45 2021	0.51 + 2001	0.46 2006	0.47 2015	0.47 2021	0.42 2021	0.45 2007	0.39 2007	0.34 2006	0.31 - 2002	0.44 2007	m
Periode	Mittel 434.17	Max (Spitze) 434.70 (11.4.2006)					Min (Spitze) 434.00 (26.9.2017)			Periodenamplitude (Spitze) 0.70			



Grundwasserstand

Linnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 2 611 440 / 1 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2021		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	434.27	434.59	434.14	434.14 +	434.12 -	434.22	434.56	434.26 +	434.11	434.09	434.11	434.11 -	1
	2	434.28	434.58	434.14	434.14	434.15	434.21	434.48	434.25	434.11	434.09 -	434.13	434.12	2
	3	434.28	434.58	434.14	434.14	434.16	434.20	434.42	434.23	434.11	434.09	434.13	434.12	3
	4	434.27	434.60 +	434.13	434.13	434.16	434.19	434.39	434.23	434.11	434.11	434.13	434.15	4
	5	434.26	434.59	434.13	434.13	434.16	434.20	434.37	434.22	434.11	434.13	434.14 +	434.21	5
müM	6	434.25	434.57	434.13	434.13	434.16	434.21	434.34	434.21	434.11	434.13	434.14	434.22	6
	7	434.24	434.55	434.13	434.13	434.19	434.20	434.35	434.22	434.11	434.15	434.13	434.21	7
	8	434.23	434.52	434.12	434.12	434.19	434.20	434.35	434.25	434.11	434.15 +	434.13	434.22	8
	9	434.22	434.49	434.12	434.12	434.18	434.21	434.38	434.24	434.11	434.15	434.13	434.25	9
	10	434.21	434.46	434.12 -	434.12	434.18	434.20	434.37	434.23	434.11	434.14	434.12	434.24	10
	11	434.20	434.43	434.12 -	434.12	434.17	434.19	434.35	434.22	434.11	434.14	434.12	434.25	11
	12	434.19	434.39	434.13	434.13	434.20	434.19	434.33	434.21	434.10	434.13	434.11	434.26	12
	13	434.19 -	434.36	434.13	434.13	434.19	434.18	434.38	434.20	434.10	434.13	434.11	434.25	13
	14	434.27	434.33	434.14	434.13	434.18	434.17	434.46	434.19	434.10	434.12	434.11	434.24	14
	15	434.49	434.30	434.17	434.13	434.17	434.17	434.55	434.18	434.09 -	434.12	434.11	434.24	15
+ Maximum	16	434.52	434.28	434.19	434.12	434.18	434.16	434.66 +	434.17	434.11	434.12	434.11	434.23	16
	17	434.46	434.26	434.19 +	434.12	434.22	434.16	434.66	434.16	434.12	434.12	434.11	434.23	17
	18	434.41	434.24	434.19 +	434.12	434.23	434.15	434.66	434.16	434.11	434.12	434.11	434.22	18
	19	434.37	434.23	434.19 +	434.12	434.23	434.15	434.65	434.15	434.13	434.12	434.11	434.21	19
	20	434.34	434.22	434.18	434.12	434.26	434.15 -	434.63	434.15	434.16 +	434.12	434.11	434.21	20
- Minimum	21	434.31	434.20	434.17	434.12	434.26	434.15	434.60	434.14	434.15	434.12	434.11	434.20	21
	22	434.30	434.19	434.17	434.12	434.30	434.17	434.56	434.14	434.14	434.12	434.11	434.20	22
	23	434.30	434.18	434.16	434.11	434.31 +	434.17	434.51	434.15	434.13	434.12	434.10	434.19	23
	24	434.30	434.18	434.16	434.11	434.30	434.19	434.47	434.14	434.12	434.12	434.10	434.18	24
	25	434.30	434.17	434.16	434.11	434.30	434.20	434.44	434.14	434.11	434.12	434.10	434.18	25
Monatsmittel		434.33	434.35	434.15	434.12	434.22	434.21	434.45 +	434.18	434.11 -	434.12	434.11	434.22	müM
Maximum (Spitze)		434.63	434.60	434.19	434.14 -	434.31	434.61	434.67 +	434.26	434.17	434.15	434.14 -	434.40	müM
Datum		30.	4. / 5.	17. / 18.	1.	23.	30.	16.	1.	19. / 20.	7.	434.14 -	31.	
Monatsamplitude		0.45	0.45	0.07	0.04 -	0.20	0.47 +	0.42	0.15	0.08	0.06	0.05	0.29	m
Jahr		Mittel 434.21	Max (Spitze) 434.67 (16.7.)				Min (Spitze) 434.09 (2.10./3.10.)			Jahresamplitude (Spitze) 0.58				



Periode	2000 - 2021 (22 Jahre)												
Monatsmittel	434.22 +	434.21	434.20	434.19	434.17	434.17	434.17	434.15	434.12 -	434.13	434.15	434.19	müM
Maximum (Spitze)	434.68	434.60	434.68	434.70 +	434.61	434.61	434.67	434.57	434.47	434.43 -	434.53	434.62	müM
Jahr	2018	2021	2006	2006	2015	2021	2021	2007	2007	2006	2002	2012	
Minimum (Spitze)	434.07	434.07	434.09 +	434.07	434.06	434.08	434.07	434.07	434.07	434.00 -	434.02	434.04	müM
Jahr	2017	2006	2018	2018	2018	2008	2006	2017	2017	2017	2017	2004	
Monatsamplitude (Max)	0.50	0.45	0.51 +	0.46	0.47	0.47	0.42	0.45	0.39	0.34	0.31 -	0.44	m
Jahr	2018	2021	2001	2006	2015	2021	2021	2007	2007	2006	2002	2007	
Periode	Mittel 434.17	Max (Spitze) 434.70 (11.4.2006)				Min (Spitze) 434.00 (26.9.2017)			Periodenamplitude (Spitze) 0.70				



Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 2 611 440 / 1 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2020		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	434.24 +	434.19 -	434.33	434.15	434.16	434.14	434.17 +	434.12 -	434.22 +	434.19	434.22 +	434.11 -	1
	2	434.22	434.20	434.36	434.15	434.20	434.13	434.17	434.13	434.20	434.19	434.21	434.12	2
	3	434.21	434.25	434.38	434.15	434.21	434.13 -	434.16	434.16	434.19	434.21	434.20	434.12	3
	4	434.20	434.27	434.37	434.14	434.20	434.13	434.15	434.19	434.18	434.23	434.20	434.12	4
	5	434.18	434.29 +	434.36	434.14	434.20	434.14	434.15	434.19	434.17	434.23	434.20	434.12	5
Tagesmittel	6	434.18	434.28	434.40	434.14	434.22 +	434.14	434.14	434.18	434.16	434.22	434.19	434.14	6
	7	434.17	434.27	434.40 +	434.14	434.21	434.16	434.14	434.17	434.15	434.22	434.18	434.16	7
	8	434.16	434.26	434.38	434.14	434.20	434.17	434.14	434.16	434.15	434.22	434.17	434.16	8
	9	434.15	434.24	434.36	434.14	434.19	434.17	434.17	434.16	434.14	434.21	434.17	434.16	9
	10	434.15	434.23	434.34	434.14	434.19	434.17	434.17	434.13	434.15	434.14	434.21	434.16	10
müM	11	434.14	434.22	434.34	434.14	434.18	434.17	434.14	434.14	434.13	434.20	434.16	434.16	11
	12	434.14	434.22	434.32	434.14	434.18	434.16	434.13	434.14	434.13	434.20	434.15	434.17	12
	13	434.13	434.21	434.31	434.14	434.18	434.15	434.13	434.14	434.12	434.20	434.15	434.18	13
	14	434.13	434.24	434.30	434.14	434.19	434.16	434.13	434.13	434.12	434.19	434.15	434.18	14
	15	434.13	434.23	434.28	434.14	434.19	434.16	434.13	434.13	434.11	434.18	434.14	434.18	15
+ Maximum	16	434.12	434.23	434.27	434.14	434.18	434.15	434.13	434.13	434.10	434.18	434.15	434.18	16
	17	434.12	434.23	434.25	434.14	434.18	434.17	434.12	434.20	434.10	434.17	434.15	434.18	17
	18	434.12	434.23	434.24	434.14	434.17	434.19	434.12	434.22 +	434.09	434.16	434.14	434.18	18
	19	434.12	434.23	434.23	434.14	434.17	434.22 +	434.12	434.21	434.09	434.16	434.14	434.17	19
	20	434.11	434.23	434.22	434.14	434.16	434.22	434.12 -	434.20	434.08	434.15	434.14	434.17	20
- Minimum	21	434.11	434.22	434.21	434.14	434.16	434.21	434.12 -	434.19	434.08	434.15	434.14	434.16	21
	22	434.11	434.21	434.20	434.14	434.16	434.20	434.12	434.17	434.08 -	434.14 -	434.14	434.17	22
	23	434.11	434.20	434.19	434.13	434.16	434.19	434.13	434.16	434.10	434.18	434.13	434.17	23
	24	434.11	434.20	434.19	434.13	434.16	434.18	434.13	434.16	434.10	434.26	434.13	434.18	24
	25	434.11	434.20	434.18	434.13	434.16	434.17	434.13	434.15	434.12	434.26	434.12	434.19	25
Monatsmittel		434.14	434.23	434.27 +	434.14	434.18	434.17	434.13	434.16	434.13 -	434.21	434.15	434.17	müM
Maximum (Spitze)		434.25	434.30	434.41 +	434.16 -	434.23	434.22	434.18	434.23	434.22	434.30	434.23	434.26	müM
Datum		1.	29.	6. / 7.	30.	5. / 6.	19.	1.	18.	1.	26. / 27.	1.	31.	
Monatsamplitude		0.15	0.11	0.25 +	0.03 -	0.09	0.09	0.06	0.11	0.14	0.16	0.12	0.16	m
Jahr		Mittel 434.17		Max (Spitze) 434.41 (6.3./7.3.)			Min (Spitze) 434.08 (22.9.)			Jahresamplitude (Spitze) 0.33				



Periode	2000 - 2020 (21 Jahre)												
Monatsmittel	434.21 +	434.20	434.21 +	434.19	434.17	434.17	434.16	434.15	434.12 -	434.14	434.15	434.18	müM
Maximum (Spitze)	434.68	434.41 -	434.68	434.70 +	434.61	434.52	434.43	434.57	434.47	434.43	434.53	434.62	müM
Jahr	2018	2016	2006	2006	2015	2016	2016	2007	2007	2006	2002	2012	
Minimum (Spitze)	434.07	434.07	434.09 +	434.07	434.06	434.08	434.07	434.07	434.00 -	434.02	434.04	434.04	müM
Jahr	2017	2006	2018	2018	2018	2008	2006	2017	2017	2017	2007	2004	
Monatsamplitude (Max)	0.50	0.33	0.51 +	0.46	0.47	0.31	0.26 -	0.45	0.39	0.34	0.31	0.44	m
Jahr	2018	2006	2001	2006	2015	2013	2016	2007	2007	2006	2002	2007	
Periode	Mittel 434.17		Max (Spitze) 434.70 (11.4.2006)			Min (Spitze) 434.00 (26.9.2017)			Periodenamplitude (Spitze) 0.70				



Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 2 611 440 / 1 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2019		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	434.20	434.14	434.12	434.15	434.11	434.17	434.11	434.14	434.12 +	434.09 -	434.11	434.14 -	1	
	2	434.18	434.16	434.13	434.14	434.11	434.16	434.12	434.13	434.11	434.10	434.11	434.15	2	
	3	434.17	434.17	434.13	434.14	434.11	434.16	434.12	434.13	434.11	434.11	434.11	434.16	3	
	4	434.17	434.18	434.12	434.17	434.11	434.15	434.12	434.14	434.11	434.12	434.13	434.17	4	
	5	434.16	434.18	434.12	434.19 +	434.11	434.15	434.12	434.14	434.10	434.12	434.14	434.16	5	
	müM	6	434.15	434.19	434.12	434.19	434.11	434.14	434.12	434.14	434.10	434.13	434.14	434.16	6
		7	434.14	434.19	434.12 -	434.18	434.11 -	434.14	434.12	434.16	434.10	434.14	434.14	434.15	7
		8	434.14	434.19	434.12	434.17	434.11	434.14	434.12	434.15	434.09	434.13	434.14 +	434.15	8
		9	434.14	434.18	434.12	434.16	434.13	434.14	434.11	434.14	434.09	434.15	434.14	434.15	9
		10	434.13	434.18	434.14	434.15	434.14	434.15	434.11	434.16	434.08	434.18	434.13	434.17	10
		11	434.13	434.20	434.15	434.15	434.15	434.18 +	434.11	434.16	434.07	434.17	434.13	434.17	11
		12	434.12 -	434.20 +	434.15	434.14	434.15	434.17	434.11	434.17	434.07	434.15	434.12	434.17	12
		13	434.16	434.20	434.14	434.14	434.14	434.17	434.11	434.16	434.07	434.14	434.11	434.17	13
		14	434.22	434.20	434.15	434.14	434.14	434.17	434.10	434.16	434.06	434.13	434.11	434.21	14
		15	434.24	434.20	434.25	434.13	434.13	434.16	434.12	434.15	434.06	434.13	434.10	434.27	15
	+ Maximum	16	434.25 +	434.20	434.31	434.13	434.13	434.17	434.12	434.15	434.05	434.15	434.10	434.29	16
		17	434.25	434.19	434.32 +	434.13	434.13	434.17	434.11	434.14	434.05	434.15	434.10	434.27	17
		18	434.23	434.18	434.31	434.13	434.13	434.16	434.11	434.13	434.05	434.14	434.10	434.25	18
		19	434.22	434.17	434.29	434.12	434.13	434.16	434.11	434.15	434.05	434.19	434.11	434.24	19
		20	434.21	434.16	434.27	434.12	434.17	434.15	434.11	434.20	434.04	434.21	434.10	434.22	20
		21	434.19	434.16	434.25	434.12	434.22	434.14	434.11	434.23 +	434.04	434.20	434.10	434.21	21
	- Minimum	22	434.18	434.15	434.23	434.12	434.22 +	434.14	434.10	434.22	434.04 -	434.22 +	434.10	434.21	22
		23	434.17	434.14	434.22	434.12	434.21	434.13	434.10	434.21	434.06	434.20	434.09	434.23	23
		24	434.16	434.14	434.20	434.12	434.21	434.13	434.09	434.20	434.07	434.19	434.09	434.25	24
		25	434.15	434.14	434.19	434.12	434.20	434.13	434.09	434.19	434.08	434.17	434.08	434.27	25
		26	434.14	434.13	434.18	434.11 -	434.20	434.12	434.09 -	434.18	434.08	434.16	434.08	434.28	26
		27	434.14	434.13	434.18	434.12	434.19	434.12	434.09	434.17	434.09	434.15	434.08 -	434.29	27
		28	434.14	434.13 -	434.17	434.12	434.18	434.12	434.13	434.16	434.10	434.13	434.08 -	434.31 +	28
		29	434.14		434.16	434.12	434.19	434.12	434.17 +	434.15	434.10	434.13	434.12	434.30	29
		30	434.14		434.16	434.12	434.18	434.12 -	434.15	434.14	434.10	434.13	434.14	434.29	30
		31	434.14		434.15		434.17		434.15	434.13 -		434.12		434.26	31
Monatsmittel		434.17	434.17	434.18	434.14	434.15	434.15	434.11	434.16	434.08 -	434.15	434.11	434.22 +	müM	
Maximum (Spitze)		434.25	434.21	434.32 +	434.20	434.22	434.18	434.18	434.24	434.12 -	434.22	434.15	434.31	müM	
Datum		16.	12.	17.	5.	21. / 22.	11.	28.	21.	1.	22.	8.	28. / 29.		
Monatsamplitude		0.13	0.08	0.20 +	0.08	0.12	0.07 -	0.09	0.11	0.09	0.13	0.07	0.17	m	
Jahr	Mittel	434.15			Max (Spitze) 434.32 (17.3.)			Min (Spitze) 434.04 (21.9./22.9.)			Jahresamplitude (Spitze) 0.28				



Periode	2000 - 2019 (20 Jahre)												
Monatsmittel	434.22 +	434.20	434.20	434.19	434.17	434.17	434.16	434.15	434.12 -	434.13	434.15	434.18	müM
Maximum (Spitze)	434.68	434.41 -	434.68	434.70 +	434.61	434.52	434.43	434.57	434.47	434.43	434.53	434.62	müM
Jahr	2018	2016	2006	2006	2015	2016	2016	2007	2007	2006	2002	2012	
Minimum (Spitze)	434.07	434.07	434.09 +	434.07	434.06	434.08	434.07	434.07	434.00 -	434.02	434.04	434.04	müM
Jahr	2017	2006	2018	2018	2018	2008	2006	2017	2017	2017	2007	2004	
Monatsamplitude (Max)	0.50	0.33	0.51 +	0.46	0.47	0.31	0.26 -	0.45	0.39	0.34	0.30	0.44	m
Jahr	2018	2006	2001	2006	2015	2013	2016	2007	2007	2006	2002	2007	
Periode	Mittel	434.17			Max (Spitze) 434.70 (11.4.2006)			Min (Spitze) 434.00 (26.9.2017)			Periodenamplitude (Spitze) 0.70		



Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 2 611 440 / 1 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2018	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
1	434.29	434.39 +	434.11	434.16	434.07	434.13	434.08	434.09	434.11 +	434.08	434.08	434.04 -	1	
2	434.31	434.36	434.10	434.15	434.07	434.12	434.08 -	434.09	434.10	434.08	434.08	434.06	2	
3	434.32	434.33	434.10	434.15	434.07	434.12	434.09	434.08	434.10	434.08	434.08 +	434.16	3	
4	434.38	434.31	434.09 -	434.15	434.07	434.11	434.09	434.08	434.10	434.09	434.08 +	434.23	4	
5	434.53	434.29	434.09	434.16	434.07	434.11	434.13	434.08	434.10	434.09	434.08	434.25	5	
<b>Tagesmittel</b>														
6	434.51	434.27	434.10	434.16 +	434.07	434.10	434.17	434.08	434.10	434.09 +	434.08	434.24	6	
7	434.44	434.25	434.10	434.16	434.07	434.10	434.19 +	434.08 -	434.09	434.09 +	434.07	434.22	7	
8	434.39	434.23	434.12	434.15	434.07	434.10	434.18	434.08	434.09	434.09 +	434.07	434.22	8	
9	434.35	434.21	434.12	434.15	434.07	434.11	434.17	434.09	434.09	434.09	434.06	434.23	9	
10	434.31	434.20	434.12	434.14	434.07	434.10	434.16	434.09	434.08	434.09	434.06	434.25	10	
11	434.27	434.19	434.12	434.13	434.07	434.10	434.15	434.10	434.07	434.09	434.06	434.25	11	
12	434.25	434.17	434.13	434.13	434.07	434.12	434.14	434.10	434.07 -	434.09	434.05	434.24	12	
13	434.22	434.16	434.15	434.12	434.06	434.18	434.14	434.10	434.09	434.08	434.05	434.23	13	
14	434.21	434.15	434.15	434.12	434.06 -	434.19 +	434.13	434.10	434.10	434.08	434.06	434.22	14	
15	434.19	434.14	434.15	434.11	434.08	434.19	434.13	434.10	434.09	434.08	434.05	434.20	15	
müM														
16	434.18 -	434.16	434.16	434.11	434.10	434.18	434.13	434.10	434.09	434.07	434.06	434.19	16	
17	434.18	434.16	434.16	434.10	434.11	434.17	434.12	434.10	434.10	434.07	434.05	434.18	17	
18	434.20	434.18	434.18 +	434.10	434.12 +	434.16	434.12	434.11 +	434.10	434.06	434.05	434.17	18	
19	434.26	434.18	434.17	434.09	434.11	434.15	434.12	434.11	434.10	434.06	434.05	434.17	19	
20	434.30	434.18	434.17	434.09	434.12 +	434.14	434.11	434.11	434.10	434.06	434.05	434.17	20	
21	434.36	434.18	434.16	434.09	434.11	434.13	434.12	434.10	434.10	434.05	434.05	434.17	21	
22	434.46	434.17	434.15	434.09	434.11	434.12	434.12	434.10	434.09	434.05	434.05	434.21	22	
23	434.66 +	434.17	434.15	434.08	434.11	434.12	434.12	434.10	434.08	434.05	434.04 -	434.22	23	
+ Maximum	24	434.61	434.16	434.14	434.08	434.11	434.11	434.12	434.11	434.09	434.04	434.05	434.31	24
25	434.58	434.15	434.14	434.08	434.11	434.11	434.11	434.11	434.08	434.04	434.05	434.37 +	25	
- Minimum	26	434.56	434.14	434.13	434.08	434.10	434.10	434.11	434.08	434.04 -	434.05	434.35	26	
27	434.53	434.13	434.12	434.08	434.10	434.10	434.10	434.10	434.08	434.04	434.05	434.31	27	
28	434.50	434.12 -	434.12	434.07 -	434.10	434.09	434.11	434.10	434.07	434.04	434.05	434.28	28	
29	434.46		434.15	434.07 -	434.10	434.09	434.10	434.10	434.07 -	434.07	434.05	434.25	29	
30	434.42		434.15	434.07	434.09	434.08 -	434.10	434.10	434.07 -	434.08	434.04 -	434.23	30	
31	434.39		434.16		434.11		434.09	434.10		434.08		434.21	31	
Monatsmittel	434.38 +	434.20	434.13	434.11	434.09	434.12	434.12	434.10	434.09	434.07	434.06 -	434.22	müM	
Maximum (Spitze)	434.68 +	434.40	434.18	434.16	434.13	434.20	434.20	434.11	434.11	434.10	434.08 -	434.38	müM	
Datum	23.	1.	18.	5. / 6.	31.	14.	6.	24.	1.	div	3. / 4.	25.		
Monatsamplitude	0.50 +	0.28	0.09	0.09	0.07	0.11	0.12	0.03 -	0.04	0.06	0.04	0.34	m	
Jahr	Mittel 434.14	Max (Spitze) 434.68 (23.1.)			Min (Spitze) 434.04 (26.10./27.10.)			Jahresamplitude (Spitze) 0.64						



Periode	2000 - 2018 (19 Jahre)												
Monatsmittel	434.22 +	434.20	434.20	434.19	434.17	434.17	434.16	434.15	434.12 -	434.13	434.15	434.18	müM
Maximum (Spitze)	434.68	434.41 -	434.68	434.70 +	434.61	434.52	434.43	434.57	434.47	434.43	434.53	434.62	müM
Jahr	2018	2016	2006	2006	2015	2016	2016	2007	2007	2006	2002	2012	
Minimum (Spitze)	434.07	434.07	434.09 +	434.07	434.06	434.08	434.07	434.07	434.07	434.02	434.04	434.04	müM
Jahr	2017	2006	2018	2018	2018	2008	2006	2017	2017	2017	2007	2004	
Monatsamplitude (Max)	0.50	0.33	0.51 +	0.46	0.47	0.31	0.26 -	0.45	0.39	0.34	0.30	0.44	m
Jahr	2018	2006	2001	2006	2015	2013	2016	2007	2007	2006	2002	2007	
Periode	Mittel 434.17	Max (Spitze) 434.70 (11.4.2006)			Min (Spitze) 434.00 (26.9.2017)			Periodenamplitude (Spitze) 0.70					



Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 2 611 440 / 1 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	434.08	434.18	434.20	434.14	434.16	434.16	434.13	434.11	434.09	434.02 -	434.09	434.07	1
	2	434.08	434.20	434.22	434.14	434.16	434.16	434.13	434.11	434.09	434.03	434.09	434.07	2
	3	434.08	434.21	434.23	434.13	434.15	434.16	434.12	434.11	434.10 +	434.04	434.09	434.07	3
	4	434.07	434.22	434.23	434.13	434.15	434.20	434.12	434.10	434.09	434.05	434.08	434.06	4
	5	434.07	434.23	434.24	434.13	434.14	434.21	434.12	434.10	434.09	434.05	434.09	434.06	5
Tagesmittel	6	434.07	434.23	434.28	434.13	434.14	434.22	434.11	434.10	434.08	434.05	434.11	434.06	6
	7	434.07	434.24	434.34	434.13	434.18	434.22 +	434.11	434.10	434.08	434.06	434.10	434.06 -	7
	8	434.07	434.26	434.36	434.13	434.20 +	434.21	434.11	434.10	434.08	434.06	434.10	434.07	8
	9	434.07	434.26 +	434.37 +	434.12	434.20	434.20	434.11	434.12	434.07	434.06	434.09	434.08	9
	10	434.07	434.26 +	434.35	434.12	434.19	434.19	434.13	434.15	434.07	434.06	434.08	434.08	10
Tagesmittel	11	434.07 -	434.25	434.33	434.12	434.18	434.19	434.15 +	434.18 +	434.06	434.06	434.08	434.14	11
	12	434.08	434.24	434.31	434.12	434.17	434.18	434.14	434.17	434.06	434.06	434.16	434.23	12
	13	434.10 +	434.23	434.29	434.12	434.17	434.17	434.13	434.15	434.05	434.07	434.20 +	434.10	13
	14	434.10 +	434.21	434.27	434.12	434.16	434.16	434.13	434.13	434.04	434.07	434.19	434.26	14
	15	434.10	434.20	434.25	434.11	434.15	434.16	434.12	434.11	434.04	434.07	434.17	434.34	15
müM	16	434.10	434.19	434.24	434.11	434.15	434.15	434.12	434.11	434.03	434.07	434.15	434.37 +	16
	17	434.09	434.18	434.23	434.11	434.14	434.15	434.12	434.10	434.02	434.07	434.13	434.33	17
	18	434.09	434.18	434.22	434.12	434.14	434.14	434.11	434.09	434.04	434.06	434.11	434.29	18
	19	434.09	434.17	434.21	434.12	434.14	434.14	434.11	434.08	434.03	434.06	434.10	434.26	19
	20	434.09	434.16	434.20	434.12	434.14	434.13	434.11	434.08	434.03	434.05	434.09	434.23	20
Tagesmittel	21	434.08	434.16	434.19	434.12	434.14	434.13	434.11	434.08	434.02	434.05	434.08	434.22	21
	22	434.08	434.15	434.18	434.11	434.14	434.13	434.11	434.08	434.02	434.05	434.08	434.20	22
	23	434.08	434.15	434.18	434.11	434.13	434.13	434.11	434.08	434.01	434.06	434.07	434.19	23
	24	434.08	434.14	434.17	434.11 -	434.13	434.12	434.11	434.08 -	434.00	434.07	434.06 -	434.18	24
	25	434.08	434.14	434.17	434.11	434.13	434.12	434.12	434.08 -	434.00	434.07	434.07	434.17	25
- Minimum	26	434.07	434.14	434.16	434.16	434.12	434.12	434.12	434.08	434.00 -	434.08	434.09	434.16	26
	27	434.07	434.14 -	434.16	434.18	434.12	434.11 -	434.11	434.08	434.00	434.08	434.08	434.15	27
	28	434.07	434.16	434.15	434.18 +	434.12	434.13	434.11	434.08	434.01	434.08	434.08	434.15	28
	29	434.07		434.15	434.17 +	434.12	434.15	434.11	434.08	434.01	434.09	434.08	434.14	29
	30	434.07		434.14	434.17	434.12	434.14	434.11	434.08	434.02	434.09	434.07	434.16	30
31	434.10		434.14 -		434.12 -		434.11 -	434.09		434.09 +		434.24	31	
Monatsmittel		434.08	434.20	434.23 +	434.13	434.15	434.16	434.12	434.10	434.05 -	434.06	434.10	434.17	müM
Maximum (Spitze) Datum		434.14 31.	434.26 9. / 10.	434.37 + 9.	434.19 28.	434.21 8.	434.22 6.	434.15 11.	434.18 10. / 11.	434.10 3.	434.09 - 31.	434.21 13.	434.37 + 16.	müM
Monatsamplitude		0.07	0.13	0.23	0.08	0.09	0.11	0.05 -	0.11	0.10	0.07	0.15	0.32 +	m
Jahr	Mittel	434.13			Max (Spitze) 434.37 (9.3./16.12.)			Min (Spitze) 434.00 (26.9.)			Jahresamplitude (Spitze) 0.38			



Periode	2000 - 2017 (18 Jahre)												
Monatsmittel	434.21 +	434.20	434.21 +	434.20	434.18	434.17	434.16	434.15	434.12 -	434.13	434.16	434.18	müM
Maximum (Spitze) Jahr	434.60 2012	434.41 - 2016	434.68 2006	434.70 + 2006	434.61 2015	434.52 2016	434.43 2016	434.57 2007	434.47 2007	434.43 2006	434.53 2002	434.62 2012	müM
Minimum (Spitze) Jahr	434.07 2017	434.07 2006	434.09 + 2008	434.09 2011	434.09 + 2008	434.08 2008	434.07 2006	434.07 2017	434.00 - 2017	434.02 2017	434.04 2007	434.04 2004	müM
Monatsamplitude (Max) Jahr	0.44 2016	0.33 2006	0.51 + 2001	0.46 2006	0.47 2015	0.31 2013	0.26 - 2016	0.45 2007	0.39 2007	0.34 2006	0.30 2002	0.44 2007	m
Periode	Mittel	434.17			Max (Spitze) 434.70 (11.4.2006)			Min (Spitze) 434.00 (26.9.2017)			Periodenamplitude (Spitze) 0.70		



Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 2 611 440 / 1 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2016		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez			
Tagesmittel	1	434.10 -	434.32	434.24	434.13	434.21	434.34	434.40	434.18	434.11	434.12	434.16	434.16 +	1		
	2	434.11	434.35	434.23	434.13	434.21	434.33	434.42	434.17	434.11	434.12	434.15	434.16	2		
	3	434.11	434.35	434.23	434.13	434.20	434.32	434.43 +	434.16	434.11	434.12	434.14	434.15	3		
	4	434.14	434.33	434.24	434.13 -	434.20	434.31	434.43 +	434.16	434.11	434.12	434.13 -	434.15	4		
	5	434.18	434.31	434.25	434.13 -	434.19	434.29	434.43	434.18	434.12	434.12	434.13	434.14	5		
	Tagesmittel	6	434.19	434.30	434.27	434.14	434.19	434.28	434.42	434.18 +	434.13	434.12	434.21	434.14	6	
		7	434.19	434.28	434.28	434.14	434.18	434.26	434.40	434.17	434.12	434.12	434.23	434.13	7	
		8	434.22	434.27	434.29 +	434.14	434.18	434.26 -	434.38	434.16	434.12	434.12	434.23	434.13	8	
		9	434.30	434.27	434.28	434.14	434.17	434.28	434.35	434.15	434.12	434.11	434.23	434.12	9	
		10	434.37	434.28	434.27	434.13	434.17	434.27	434.33	434.15	434.11	434.11	434.27	434.12	10	
		11	434.44	434.28	434.26	434.13 -	434.16 -	434.27	434.30	434.15	434.11	434.11	434.34	434.12	11	
		12	434.50	434.28	434.24	434.13	434.17	434.27	434.33	434.14	434.10	434.11	434.37 +	434.11	12	
		13	434.53 +	434.30	434.23	434.16	434.29	434.28	434.39	434.14	434.10	434.11 -	434.35	434.11	13	
		14	434.51	434.35	434.22	434.20	434.37	434.31	434.40	434.14	434.09	434.11	434.31	434.11	14	
		15	434.46	434.40	434.21	434.20	434.38 +	434.32	434.40	434.13	434.09	434.11	434.28	434.11	15	
	müM	16	434.41	434.41 +	434.20	434.20	434.36	434.34	434.38	434.13	434.08	434.11	434.26	434.10	16	
		17	434.37	434.39	434.19	434.23	434.33	434.43	434.37	434.13	434.08 -	434.11	434.24	434.10	17	
		18	434.33	434.36	434.18	434.29	434.30	434.49	434.36	434.12	434.09	434.12	434.23	434.10	18	
		19	434.30	434.33	434.17	434.32	434.28	434.51 +	434.34	434.12	434.13	434.12	434.27	434.10	19	
		20	434.28	434.31	434.17	434.33 +	434.27	434.51	434.32	434.12	434.14 +	434.12	434.29	434.10	20	
	+ Maximum	21	434.26	434.29	434.16	434.32	434.25	434.50	434.30	434.12	434.13	434.11	434.29	434.09	21	
		22	434.24	434.27	434.16	434.30	434.24	434.50	434.28	434.12	434.13	434.11	434.28	434.09	22	
		23	434.23	434.26	434.16	434.28	434.27	434.48	434.26	434.12	434.13	434.11 -	434.26	434.09	23	
		24	434.22	434.25	434.15	434.27	434.34	434.46	434.24	434.12	434.13	434.11 -	434.24	434.09	24	
		25	434.21	434.25	434.15	434.25	434.36	434.45	434.23	434.11	434.12	434.15	434.23	434.09	25	
		- Minimum	26	434.20	434.26	434.15	434.23	434.35	434.43	434.22	434.11	434.12	434.20	434.21	434.09	26
			27	434.20	434.25	434.14	434.22	434.34	434.40	434.21	434.11	434.12	434.21 +	434.20	434.09	27
			28	434.19	434.24	434.14	434.21	434.32	434.38	434.20	434.12	434.12	434.20	434.19	434.08	28
			29	434.19	434.24 -	434.14	434.20	434.33	434.35	434.19	434.11	434.12	434.18	434.18	434.08	29
			30	434.18	434.14	434.14	434.19	434.36	434.36	434.18	434.11	434.12	434.17	434.17	434.08	30
			31	434.24	434.14 -	434.14	434.19	434.34	434.34	434.18 -	434.11 -	434.12	434.16	434.16	434.08 -	31
Monatsmittel	434.27	434.30	434.20	434.20	434.27	434.37 +	434.32	434.14	434.11	434.13	434.24	434.11 -	müM			
Maximum (Spitze) Datum	434.54 + 13.	434.41 + 15. / 16.	434.29 8.	434.33 20.	434.39 14. / 15.	434.52 19.	434.43 div	434.18 5. / 6.	434.14 - 19.	434.22 26.	434.38 12.	434.17 1.	müM			
Monatsamplitude	0.44 +	0.17	0.15	0.20	0.22	0.27	0.26	0.08	0.06 -	0.11	0.25	0.09	m			
Jahr	Mittel 434.22	Max (Spitze) 434.54 (13.1.)				Min (Spitze) 434.08 (31.12.)			Jahresamplitude (Spitze) 0.46							



Periode	2000 - 2016 (17 Jahre)												
Monatsmittel	434.22 +	434.20	434.21	434.20	434.18	434.17	434.16	434.15	434.13 -	434.14	434.16	434.18	müM
Maximum (Spitze) Jahr	434.60 2012	434.41 - 2016	434.68 2006	434.70 + 2006	434.61 2015	434.52 2016	434.43 2016	434.57 2007	434.47 2007	434.43 2006	434.53 2002	434.62 2012	müM
Minimum (Spitze) Jahr	434.07 2009	434.07 2006	434.09 + 2008	434.09 2011	434.09 + 2008	434.08 2008	434.07 2006	434.08 2008	434.03 2005	434.03 - 2005	434.04 2007	434.04 2004	müM
Monatsamplitude (Max) Jahr	0.44 2016	0.33 2006	0.51 + 2001	0.46 2006	0.47 2015	0.31 2013	0.26 - 2016	0.45 2007	0.39 2007	0.34 2006	0.30 2002	0.44 2007	m
Periode	Mittel 434.18	Max (Spitze) 434.70 (11.4.2006)				Min (Spitze) 434.03 (15.10.2005)			Periodenamplitude (Spitze) 0.67				



Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 611 440 / 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2015		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	434.17	434.34 +	434.17	434.22	434.21	434.14	434.14 +	434.13	434.12	434.10	434.09	434.17 +	1
	2	434.17 -	434.31	434.20	434.22	434.46	434.14	434.13	434.11	434.09	434.09	434.08	434.16	2
	3	434.17	434.29	434.21	434.24	434.55	434.14	434.13	434.11	434.08	434.08	434.08	434.16	3
	4	434.27	434.28	434.21	434.25	434.60 +	434.14	434.14 +	434.13	434.11	434.09	434.08	434.16	4
	5	434.35 +	434.26	434.21	434.26 +	434.58	434.13	434.14 +	434.12	434.11	434.09	434.08	434.15	5
Tagesmittel	6	434.33	434.24	434.21	434.25	434.56	434.13	434.13	434.12	434.11	434.09	434.07	434.15	6
	7	434.30	434.23	434.21	434.25	434.53	434.15	434.13	434.11	434.11	434.11	434.07	434.14	7
	8	434.28	434.22	434.20	434.24	434.50	434.15	434.13	434.11	434.11	434.11	434.07	434.14	8
	9	434.25	434.21	434.19	434.23	434.46	434.15	434.13	434.11	434.10	434.11	434.07	434.14	9
	10	434.24	434.20	434.19	434.22	434.43	434.14	434.13	434.10	434.10	434.11	434.07	434.13	10
Tagesmittel	11	434.24	434.19	434.18	434.21	434.40	434.14	434.13	434.10	434.10	434.10	434.06	434.13	11
	12	434.23	434.18	434.17	434.20	434.38	434.13	434.12	434.10	434.10	434.10	434.06	434.13	12
	13	434.22	434.18	434.17	434.19	434.35	434.13 -	434.12	434.10 -	434.10	434.10	434.06	434.12	13
	14	434.22	434.17	434.16	434.18	434.32	434.14	434.12	434.10	434.10	434.10	434.06	434.12	14
	15	434.23	434.16	434.16	434.18	434.30	434.18	434.12	434.11	434.10	434.10	434.06	434.11	15
müM	16	434.22	434.16	434.15	434.17	434.28	434.21 +	434.12	434.11	434.09 -	434.10	434.06	434.11	16
	17	434.24	434.15	434.15	434.17	434.26	434.20	434.12	434.12	434.11	434.10	434.06	434.11	17
	18	434.26	434.15	434.14	434.18	434.24	434.19	434.12	434.12	434.12 +	434.10	434.06	434.11	18
	19	434.26	434.14	434.14	434.17	434.22	434.18	434.13	434.12	434.12	434.11 +	434.06 -	434.11	19
	20	434.26	434.14	434.14	434.16	434.21	434.18	434.12	434.12	434.11	434.11	434.09	434.11	20
+ Maximum	21	434.26	434.14 -	434.13	434.16	434.20	434.17	434.12	434.13	434.11	434.11	434.20	434.11	21
	22	434.24	434.15	434.13	434.16	434.19	434.16	434.12	434.13	434.11	434.10	434.20 +	434.11	22
	23	434.23	434.16	434.13	434.16	434.18	434.17	434.11 -	434.13	434.11	434.10	434.19	434.11	23
	24	434.22	434.16	434.12	434.15	434.17	434.16	434.12	434.14	434.12	434.10	434.18	434.11	24
	25	434.21	434.16	434.12	434.15	434.17	434.16	434.13	434.15 +	434.12	434.10	434.18	434.11	25
- Minimum	26	434.20	434.16	434.12	434.15	434.16	434.15	434.12	434.15	434.12	434.09	434.19	434.11	26
	27	434.20	434.16	434.11	434.14	434.16	434.15	434.13	434.15	434.12	434.09	434.18	434.11	27
	28	434.19	434.17	434.11	434.15	434.16	434.15	434.13	434.14	434.12	434.08 -	434.17	434.10	28
	29	434.21		434.11 -	434.15	434.15	434.14	434.13	434.14	434.11	434.09	434.17	434.10	29
	30	434.29		434.14 -	434.15	434.15	434.14	434.13	434.13	434.11	434.09	434.18	434.10	30
31	434.34		434.22 +		434.14 -		434.12	434.12		434.09		434.10 -	31	
Monatsmittel		434.24	434.20	434.16	434.19	434.31 +	434.15	434.13	434.12	434.11	434.10 -	434.11	434.12	müM
Maximum (Spitze)		434.35	434.34	434.22	434.26	434.61 +	434.21	434.14	434.16	434.13	434.11 -	434.20	434.18	müM
Datum		5.	1.	30. / 31.	5.	4.	15.	1.	24.	17.	18.	21.	1.	
Monatsamplitude		0.19	0.21	0.11	0.12	0.47 +	0.09	0.03 -	0.06	0.05	0.03	0.15	0.08	m
Jahr	Mittel	434.16			Max (Spitze) 434.61 (4.5.)			Min (Spitze) 434.06 (18.11./19.11.)			Jahresamplitude (Spitze) 0.56			



Periode	2000 - 2015 (16 Jahre)												
Monatsmittel	434.21 +	434.19	434.21 +	434.20	434.17	434.16	434.15	434.15	434.13 -	434.14	434.16	434.19	müM
Maximum (Spitze)	434.60	434.39	434.68	434.70 +	434.61	434.46	434.35 -	434.57	434.47	434.43	434.53	434.62	müM
Jahr	2012	2006	2006	2006	2015	2013	2012	2007	2007	2006	2002	2012	
Minimum (Spitze)	434.07	434.07	434.09 +	434.09	434.09 +	434.08	434.07	434.08	434.03	434.03 -	434.04	434.04	müM
Jahr	2009	2006	2008	2011	2008	2008	2006	2008	2005	2005	2007	2004	
Monatsamplitude (Max)	0.42	0.33	0.51 +	0.46	0.47	0.31	0.19 -	0.45	0.39	0.34	0.30	0.44	m
Jahr	2004	2006	2001	2006	2015	2013	2009	2007	2007	2006	2002	2007	
Periode	Mittel	434.17			Max (Spitze) 434.70 (11.4.2006)			Min (Spitze) 434.03 (15.10.2005)			Periodenamplitude (Spitze) 0.67		





Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 611 440 / 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	434.25 +	434.17	434.20 +	434.15	434.18	434.16	434.18	434.22 +	434.14 +	434.07	434.14	434.15	1
	2	434.24	434.18	434.19	434.14	434.18	434.15	434.17	434.21	434.13	434.07	434.14	434.15	2
	3	434.23	434.18	434.19	434.14	434.18	434.20 +	434.15	434.17	434.20	434.13	434.07	434.14	3
	4	434.22	434.17	434.18	434.14	434.20	434.15	434.17	434.19	434.13	434.07 -	434.13 -	434.14	4
	5	434.25	434.17	434.18	434.14	434.19	434.15	434.15	434.18	434.12	434.07 -	434.16	434.13	5
Tagesmittel	6	434.24	434.16 -	434.18	434.14	434.19	434.15	434.18	434.18	434.12	434.08	434.22	434.13	6
	7	434.23	434.16 -	434.18	434.14	434.18	434.15	434.20	434.17	434.12	434.09	434.21	434.12	7
	8	434.23	434.17	434.17	434.14	434.18	434.15	434.24	434.17	434.12	434.15	434.20	434.12	8
	9	434.23	434.18	434.17	434.15	434.17	434.14	434.28	434.17	434.12	434.15	434.20	434.12	9
	10	434.22	434.18	434.17	434.14	434.17	434.14	434.31	434.17	434.12	434.16	434.19	434.12	10
Tagesmittel	11	434.21	434.18	434.17	434.14	434.16	434.14	434.33	434.17	434.12	434.17	434.19	434.11	11
	12	434.20	434.19	434.16	434.14	434.16	434.14	434.33 +	434.18	434.12	434.17	434.18	434.11	12
	13	434.19	434.20	434.16	434.14	434.16 -	434.14	434.32	434.17	434.12	434.16	434.20	434.11	13
	14	434.19	434.25	434.16	434.14	434.16	434.14	434.29	434.16	434.11	434.16	434.19	434.11	14
	15	434.18	434.27	434.16	434.13	434.17	434.13	434.27	434.16	434.11	434.16	434.19	434.11	15
müM	16	434.17 -	434.33	434.16	434.13	434.18	434.13	434.24	434.20	434.11	434.16	434.28	434.10 -	16
	17	434.21	434.36 +	434.15	434.13	434.18	434.13	434.23	434.20	434.11	434.16	434.35	434.11	17
	18	434.21	434.35	434.15	434.12	434.17	434.13	434.21	434.19	434.12	434.16	434.36 +	434.15	18
	19	434.21	434.32	434.15	434.12	434.17	434.12	434.20	434.18	434.11	434.15	434.33	434.15	19
	20	434.21	434.30	434.15 -	434.11	434.16	434.12	434.20	434.18	434.11	434.15	434.30	434.15	20
+ Maximum	21	434.21	434.28	434.15 -	434.11	434.16	434.12	434.26	434.17	434.11	434.18	434.27	434.15	21
	22	434.20	434.26	434.15	434.11	434.16	434.12 -	434.31	434.16	434.12	434.20 +	434.25	434.15	22
	23	434.20	434.25	434.16	434.11	434.17	434.12	434.33	434.16	434.11	434.19	434.23	434.15	23
	24	434.20	434.23	434.17	434.11	434.18	434.17	434.32	434.16	434.10	434.19	434.21	434.15	24
	25	434.19	434.22	434.17	434.11 -	434.17	434.19	434.30	434.15	434.10	434.18	434.20	434.15	25
- Minimum	26	434.18	434.21	434.16	434.11 -	434.17	434.19	434.28	434.15	434.09	434.17	434.19	434.15	26
	27	434.19	434.21	434.16	434.13	434.17	434.19 +	434.26	434.15	434.09	434.17	434.18	434.15	27
	28	434.19	434.20	434.15	434.15	434.17	434.19	434.24	434.15	434.08	434.16	434.17	434.16	28
	29	434.18	434.20	434.15	434.18 +	434.17	434.19	434.24	434.15	434.08	434.15	434.17	434.17 +	29
	30	434.18	434.15	434.15	434.18	434.16	434.18	434.23	434.14	434.08 -	434.15	434.16	434.17	30
31	434.18	434.15	434.15	434.18	434.16	434.16	434.23	434.14 -	434.14	434.14	434.16	434.17	31	
Monatsmittel	434.21	434.23	434.16	434.13	434.17	434.15	434.25 +	434.17	434.11 -	434.14	434.21	434.14	müM	
Maximum (Spitze) Datum	434.26 1.	434.36 17.	434.20 1.	434.18 29.	434.21 3.	434.19 26. / 27.	434.34 11.	434.22 1.	434.14 - 1.	434.20 22.	434.37 + 17.	434.17 29.	müM	
Monatsamplitude	0.09	0.20	0.06	0.08	0.05 -	0.08	0.17	0.09	0.06	0.13	0.24 +	0.07	m	
Jahr	Mittel 434.17	Max (Spitze) 434.37 (17.11.)					Min (Spitze) 434.07 (5.10.)			Jahresamplitude (Spitze) 0.30				



Periode	2000 - 2014 (15 Jahre)												
Monatsmittel	434.21 +	434.19	434.21 +	434.20	434.17	434.16	434.16	434.15	434.13 -	434.14	434.16	434.19	müM
Maximum (Spitze) Jahr	434.60 2012	434.39 2006	434.68 2006	434.70 + 2006	434.27 - 2013	434.46 2013	434.35 2012	434.57 2007	434.47 2007	434.43 2006	434.53 2002	434.62 2012	müM
Minimum (Spitze) Jahr	434.07 2009	434.07 2006	434.09 + 2008	434.09 2011	434.09 + 2008	434.08 2008	434.07 2006	434.08 2008	434.03 2005	434.03 - 2005	434.04 2007	434.04 2004	müM
Monatsamplitude (Max) Jahr	0.42 2004	0.33 2006	0.51 + 2001	0.46 2006	0.14 - 2008	0.31 2013	0.19 2009	0.45 2007	0.39 2007	0.34 2006	0.30 2002	0.44 2007	m
Periode	Mittel 434.17	Max (Spitze) 434.70 (11.4.2006)					Min (Spitze) 434.03 (15.10.2005)			Periodenamplitude (Spitze) 0.67			



Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 611 440 / 227 220


OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2013	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	434.53 +	434.21	434.16	434.21 -	434.23 +	434.36	434.16	434.23 +	434.12	434.14	434.25	434.16	1
2	434.50	434.29	434.15	434.22	434.22	434.46 +	434.15	434.21	434.12	434.14	434.23	434.16	2
3	434.46	434.36	434.14	434.22	434.22	434.43	434.15	434.20	434.12	434.14	434.27	434.15	3
4	434.42	434.35	434.14	434.23	434.21	434.38	434.20	434.19	434.11	434.13 -	434.32	434.15	4
5	434.39	434.36	434.13	434.23	434.22	434.34	434.19	434.19	434.11	434.15	434.35	434.15	5
<b>Tagesmittel</b>													
6	434.36	434.38	434.13	434.22	434.21	434.31	434.18	434.19	434.11	434.15	434.37	434.15	6
7	434.33	434.38 +	434.12	434.22	434.21	434.28	434.17	434.18	434.11 -	434.14	434.39 +	434.14	7
8	434.30	434.37	434.12	434.22	434.20	434.26	434.17	434.18	434.12	434.14	434.37	434.14	8
9	434.28	434.35	434.12	434.21 -	434.19	434.25	434.16	434.18	434.16	434.14	434.36	434.14	9
10	434.25	434.33	434.12	434.23	434.20	434.25	434.16	434.17	434.15	434.15	434.35	434.13	10
11	434.25	434.31	434.12	434.24	434.21	434.25	434.16	434.16	434.15	434.17	434.34	434.13	11
12	434.24	434.29	434.12	434.28	434.20	434.24	434.15	434.16	434.14	434.18	434.32	434.13	12
13	434.22	434.28	434.12	434.33	434.19	434.23	434.15	434.15	434.14	434.20	434.30	434.13	13
14	434.21	434.26	434.12	434.34	434.19	434.22	434.15	434.15	434.13	434.19	434.28	434.12	14
15	434.21	434.25	434.12	434.33	434.18	434.21	434.14	434.14	434.13	434.19	434.26	434.12	15
müM													
16	434.20	434.24	434.12	434.31	434.18	434.20	434.14	434.14	434.13	434.22	434.24	434.12	16
17	434.19	434.23	434.12 -	434.29	434.18	434.20	434.14	434.13	434.14	434.23	434.23	434.12	17
18	434.19	434.23	434.12	434.28	434.17	434.19	434.14	434.13	434.19	434.22	434.21	434.12 -	18
19	434.18	434.23	434.13	434.29	434.17	434.18	434.15	434.13	434.23 +	434.22	434.20	434.12 -	19
20	434.18	434.22	434.13	434.36	434.17	434.18	434.16	434.12	434.21	434.21	434.19	434.16	20
21	434.17	434.21	434.14	434.38	434.16	434.18	434.16	434.12	434.20	434.20	434.19	434.17	21
22	434.17	434.21	434.14	434.38 +	434.17	434.17	434.17	434.12	434.18	434.20	434.19	434.16	22
23	434.17	434.21	434.14	434.36	434.17	434.17	434.16	434.12 -	434.17	434.19	434.19	434.16	23
+ Maximum													
24	434.16	434.21	434.14	434.34	434.16	434.17	434.16	434.12	434.16	434.19	434.18	434.16	24
25	434.16	434.20	434.15	434.31	434.17	434.17	434.15	434.13	434.16	434.18	434.18	434.17	25
- Minimum													
26	434.16	434.19	434.15	434.29	434.16	434.16	434.14	434.13	434.15	434.17	434.17	434.23	26
27	434.15 -	434.18	434.15	434.27	434.16	434.16	434.14	434.13	434.15	434.20	434.17	434.29	27
28	434.15	434.17 -	434.15	434.26	434.16 -	434.16	434.14 -	434.14	434.15	434.23	434.16	434.32 +	28
29	434.16		434.17	434.25	434.19	434.16 -	434.21	434.13	434.15	434.25	434.16	434.31	29
30	434.18		434.19	434.22	434.19	434.16	434.27 +	434.13	434.14	434.26 +	434.16 -	434.29	30
31	434.20		434.21 +	434.24	434.22	434.16	434.25	434.13	434.14	434.26	434.27	434.27	31
Monatsmittel	434.25	434.27	434.14 -	434.28 +	434.19	434.24	434.17	434.15	434.15	434.19	434.25	434.17	müM
Maximum (Spitze) Datum	434.54 + 1.	434.38 7.	434.21 - 31.	434.39 21. / 22.	434.27 31.	434.46 2.	434.28 29.	434.24 1.	434.23 19.	434.26 30. / 31.	434.39 7.	434.32 28.	müM
Monatsamplitude	0.40 +	0.22	0.10 -	0.17	0.12	0.31	0.14	0.13	0.13	0.13	0.23	0.21	m
Jahr	Mittel 434.20	Max (Spitze) 434.54 (1.1.)				Min (Spitze) 434.11 (6.9./7.9.)				Jahresamplitude (Spitze) 0.44			



Periode	2000 - 2013 (14 Jahre)												
Monatsmittel	434.21 +	434.19	434.21 +	434.21 +	434.16	434.16	434.15	434.15	434.13 -	434.14	434.16	434.19	müM
Maximum (Spitze) Jahr	434.60 2012	434.39 2006	434.68 2006	434.70 + 2006	434.27 - 2013	434.46 2013	434.35 2012	434.57 2007	434.47 2007	434.43 2006	434.53 2002	434.62 2012	müM
Minimum (Spitze) Jahr	434.07 2009	434.07 2006	434.09 + 2008	434.09 2011	434.09 + 2008	434.08 2008	434.07 2006	434.08 2008	434.03 2005	434.03 - 2005	434.04 2007	434.04 2004	müM
Monatsamplitude (Max) Jahr	0.42 2004	0.33 2006	0.51 + 2001	0.46 2006	0.14 - 2008	0.31 2013	0.19 2009	0.45 2007	0.39 2007	0.34 2006	0.30 2002	0.44 2007	m
Periode	Mittel 434.17	Max (Spitze) 434.70 (11.4.2006)				Min (Spitze) 434.03 (15.10.2005)				Periodenamplitude (Spitze) 0.67			



Grundwasserstand

Limnigraph Mitteldorf - Derendingen


SO 611/227/001

Koordinaten 611 440 / 227 220

OK Terrain 439.8 müM

Abstichpunkt 436.13 müM

2012		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	434.43	434.27 +	434.21 +	434.18	434.24	434.19	434.22	434.19	434.19	434.15 -	434.18	434.24	1	
	2	434.50	434.26	434.21	434.17	434.24	434.19 -	434.25	434.18	434.19 +	434.15	434.17	434.24	2	
	3	434.49	434.25	434.20	434.17 -	434.24	434.19	434.29	434.18	434.18	434.15	434.18	434.23	3	
	4	434.47	434.24	434.20	434.18	434.23	434.21	434.30	434.18	434.18	434.16	434.18	434.24	4	
	5	434.48	434.23	434.19	434.19	434.23	434.21	434.30	434.19	434.17	434.16	434.24	434.29	5	
	müM	6	434.58	434.22	434.19	434.19	434.24 +	434.21	434.33	434.20	434.17	434.17	434.25	434.31	6
		7	434.58 +	434.21	434.19	434.19	434.24	434.21	434.35 +	434.21 +	434.17	434.17	434.24	434.32	7
		8	434.56	434.19	434.18	434.18	434.23	434.24	434.34	434.20	434.16	434.18	434.24	434.30	8
		9	434.54	434.18	434.18	434.18	434.23	434.24	434.32	434.19	434.16	434.22	434.24	434.28	9
		10	434.51	434.18	434.18	434.18	434.23	434.24	434.30	434.19	434.15	434.25	434.24	434.26	10
		11	434.49	434.17	434.17	434.19	434.22	434.25	434.28	434.18	434.15	434.26 +	434.28	434.25	11
		12	434.47	434.16	434.17	434.20	434.22	434.27	434.27	434.18	434.15	434.26	434.33 +	434.23	12
		13	434.44	434.15	434.17	434.21	434.22	434.31	434.26	434.18	434.15	434.26	434.32	434.22	13
		14	434.42	434.15	434.17	434.21	434.22	434.33 +	434.25	434.17	434.15	434.25	434.29	434.21 -	14
		15	434.39	434.14	434.16 -	434.20	434.22	434.33	434.24	434.17	434.14	434.23	434.27	434.23	15
	+ Maximum	16	434.36	434.14	434.17	434.22	434.21	434.32	434.24	434.17	434.14	434.22	434.25	434.34	16
		17	434.34	434.14	434.17	434.22	434.21	434.31	434.23	434.17	434.14	434.21	434.23	434.47	17
		18	434.31	434.14 -	434.17	434.22	434.21	434.29	434.23	434.17	434.13	434.20	434.22	434.58	18
		19	434.29	434.14	434.17	434.21	434.20	434.28	434.22	434.16	434.13	434.20	434.20	434.61 +	19
		20	434.27	434.14	434.18	434.21	434.20	434.27	434.22	434.16	434.13	434.19	434.19	434.58	20
		21	434.29	434.15	434.18	434.22	434.20	434.26	434.21	434.16	434.12	434.18	434.17	434.55	21
	- Minimum	22	434.30	434.15	434.18	434.23	434.22	434.25	434.21	434.16	434.13	434.18	434.16	434.52	22
		23	434.30	434.15	434.18	434.24	434.22	434.24	434.20	434.16 -	434.13	434.17	434.15	434.57	23
		24	434.30	434.15	434.19	434.25	434.21	434.24	434.20	434.16	434.12	434.17	434.14	434.59	24
		25	434.30	434.17	434.19	434.25 +	434.21	434.24	434.20	434.17	434.13	434.17	434.14	434.58	25
		26	434.29	434.18	434.19	434.25	434.21	434.24	434.19	434.17	434.12 -	434.16	434.14 -	434.59	26
		27	434.28	434.21	434.18	434.24	434.20	434.24	434.19	434.17	434.13	434.18	434.16	434.58	27
		28	434.28	434.22	434.18	434.24	434.20	434.23	434.19	434.16	434.13	434.19	434.20	434.60	28
		29	434.28	434.21	434.18	434.24	434.20	434.22	434.19	434.16	434.13	434.19	434.22	434.59	29
		30	434.27	434.18	434.18	434.24	434.20	434.22	434.19	434.16	434.14	434.18	434.23	434.58	30
		31	434.27 -		434.18		434.19 -		434.19 -	434.18		434.18		434.56	31
Monatsmittel		434.39	434.18	434.18	434.21	434.22	434.25	434.25	434.18	434.15 -	434.19	434.21	434.41 +	müM	
Maximum (Spitze)		434.60	434.27	434.21	434.25	434.24	434.34	434.35	434.21	434.19 -	434.27	434.33	434.62	müM	
Datum		6.	1.	1.	25.	6.	14. / 15.	7.	6. / 7.	1. / 2.	10. / 11.	12.	19.		
Monatsamplitude		0.33	0.13	0.05 -	0.08	0.05 -	0.15	0.16	0.05	0.07	0.13	0.20	0.41 +	m	
Jahr	Mittel	434.24			Max (Spitze) 434.62 (19.12.)			Min (Spitze) 434.12 (26.9.)			Jahresamplitude (Spitze) 0.50				



Periode	2000 - 2012 (13 Jahre)													
Monatsmittel	434.21	434.19	434.22 +	434.20	434.16	434.16	434.15	434.15	434.15	434.13 -	434.14	434.15	434.20	müM
Maximum (Spitze)	434.60	434.39	434.68	434.70 +	434.27 +	434.34	434.35	434.57	434.47	434.43	434.53	434.62	434.62	müM
Jahr	2012	2006	2006	2006	2004	2012	2012	2007	2007	2006	2002	2012		
Minimum (Spitze)	434.07	434.07	434.09 +	434.09	434.09 +	434.08	434.07	434.08	434.08	434.03	434.03 -	434.04	434.04	müM
Jahr	2009	2006	2008	2011	2008	2008	2006	2008	2008	2005	2005	2007	2004	
Monatsamplitude (Max)	0.42	0.33	0.51 +	0.46	0.14 -	0.18	0.19	0.45	0.39	0.34	0.30	0.44	0.44	m
Jahr	2004	2006	2001	2006	2008	2001	2009	2007	2007	2006	2002	2007		
Periode	Mittel	434.17			Max (Spitze) 434.70 (11.4.2006)			Min (Spitze) 434.03 (15.10.2005)			Periodenamplitude (Spitze) 0.67			

