

Grundwasserstand

PW Laupersdorf - Laupersdorf


SO 616/240/009

Koordinaten 2 616 335 / 1 240 000


OK Terrain 487.7 müM

Abstichpunkt 487.3 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	483.93	484.59	484.62	484.44 +	484.26	484.32	484.31 +	484.11 +	483.66 +	483.50	483.38	484.48	1	
	2	483.93	484.68	484.89	484.42	484.25 -	484.36	484.30	484.11 +	483.65	483.51	483.39	484.48	2	
	3	483.91	484.67	485.01	484.37	484.26	484.36	484.28	484.11	483.65	483.51 +	483.38	484.48	3	
	4	483.90	484.72	485.00	484.35	484.26	484.38	484.24	484.11	483.64	483.50	483.37	484.45	4	
	5	483.91	484.90	484.95	484.34	484.26	484.44	484.24	484.10	483.62	483.49	483.37	484.43	5	
	Tagesmittel	6	483.89	485.01	485.13	484.33	484.27	484.45	484.24	484.03	483.62	483.46	483.37 -	484.38	6
		7	483.88	485.13 +	485.64 +	484.31	484.41	484.46	484.24	484.03	483.62	483.46	483.44	484.36 -	7
		8	483.88	485.09	485.53	484.30	484.55	484.46 +	484.24	484.00	483.62	483.46	483.51	484.38	8
		9	483.83	485.08	485.48	484.29	484.65	484.46 +	484.24	484.01	483.60	483.46	483.52	484.48	9
		10	483.82 -	485.05	485.50	484.26	484.67 +	484.46	484.23	484.04	483.61	483.45	483.51	484.76	10
		11	483.84	484.99	485.47	484.23	484.67 +	484.44	484.22	484.08	483.59	483.50	483.54	485.65	11
		12	483.84	484.93	485.41	484.23	484.66	484.43	484.22	484.09	483.59	483.49	483.75	485.66	12
		13	483.85	484.86	485.28	484.22	484.63	484.39	484.22	484.08	483.61	483.47	483.99	485.57	13
		14	483.96	484.82	485.20	484.23	484.60	484.36	484.22	483.85	483.60	483.47	484.09	485.65	14
		15	483.99	484.78	485.15	484.22	484.57	484.36	484.21	483.74	483.58	483.46	484.12	485.89 +	15
	müM	16	484.01	484.75	485.09	484.21	484.54	484.36	484.21	483.76	483.56	483.44	484.13	485.79	16
		17	484.01 +	484.72	485.04	484.18	484.54	484.35	484.18	483.79	483.57	483.42	484.13	485.68	17
		18	484.01	484.71	484.98	484.15	484.54	484.34	484.16	483.78	483.58	483.43	484.13	485.58	18
		19	484.00	484.67	484.91	484.15	484.53	484.33	484.17	483.78	483.58	483.42	484.09	485.48	19
		20	483.99	484.61	484.84	484.16	484.51	484.31	484.17	483.76	483.58	483.39	484.06	485.38	20
	+ Maximum	21	483.97	484.59	484.80	484.16	484.50	484.26	484.17	483.75	483.58	483.39	484.05	485.30	21
		22	483.98	484.58	484.75	484.15	484.47	484.23	484.18	483.75	483.56	483.38	484.06	485.23	22
		23	483.96	484.56	484.72	484.15	484.47	484.29	484.17	483.73	483.56	483.36 -	484.05	485.17	23
		24	483.96	484.52	484.65	484.13	484.47	484.30	484.16	483.70	483.56	483.37	484.02	485.12	24
		25	483.96	484.48	484.61	484.12 -	484.46	484.29	484.14	483.72	483.55	483.40	484.03	485.05	25
	- Minimum	26	483.96	484.39 -	484.58	484.16	484.45	484.27	484.16	483.70	483.54	483.39	484.08	485.00	26
		27	483.96	484.41	484.54	484.18	484.43	484.23 -	484.16	483.69	483.51	483.40	484.22	484.99	27
		28	483.95	484.48	484.52	484.20	484.42	484.24	484.16	483.67	483.51	483.38	484.36	484.93	28
		29	483.94		484.50	484.23	484.39	484.31	484.16	483.66	483.51	483.39	484.44	484.83	29
		30	483.94		484.47	484.26	484.34	484.31	484.16	483.66 -	483.50 -	483.37	484.48 +	484.79	30
		31	483.98		484.46 -		484.34		484.13 -	483.66		483.38		484.85	31
Monatsmittel		483.93	484.74	484.96	484.24	484.46	484.35	484.20	483.87	483.58	483.44 -	483.87	485.04 +	müM	
Maximum (Spitze)		484.49	485.14	485.67	484.45	484.68	484.47	484.31	484.11	483.66	483.51 -	484.49	485.92 +	müM	
Datum		31.	7.	7.	1.	10.	7.	1.	div	1.	2. / 3.	30.	15.		
Monatsamplitude		0.68	0.76	1.23	0.34	0.43	0.24	0.20	0.46	0.17	0.16 -	1.15	1.61 +	m	
Jahr	Mittel	484.22			Max (Spitze) 485.92 (15.12.)			Min (Spitze) 483.33 (6.11.)			Jahresamplitude (Spitze) 2.59				



Periode	1984 - 2017 (34 Jahre)												
Monatsmittel	484.79	484.83	484.84 +	484.73	484.59	484.58	484.41	484.27	484.15 -	484.17	484.38	484.62	müM
Maximum (Spitze)	486.24	486.23	486.46	486.33	486.55 +	486.19	485.66 -	486.30	485.88	485.96	486.13	486.17	müM
Jahr	1984	1984	2001	1986	1986	2016	1990	2007	1987	2006	1996	1999	
Minimum (Spitze)	483.65	483.56	483.57	483.65	483.56	483.73 +	483.70	483.44	483.40	483.14	483.12	483.02 -	müM
Jahr	1990	1987	1996	1988	1988	1996	2003	2003	2003	1989	1989	1989	
Monatsamplitude (Max)	2.08	1.91	1.93	2.12 +	1.56	1.38	1.34 -	1.73	1.74	1.47	1.53	1.75	m
Jahr	1986	1990	2001	1988	1986	1990	1990	2007	1987	2006	1990	2007	
Periode	Mittel	484.53			Max (Spitze) 486.55 (25.5.1986)			Min (Spitze) 483.02 (11.12.1989)			Periodenamplitude (Spitze) 3.53		



Grundwasserstand

PW Laupersdorf - Laupersdorf


SO 616/240/009

Koordinaten 2 616 335 / 1 240 000


OK Terrain 487.7 müM

Abstichpunkt 487.3 müM

2016		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	483.83 -	484.87 -	484.98	484.38	484.75 -	485.37	485.03 +	484.37	484.15	484.09 +	483.94	484.36 +	1
	2	483.85	485.14	484.98	484.36	484.95	485.31	484.96	484.36	484.15 +	484.07	483.91	484.32	2
	3	483.96	485.44	484.98	484.34	484.98	485.24	484.90	484.35	484.11	484.06	483.91	484.29	3
	4	484.08	485.28	485.05	484.31	484.97	485.20	484.84	484.38	484.12	484.05	483.90	484.25	4
	5	484.13	485.03	485.15	484.29	484.96	485.33	484.81	484.38	484.13	484.05	483.90	484.25	5
	6	484.19	485.02	485.27 +	484.29	484.92	485.41	484.75	484.43	484.14	484.05	483.91	484.22	6
	7	484.31	485.01	485.22	484.29	484.89	485.43	484.71	484.43 +	484.14	484.05	483.88 -	484.21	7
	8	484.46	485.04	485.19	484.29	484.86	485.52	484.67	484.42	484.13	484.04	483.99	484.18	8
	9	484.88	485.06	485.15	484.28	484.79	485.65	484.63	484.41	484.13	484.03	484.00	484.17	9
	10	484.89	485.36	485.08	484.27	484.77	485.63	484.59	484.40	484.13	484.00	484.00	484.15	10
	11	485.17	485.30	485.03	484.24	484.77	485.61	484.57	484.39	484.13	483.99	484.11	484.16	11
	12	485.38	485.28	485.00	484.23 -	484.77	485.66	484.56	484.38	484.12	483.99	484.16	484.12	12
	13	485.38	485.30	484.89	484.24	485.61	485.71	484.60	484.36	484.12	484.00	484.21	484.13	13
	14	485.39 +	485.68 +	484.87	484.29	485.75 +	485.84	484.60	484.33	484.12	483.97	484.23	484.10	14
	15	485.33	485.68	484.85	484.31	485.67	485.90	484.58	484.33	484.12	483.98	484.22	484.10	15
müM	16	485.27	485.59	484.80	484.52	485.55	485.84	484.55	484.34	484.12	483.95	484.21	484.06	16
	17	485.16	485.52	484.76	484.56	485.50	486.12 +	484.54	484.35	484.12	483.95	484.22	484.04	17
	18	485.12	485.44	484.72	484.95	485.40	485.99	484.53	484.35	484.13	483.95	484.28	484.02	18
	19	485.06	485.30	484.69	485.00 +	485.33	485.88	484.52	484.35	484.13	483.94	484.59	484.01	19
	20	485.02	485.24	484.64	484.99	485.25	485.79	484.50	484.35	484.15	483.95	484.84 +	484.00	20
+ Maximum	21	484.98	485.20	484.60	484.95	485.19	485.75	484.49	484.33	484.15	483.92	484.79	484.00	21
	22	484.93	485.11	484.57	484.91	485.14	485.66	484.49	484.32	484.15	483.91 -	484.73	483.99	22
	23	484.90	485.07	484.56	484.86	485.11	485.59	484.48	484.30	484.15	483.92	484.69	483.99	23
	24	484.87	485.05	484.52	484.84	485.25	485.51	484.47	484.30	484.14	483.91	484.65	483.97	24
	25	484.85	485.08	484.49	484.79	485.23	485.48	484.44	484.30	484.13	483.96	484.62	483.97	25
- Minimum	26	484.81	485.15	484.47	484.79	485.20	485.34	484.42	484.30	484.11	483.98	484.57	483.97	26
	27	484.79	485.13	484.44	484.77	485.16	485.25	484.42	484.29	484.11	483.98	484.52	483.95	27
	28	484.80	485.06	484.42	484.74	485.13	485.21	484.41	484.28	484.11	483.98	484.42	483.95	28
	29	484.81	484.99	484.41	484.72	485.39	485.11	484.40	484.25	484.11	483.96	484.42	483.94	29
	30	484.82	485.00	484.40	484.73	485.49	485.07 -	484.39	484.23	484.10 -	483.96	484.36	483.94	30
31	484.83	485.00	484.39 -	484.73	485.44	485.07 -	484.38 -	484.20 -	484.10 -	483.93	484.36	483.92 -	31	
Monatsmittel	484.78	485.22	484.79	484.55	485.17	485.55 +	484.59	484.34	484.13	483.99 -	484.27	484.09	müM	
Maximum (Spitze) Datum	485.40 14.	485.76 14.	485.28 6.	485.01 20.	485.78 14.	486.19 + 17.	485.06 1.	484.44 7.	484.17 1.	484.11 - 1.	484.86 20.	484.38 1.	müM	
Monatsamplitude	1.60 +	0.94	0.91	0.79	1.08	1.18	0.70	0.28	0.07 -	0.22	1.00	0.46	m	
Jahr	Mittel 484.62	Max (Spitze) 486.19 (17.6.)					Min (Spitze) 483.80 (1.1.)			Jahresamplitude (Spitze) 2.38				



Periode	1984 - 2016 (33 Jahre)												
Monatsmittel	484.82	484.84 +	484.84 +	484.74	484.59	484.58	484.41	484.28	484.16 -	484.19	484.40	484.61	müM
Maximum (Spitze) Jahr	486.24 1984	486.23 1984	486.46 2001	486.33 1986	486.55 + 1986	486.19 2016	485.66 - 1990	486.30 2007	485.88 1987	485.96 2006	486.13 1996	486.17 1999	müM
Minimum (Spitze) Jahr	483.65 1990	483.56 1987	483.57 1996	483.65 1988	483.56 1988	483.73 + 1996	483.70 2003	483.44 2003	483.40 2003	483.14 1989	483.12 1989	483.02 - 1989	müM
Monatsamplitude (Max) Jahr	2.08 1986	1.91 1990	1.93 2001	2.12 + 1988	1.56 1986	1.38 1990	1.34 - 1990	1.73 2007	1.74 1987	1.47 2006	1.53 1990	1.75 2007	m
Periode	Mittel 484.54	Max (Spitze) 486.55 (25.5.1986)					Min (Spitze) 483.02 (11.12.1989)			Periodenamplitude (Spitze) 3.53			



Grundwasserstand

PW Laupersdorf - Laupersdorf


SO 616/240/009

Koordinaten 616 335 / 240 000


OK Terrain 487.7 müM

Abstichpunkt 487.3 müM

2015		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	484.48 -	485.44 +	484.52	484.79	484.53	484.37	484.28	484.00 +	483.88	483.75	483.69	483.77 -	1	
	2	484.48	485.41	484.55	484.77	484.61	484.34	484.28 +	484.00	483.86	483.74	483.69	483.80	2	
	3	484.59	485.33	484.65	484.93	484.78	484.34	484.28	483.99	483.88	483.74	483.70	483.84	3	
	4	485.26	485.23	484.86	484.98	484.83 +	484.32	484.26	483.99	483.88 +	483.76	483.69	483.84	4	
	5	485.17	485.14	484.87 +	485.11 +	484.81	484.30	484.25	483.99	483.84	483.77	483.68	483.82	5	
Tagesmittel	6	485.10	485.15	484.87	485.10	484.77	484.29	484.22	483.99	483.84	483.75	483.66	483.83	6	
	7	485.03	485.20	484.84	485.07	484.76	484.28	484.19	483.99	483.83	483.78 +	483.66	483.88	7	
	8	484.95	485.25	484.82	485.04	484.71	484.25	484.19	483.95	483.83	483.78	483.66	483.90	8	
	9	484.93	485.27	484.80	485.00	484.63	484.23	484.17	483.90	483.79	483.77	483.66	483.90	9	
	10	484.91	485.29	484.78	484.97	484.54	484.22	484.17	483.98	483.81	483.76	483.65	483.91 +	10	
	Tagesmittel	11	484.90	485.28	484.73	484.92	484.46	484.22	484.17	483.99	483.80	483.76	483.65	483.89	11
		12	484.93	485.22	484.70	484.86	484.41	484.22	484.17	483.99	483.80	483.75	483.64	483.86	12
		13	484.94	485.14	484.70	484.81	484.34	484.22	484.14	483.98	483.79	483.76	483.61	483.86	13
		14	484.95	485.09	484.68	484.77	484.28	484.20 -	484.11	483.99	483.79	483.75	483.59	483.86	14
		15	484.95	485.02	484.67	484.76	484.21	484.23	484.10	483.99	483.78	483.75	483.55 -	483.89	15
müM		16	484.95	484.96	484.64	484.72	484.16	484.29	484.10	483.99	483.80	483.74	483.61	483.88	16
		17	484.97	484.90	484.62	484.69	484.11	484.31	484.10	483.99	483.81	483.73	483.63	483.89	17
		18	485.07	484.83	484.59	484.68	484.05	484.31	484.10	483.98	483.82	483.72	483.64	483.88	18
		19	485.06	484.75	484.54	484.66	484.00 -	484.36	484.10	483.98	483.82	483.71	483.62	483.87	19
		20	485.04	484.68	484.54	484.62	484.48	484.37	484.07	483.98	483.80	483.73	483.67	483.87	20
Tagesmittel	21	485.02	484.61	484.54	484.61	484.72	484.38 +	484.05	483.98	483.80	483.73	483.72	483.86	21	
	22	484.95	484.57	484.52	484.60	484.69	484.36	484.05	483.98	483.75 -	483.73	483.75	483.86	22	
	23	484.92	484.54	484.52	484.58	484.66	484.35	484.05	483.98	483.75 -	483.72	483.83	483.86	23	
	24	484.89	484.51	484.52	484.56	484.62	484.35	484.05	483.98	483.78	483.72	483.84 +	483.85	24	
	25	484.87	484.49 -	484.52	484.55	484.56	484.36	484.05	483.97	483.76	483.72	483.84	483.84	25	
- Minimum	26	484.85	484.50	484.51	484.53	484.54	484.36	484.05	483.97	483.77	483.71	483.82	483.85	26	
	27	484.82	484.50	484.49	484.48	484.52	484.36	484.02	483.96	483.77	483.71	483.80	483.85	27	
	28	484.81	484.51	484.47	484.46	484.50	484.34	484.00	483.96	483.77	483.70	483.79	483.87	28	
	29	485.14	484.47 -	484.44	484.47	484.47	484.31	484.00	483.92	483.76	483.70 -	483.78	483.86	29	
	30	485.67 +	484.64	484.44 -	484.45	484.45	484.27	484.00	483.91	483.76	483.70	483.77	483.87	30	
31	485.52	484.79	484.42	484.42	484.42	484.42	484.00 -	483.89 -	483.70	483.70	483.70	483.84	31		
Monatsmittel	484.97 +	484.96	484.64	484.75	484.50	484.30	484.12	483.97	483.80	483.74	483.70 -	483.86	müM		
Maximum (Spitze)	485.74 +	485.44	484.88	485.13	484.84	484.40	484.29	484.00	483.89	483.79 -	483.86	483.91	müM		
Datum	30.	1.	6.	6.	4.	1.	2. / 3.	div	1. / 3.	7.	24.	10.			
Monatsamplitude	1.27 +	0.94	0.41	0.70	0.88	0.20	0.29	0.12	0.16	0.11 -	0.32	0.14	m		
Jahr	Mittel 484.27	Max (Spitze) 485.74 (30.1.)			Min (Spitze) 483.54 (15.11.)			Jahresamplitude (Spitze) 2.21							



Periode	1984 - 2015 (32 Jahre)												
Monatsmittel	484.82	484.82	484.84 +	484.75	484.57	484.55	484.41	484.28	484.16 -	484.20	484.40	484.63	müM
Maximum (Spitze)	486.24	486.23	486.46	486.33	486.55 +	486.01	485.66 -	486.30	485.88	485.96	486.13	486.17	müM
Jahr	1984	1984	2001	1986	1986	1990	1990	2007	1987	2006	1996	1999	
Minimum (Spitze)	483.65	483.56	483.57	483.65	483.56	483.73 +	483.70	483.44	483.40	483.14	483.12	483.02 -	müM
Jahr	1990	1987	1996	1988	1988	1996	2003	2003	2003	1989	1989	1989	
Monatsamplitude (Max)	2.08	1.91	1.93	2.12 +	1.56	1.38	1.34 -	1.73	1.74	1.47	1.53	1.75	m
Jahr	1986	1990	2001	1988	1986	1990	1990	2007	1987	2006	1990	2007	
Periode	Mittel 484.53	Max (Spitze) 486.55 (25.5.1986)			Min (Spitze) 483.02 (11.12.1989)			Periodenamplitude (Spitze) 3.53					



Grundwasserstand

PW Laupersdorf - Laupersdorf


SO 616/240/009

Koordinaten 616 335 / 240 000


OK Terrain 487.7 müM

Abstichpunkt 487.3 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	485.19	484.70	484.89 +	484.31	484.41	484.35 +	484.14 -	485.27 +	484.37 +	484.16	484.28	484.63 +	1	
	2	485.12	484.67	484.83	484.31	484.43	484.34	484.16	485.21	484.36	484.15	484.28 -	484.59	2	
	3	485.07	484.66	484.83	484.26	484.52	484.33	484.16	485.14	484.34	484.12	484.30	484.55	3	
	4	485.15	484.65	484.75	484.26	484.53	484.33	484.18	485.06	484.34	484.12	484.30	484.54	4	
	5	485.22	484.64	484.70	484.25	484.54 +	484.31	484.19	485.06	484.29	484.12 -	484.42	484.52	5	
	Tagesmittel	6	485.22 +	484.60 -	484.67	484.25	484.54 +	484.27	484.21	484.99	484.29	484.12	484.61	484.52	6
		7	485.21	484.60	484.62	484.25	484.54 +	484.26	484.27	484.90	484.29	484.12	484.61	484.49	7
		8	485.16	484.61	484.62	484.25	484.52	484.26	484.44	484.79	484.28	484.15	484.61	484.48	8
		9	485.11	484.63	484.59	484.24	484.48	484.24	484.46	484.71	484.28	484.15	484.61	484.44	9
		10	485.05	484.64	484.59	484.20	484.48	484.24	484.54	484.64	484.27	484.14	484.60	484.42	10
		11	484.99	484.63	484.55	484.20	484.47	484.23	484.67	484.67	484.27	484.16	484.57	484.41	11
		12	484.93	484.63	484.54	484.19	484.47	484.22	484.69	484.67	484.22	484.17	484.55	484.40	12
		13	484.89	485.50	484.52	484.20	484.45	484.19	484.67	484.67	484.22	484.17	484.55	484.37	13
		14	484.86	485.50	484.47	484.20	484.44	484.19	484.67	484.66	484.22	484.16	484.58	484.35	14
		15	484.79	485.56	484.47	484.20	484.44	484.19	484.65	484.64	484.22	484.15	484.62	484.35	15
	müM	16	484.78	485.61 +	484.44	484.19	484.45	484.22	484.64	484.64	484.22	484.15	485.28	484.33	16
		17	484.98	485.53	484.43	484.18	484.45	484.19	484.61	484.63	484.22	484.15	485.32 +	484.33 -	17
		18	484.98	485.46	484.43	484.14 -	484.45	484.19	484.56	484.63	484.20	484.14	485.25	484.36	18
		19	484.98	485.37	484.40	484.15	484.46	484.15	484.56	484.58	484.16	484.15	485.24	484.43	19
		20	484.96	485.25	484.39	484.15	484.46	484.16	485.18	484.54	484.16	484.14	485.16	484.47	20
	+ Maximum	21	484.89	485.25	484.36	484.15	484.45	484.16	485.19	484.53	484.18	484.18	485.06	484.48	21
		22	484.84	485.18	484.36	484.19	484.42	484.15	485.33	484.49	484.20	484.32	485.05	484.48	22
		23	484.81	485.09	484.36	484.18	484.42	484.15	485.36 +	484.49	484.19	484.32	485.00	484.48	23
		24	484.75	485.07	484.39	484.18	484.42	484.15	485.36	484.48	484.19	484.34	484.93	484.48	24
		25	484.74	485.03	484.38	484.15	484.42	484.16	485.26	484.46	484.19	484.35	484.87	484.45	25
	- Minimum	26	484.71 -	484.97	484.36	484.16	484.42	484.14	485.17	484.45	484.16 -	484.35 +	484.82	484.46	26
		27	484.76	484.90	484.34	484.20	484.38	484.14 -	485.11	484.43	484.16 -	484.34	484.79	484.49	27
		28	484.76	484.90	484.33	484.28	484.38	484.14	485.08	484.42	484.16 -	484.34	484.74	484.50	28
		29	484.76		484.33	484.34	484.38	484.14	485.03	484.38	484.16	484.34	484.74	484.50	29
		30	484.71		484.33	484.35 +	484.36	484.14	484.98	484.37 -	484.16	484.33	484.66	484.50	30
		31	484.71		484.32 -		484.35 -		485.27	484.37		484.28		484.50	31
Monatsmittel		484.94	484.99 +	484.50	484.22	484.45	484.21	484.73	484.68	484.23	484.21 -	484.75	484.46	müM	
Maximum (Spitze)		485.22	485.61 +	484.89	484.35 -	484.54	484.35	485.36	485.27	484.37	484.35	485.32	484.63	müM	
Datum		6.	16.	1.	30.	div	1.	23.	1.	1.	26.	17.	1.		
Monatsamplitude		0.52	1.02	0.57	0.20	0.19 -	0.21	1.22 +	0.90	0.22	0.23	1.04	0.31	m	
Jahr	Mittel	484.53			Max (Spitze) 485.61 (16.2.)			Min (Spitze) 484.12 (5.10.)			Jahresamplitude (Spitze) 1.50				



Periode	1984 - 2014												(31 Jahre)
Monatsmittel	484.81	484.82	484.84 +	484.75	484.57	484.56	484.42	484.29	484.18 -	484.21	484.42	484.65	müM
Maximum (Spitze)	486.24	486.23	486.46	486.33	486.55 +	486.01	485.66 -	486.30	485.88	485.96	486.13	486.17	müM
Jahr	1984	1984	2001	1986	1986	1990	1990	2007	1987	2006	1996	1999	
Minimum (Spitze)	483.65	483.56	483.57	483.65	483.56	483.73 +	483.70	483.44	483.40	483.14	483.12	483.02 -	müM
Jahr	1990	1987	1996	1988	1988	1996	2003	2003	2003	1989	1989	1989	
Monatsamplitude (Max)	2.08	1.91	1.93	2.12 +	1.56	1.38	1.34 -	1.73	1.74	1.47	1.53	1.75	m
Jahr	1986	1990	2001	1988	1986	1990	1990	2007	1987	2006	1990	2007	
Periode	Mittel	484.54			Max (Spitze) 486.55 (25.5.1986)			Min (Spitze) 483.02 (11.12.1989)			Periodenamplitude (Spitze) 3.53		



Grundwasserstand

PW Laupersdorf - Laupersdorf


SO 616/240/009

Koordinaten 616 335 / 240 000


OK Terrain 487.7 müM

Abstichpunkt 487.3 müM

2013		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	485.65 +	484.77	484.70 +	484.76	485.05 +	485.71	484.57	484.77 +	484.21	484.27	484.74	484.66	1	
	2	485.54	484.87	484.69	484.78	484.98	485.75 +	484.55	484.70	484.20	484.25	484.74	484.66	2	
	3	485.42	485.53	484.69	484.78	484.96	485.66	484.52	484.67	484.18	484.21	484.74	484.64	3	
	4	485.34	485.53	484.69	484.77	484.88	485.59	484.48	484.62	484.17	484.20 -	485.11	484.62	4	
	5	485.27	485.49	484.69	484.74	484.86	485.51	484.46	484.60	484.15	484.20	485.31	484.57	5	
	müM	6	485.20	485.60	484.69	484.72	484.82	485.39	484.46	484.58	484.14	484.21	485.35	484.56	6
		7	485.13	485.62 +	484.69	484.71	484.79	485.33	484.45	484.56	484.13	484.23	485.44	484.55	7
		8	485.07	485.54	484.67	484.69	484.76	485.28	484.44	484.53	484.13 -	484.24	485.49	484.53	8
		9	485.01	485.51	484.65	484.67	484.72	485.22	484.42	484.51	484.20	484.24	485.62	484.51	9
		10	484.92	485.46	484.65	484.67 -	484.68	485.63	484.43	484.50	484.22	484.23	485.79 +	484.48	10
		11	484.93	485.43	484.66	484.75	484.64	485.74	484.42	484.49	484.22	484.26	485.74	484.46	11
		12	484.96	485.41	484.66	484.83	484.59	485.68	484.41	484.47	484.20	484.27	485.66	484.47	12
		13	484.97	485.34	484.66	485.54	484.61	485.57	484.41	484.45	484.20	484.30	485.57	484.49	13
		14	484.96	485.25	484.65	485.41	484.60	485.48	484.40	484.42	484.19	484.34	485.49	484.50	14
		15	484.93	485.15	484.64	485.35	484.60	485.39	484.38	484.38	484.19	484.35	485.39	484.49	15
	+ Maximum	16	484.88	485.13	484.61	485.29	484.58	485.30	484.37	484.37	484.22	484.48	485.30	484.48	16
		17	484.81	485.07	484.60	485.23	484.56	485.23	484.35	484.36	484.23	484.61	485.22	484.46	17
		18	484.79	485.04	484.60	485.17	484.55	485.15	484.32	484.34	484.24	484.61	485.11	484.44	18
		19	484.78	485.01	484.59	485.08	484.52	485.08	484.31	484.35	484.27	484.61	485.00	484.43	19
		20	484.76	484.97	484.59	485.14	484.50	484.99	484.31	484.34	484.30	484.61	484.94	484.45	20
		21	484.71	484.97	484.57	485.65 +	484.49	484.94	484.30	484.33	484.31	484.60	484.90	484.63	21
	- Minimum	22	484.67	484.93	484.57	485.65 +	484.47	484.89	484.29	484.29	484.31 +	484.58	484.87	484.66	22
		23	484.67	484.92	484.55	485.57	484.45	484.83	484.27	484.27	484.29	484.57	484.83	484.66	23
		24	484.62	484.89	484.56	485.48	484.44	484.80	484.27	484.27	484.28	484.55	484.78	484.67	24
		25	484.60	484.85	484.57	485.39	484.42	484.77	484.26	484.27	484.29	484.51	484.72	484.67	25
		26	484.59	484.80	484.56	485.31	484.42	484.73	484.24	484.27	484.27	484.51	484.71	484.74	26
	Monatsmittel	484.91	485.16	484.62	485.10	484.62	485.21 +	484.40	484.41	484.23 -	484.43	485.11	484.68	müM	
	Maximum (Spitze) Datum	485.71 1.	485.63 7.	484.74 1.	485.71 21.	485.33 31.	485.81 1.	484.89 30.	484.81 1.	484.31 22.	484.79 30. / 31.	485.83 + 10.	485.49 27.	müM	
	Monatsamplitude	1.14	0.92	0.26	1.05	0.93	1.23 +	0.66	0.61	0.19 -	0.59	1.19	1.08	m	
	Jahr	Mittel 484.73	Max (Spitze) 485.83 (10.11.)				Min (Spitze) 484.13 (8.9.)			Jahresamplitude (Spitze) 1.70					



Periode	1984 - 2013 (30 Jahre)												
Monatsmittel	484.81	484.81	484.86 +	484.76	484.57	484.57	484.41	484.27	484.17 -	484.21	484.41	484.66	müM
Maximum (Spitze) Jahr	486.24 1984	486.23 1984	486.46 2001	486.33 1986	486.55 + 1986	486.01 1990	485.66 - 1990	486.30 2007	485.88 1987	485.96 2006	486.13 1996	486.17 1999	müM
Minimum (Spitze) Jahr	483.65 1990	483.56 1987	483.57 1996	483.65 1988	483.56 1988	483.73 + 1996	483.70 2003	483.44 2003	483.40 2003	483.14 1989	483.12 1989	483.02 - 1989	müM
Monatsamplitude (Max) Jahr	2.08 1986	1.91 1990	1.93 2001	2.12 + 1988	1.56 1986	1.38 1990	1.34 - 1990	1.73 2007	1.74 1987	1.47 2006	1.53 1990	1.75 2007	m
Periode	Mittel 484.54	Max (Spitze) 486.55 (25.5.1986)				Min (Spitze) 483.02 (11.12.1989)			Periodenamplitude (Spitze) 3.53				



Grundwasserstand

PW Laupersdorf - Laupersdorf


SO 616/240/009

Koordinaten 616 335 / 240 000

OK Terrain 487.7 müM

Abstichpunkt 487.3 müM

2012	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1 485.75	485.24 +	484.68	484.31	484.76 +	484.33	484.48	484.43 +	484.29	484.17	484.41 -	485.52	1
	2 485.84	485.15	484.68	484.31	484.73	484.32	484.49	484.40	484.38	484.17	484.44	485.42	2
	3 485.79	485.10	484.68 +	484.30	484.70	484.32	484.54	484.37	484.39	484.17	484.46	485.34	3
	4 485.78	485.05	484.68	484.30 -	484.67	484.33	484.55	484.37	484.39 +	484.16	484.49	485.49	4
	5 485.83	485.01	484.67	484.30	484.67	484.33	484.53	484.37	484.39	484.16	484.47	485.59	5
Tagesmittel	6 485.94 +	484.95	484.64	484.32	484.66	484.33	484.65	484.36	484.34	484.16	484.88	485.52	6
	7 485.88	484.91	484.62	484.32	484.64	484.30 -	484.73	484.35	484.32	484.16	484.83	485.52	7
	8 485.86	484.86	484.56	484.33	484.62	484.34	484.73	484.35	484.32	484.15 -	484.80	485.46	8
	9 485.85	484.78	484.56	484.33	484.61	484.37	484.74 +	484.32	484.33	484.17	484.80	485.38	9
	10 485.79	484.77	484.56	484.32	484.57	484.38	484.38	484.72	484.30	484.31	484.26	484.85	485.35
Tagesmittel	11 485.73	484.74	484.54	484.34	484.53	484.44	484.69	484.29	484.31	484.29	485.36	485.29	11
	12 485.64	484.70	484.52	484.37	484.53	484.60	484.65	484.30	484.31	484.31	485.44	485.27	12
	13 485.57	484.68	484.51	484.41	484.53	484.74	484.64	484.29	484.28	484.34	485.34	485.22	13
	14 485.48	484.64	484.49	484.44	484.52	484.75	484.65	484.28	484.28	484.36	485.27	485.21 -	14
	15 485.40	484.61	484.45	484.46	484.53	484.75 +	484.64	484.28	484.28	484.37	485.18	485.24	15
müM	16 485.31	484.55	484.44	484.80	484.51	484.75	484.64	484.24	484.27	484.37	485.14	485.87	16
	17 485.22	484.54	484.43	484.97	484.48	484.74	484.64	484.24	484.26	484.36	485.09	485.85	17
	18 485.12	484.55	484.42	484.99 +	484.47	484.73	484.63	484.24	484.25	484.32	485.02	485.86	18
	19 485.04	484.57	484.41	484.96	484.48	484.72	484.59	484.24	484.24	484.31	484.96	485.89 +	19
	20 484.98 -	484.58	484.40	484.93	484.47	484.70	484.58	484.24	484.22	484.31	484.90	485.83	20
Tagesmittel	21 485.00	484.57	484.40	484.88	484.46	484.66	484.57	484.23	484.20	484.31	484.85	485.83	21
	22 485.19	484.56	484.38	484.84	484.43	484.65	484.56	484.22	484.20	484.30	484.78	485.78	22
	23 485.31	484.53 -	484.38	484.85	484.42	484.63	484.54	484.19	484.20	484.29	484.76	485.83	23
	24 485.29	484.55	484.38	484.86	484.40	484.62	484.50	484.19	484.20	484.23	484.73	485.84	24
	25 485.31	484.61	484.38	484.83	484.40	484.60	484.48	484.20	484.20	484.22	484.68	485.81	25
+ Maximum	26 485.36	484.66	484.37	484.82	484.40	484.58	484.46	484.20	484.20	484.23	484.67	485.81	26
	27 485.30	484.68	484.37	484.81	484.39	484.57	484.44	484.20	484.18	484.21	484.76	485.81	27
	28 485.27	484.71	484.36	484.81	484.39	484.53	484.44	484.20	484.17	484.24	485.03	485.83	28
	29 485.27	484.71	484.33	484.81	484.38	484.52	484.44	484.20	484.17 -	484.27	485.52	485.83	29
	30 485.32	484.31	484.31	484.79	484.36	484.50	484.44	484.18 -	484.17	484.34	485.65 +	485.77	30
31 485.30		484.31 -		484.34 -		484.43 -	484.20		484.39 +		485.70	31	
Monatsmittel	485.47	484.74	484.48	484.60	484.52	484.54	484.57	484.27	484.27	484.26 -	484.93	485.62 +	müM
Maximum (Spitze) Datum	485.96 + 6.	485.27 1.	484.69 1.	484.99 19.	484.78 1.	484.76 15. / 16.	484.75 9.	484.43 1.	484.39 - div	484.41 31.	485.72 29.	485.89 18. / 19.	müM
Monatsamplitude	0.98	0.74	0.38	0.70	0.46	0.47	0.33	0.27	0.23 -	0.26	1.31 +	0.68	m
Jahr	Mittel 484.69	Max (Spitze) 485.96 (6.1.)				Min (Spitze) 484.15 (8.10.)				Jahresamplitude (Spitze) 1.81			



Periode	1984 - 2012											(29 Jahre)	
Monatsmittel	484.81	484.80	484.86 +	484.75	484.57	484.55	484.41	484.27	484.17 -	484.21	484.39	484.66	müM
Maximum (Spitze) Jahr	486.24 1984	486.23 1984	486.46 2001	486.33 1986	486.55 + 1986	486.01 1990	485.66 - 1990	486.30 2007	485.88 1987	485.96 2006	486.13 1996	486.17 1999	müM
Minimum (Spitze) Jahr	483.65 1990	483.56 1987	483.57 1996	483.65 1988	483.56 1988	483.73 + 1996	483.70 2003	483.44 2003	483.40 2003	483.14 1989	483.12 1989	483.02 - 1989	müM
Monatsamplitude (Max) Jahr	2.08 1986	1.91 1990	1.93 2001	2.12 + 1988	1.56 1986	1.38 1990	1.34 - 1990	1.73 2007	1.74 1987	1.47 2006	1.53 1990	1.75 2007	m
Periode	Mittel 484.54	Max (Spitze) 486.55 (25.5.1986)				Min (Spitze) 483.02 (11.12.1989)				Periodenamplitude (Spitze) 3.53			

