

Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 2 610 780 / 1 229 655


OK Terrain - müM

Abstichpunkt 426.5 müM

2023		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	425.37	425.15 +	425.00	425.14	425.08	424.99 +	424.86	424.92	424.87 +	424.82	424.88 -	425.57	1
	2	425.36	425.14	424.98	425.15 +	425.08	424.97	424.88	424.92	424.87 +	424.82	424.90	425.64	2
	3	425.35	425.13	424.97	425.15 +	425.08	424.95	424.88	424.92	424.87 +	424.81	424.92	425.62	3
	4	425.33	425.12	424.97	425.15 +	425.07	424.94	424.88	424.91	424.86	424.80	424.93	425.58	4
	5	425.33	425.12	424.96	425.15 +	425.06	424.93	424.87	424.92	424.86	424.79	425.03	425.56	5
	6	425.32	425.11	424.96	425.14	425.05	424.92	424.87	424.93 +	424.85	424.79	425.06	425.56	6
	7	425.31	425.10	424.95 -	425.14	425.04	424.91	424.85 -	424.93 +	424.85	424.78	425.04	425.54	7
	8	425.31	425.10	424.95 -	425.13	425.09	424.91	424.86	424.92	424.83	424.77	425.03	425.52	8
	9	425.37	425.09	424.97	425.12	425.10	424.90	424.87	424.89	424.81	424.76	425.01	425.52	9
	10	425.43 +	425.08	424.99	425.12	425.17	424.90	424.87	424.88	424.80	424.76	425.00	425.62	10
müM	11	425.42	425.07	425.01	425.11	425.18 +	424.89	424.87	424.87	424.78	424.75 -	424.98	425.71	11
	12	425.42	425.06	425.01	425.12	425.18 +	424.87	424.88	424.87	424.76 -	424.75 -	425.05	425.88	12
	13	425.41	425.05	425.02	425.12	425.16	424.85	424.92	424.86	424.76 -	424.75 -	425.18	426.03 +	13
	14	425.42	425.05	425.07	425.12	425.15	424.86	424.93 +	424.83	424.81	424.76	425.41	426.03 +	14
	15	425.41	425.05	425.10	425.11	425.15	424.85	424.92	424.82	424.80	424.76	425.54 +	425.66	15
	16	425.42	425.04	425.10	425.11	425.16	424.84	424.91	424.83	424.80	424.77	425.52	425.88	16
	17	425.41	425.03	425.11	425.12	425.17	424.83	424.91	424.83	424.79	424.76	425.47	425.81	17
	18	425.39	425.03	425.09	425.12	425.17	424.83	424.90	424.82	424.81	424.76	425.43	425.75	18
	19	425.37	425.02	425.08	425.12	425.17	424.82 -	424.90	424.81	424.81	424.77	425.46	425.68	19
	20	425.34	425.02	425.07	425.10	425.16	424.83	424.89	424.81	424.79	424.78	425.47	425.64	20
+ Maximum	21	425.32	425.02	425.07	425.10	425.15	424.86	424.88	424.79	424.78	424.77	425.43	425.60	21
	22	425.30	425.01	425.07	425.09	425.12	424.86	424.89	424.78	424.81	424.78	425.40	425.61	22
	23	425.28	425.01	425.06	425.08	425.10	424.87	424.88	424.75 -	424.82	424.78	425.40	425.62	23
	24	425.27	425.01	425.06	425.07	425.09	424.86	424.88	424.76	424.82	424.79	425.38	425.59	24
	25	425.25	425.01	425.09	425.07	425.08	424.86	424.90	424.75 -	424.82	424.79	425.36	425.55	25
	26	425.24	425.01	425.09	425.07	425.07	424.85	424.92	424.76	424.83	424.82	425.35	425.53	26
	27	425.22	425.01	425.11	425.07	425.05	424.85	424.92	424.78	424.82	424.90	425.33	425.51	27
	28	425.21	425.00 -	425.12 +	425.06 -	425.03	424.85	424.91	424.81	424.82	424.91 +	425.40	425.49	28
	29	425.19		425.12 +	425.07	425.02	424.84	424.91	424.86	424.82	424.88	425.41	425.47	29
	30	425.17		425.12 +	425.07	425.01	424.85	424.91	424.88	424.82	424.87	425.40	425.45	30
31	425.16 -		425.12 +		424.99 -		424.91	424.87	424.82	424.88	425.45 -	425.45 -	31	
Monatsmittel		425.33	425.06	425.05	425.11	425.10	424.88	424.89	424.85	424.82	424.80 -	425.24	425.64 +	müM
Maximum (Spitze)		425.43	425.15	425.12	425.15	425.18	424.99	424.93	424.93	424.87 -	424.91	425.54	426.03 +	müM
Datum		10.	1.	div	div	11. / 12.	1.	14.	6. / 7.	div	28.	15.	13. / 14.	
Monatsamplitude		0.27	0.15	0.17	0.09	0.19	0.17	0.08 -	0.18	0.11	0.16	0.66 +	0.58	m
Jahr	Mittel	425.06			Max (Spitze) 426.03 (14.12.) (div)			Min (Spitze) 424.75 (13.10.) (div)			Jahresamplitude (Spitze) 1.28			



Periode	1979 - 2023 (45 Jahre)												
Monatsmittel	424.34	424.40 +	424.39	424.32	424.18	424.03	423.85	423.72	423.70 -	423.81	424.00	424.20	müM
Maximum (Spitze)	425.78	425.73	425.48	425.17	425.25	425.33	426.03 +	425.23	425.20	425.15 -	425.54	426.03 +	müM
Jahr	2018	2021	2020	2020	2015	2021	2021	2021	2021	2020	2023	2023	
Minimum (Spitze)	422.96	423.10	423.21 +	423.18	423.14	422.79	422.55	422.37	422.31 -	422.39	422.72	422.88	müM
Jahr	1985	1985	1993	1993	1984	2003	1991	1991	1991	1991	2003	2003	
Monatsamplitude (Max)	1.30 +	1.01	1.13	0.73	0.67 -	0.79	0.83	0.87	0.90	0.72	0.82	1.13	m
Jahr	1995	1990	2001	1988	2000	2006	2021	2007	1984	2002	2002	1981	
Periode	Mittel	424.08			Max (Spitze) 426.03 (13.12.2023) (div)			Min (Spitze) 422.31 (9.9.1991)			Periodenamplitude (Spitze) 3.72		



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 2 610 780 / 1 229 655


OK Terrain - müM

Abstichpunkt 426.5 müM

2022		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	425.35	425.11	425.17 +	425.02	425.04 +	424.95	425.09 +	424.69 +	424.57	424.82 -	424.98	425.01	1
	2	425.33	425.13	425.16	425.01	425.03	424.94	425.07	424.67	424.57	424.88	424.97	425.01	2
	3	425.32	425.11	425.15	425.00	425.03	424.95	425.06	424.66	424.56	424.90	424.96	425.00	3
	4	425.33	425.11	425.14	425.00	425.03	424.97	425.04	424.65	424.55	424.91	424.95	424.99	4
	5	425.32	425.10	425.13	424.99 -	425.04 +	424.99	425.00	424.65	424.56	424.92	424.95	424.98	5
	6	425.30	425.14	425.12	425.00	425.04 +	425.00	424.98	424.65	424.56	424.92	424.95	424.97	6
	7	425.30	425.14	425.11	425.05	425.04 +	425.00	424.96	424.65	424.60	424.92	424.93 -	424.96	7
	8	425.42	425.13	425.10	425.08	425.03	425.00	424.94	424.64	424.59	424.92	424.94	424.95	8
	9	425.43 +	425.12	425.09	425.07	425.02	424.99	424.92	424.64	424.57	424.92	424.95	424.95	9
	10	425.41	425.11	425.08	425.06	425.02	425.00	424.90	424.63	424.55	424.92	424.96	424.95	10
müM	11	425.39	425.11	425.07	425.05	425.01	424.98	424.89	424.62	424.54	424.92	424.96	424.94	11
	12	425.37	425.10	425.07	425.04	425.01	424.98	424.87	424.62	424.52	424.92	424.95	424.93	12
	13	425.35	425.09 -	425.06	425.04	425.00	424.97	424.85	424.61	424.52	424.92	424.95	424.93 -	13
	14	425.33	425.09 -	425.06	425.03	425.00	424.97	424.83	424.61	424.54	424.93	424.94	424.93	14
	15	425.31	425.10	425.05	425.03	424.99	424.97	424.82	424.60	424.57	424.94	424.94	424.95	15
	16	425.28	425.22	425.05	425.02	424.98	424.96	424.80	424.60	424.56	424.94	424.94	424.96	16
	17	425.27	425.25 +	425.05	425.02	424.98	424.93	424.78	424.61	424.55	424.93	424.96	424.96	17
	18	425.26	425.25 +	425.05	425.02	424.97	424.93	424.77	424.62	424.53	424.92	425.00	424.95	18
	19	425.24	425.23	425.04	425.02	424.95 -	424.92 -	424.75	424.64	424.53	424.90	425.01	424.94	19
	20	425.22	425.23	425.04	425.01	424.96	424.92 -	424.75	424.63	424.52	424.90	425.01	424.93	20
+ Maximum	21	425.21	425.25 +	425.03	425.01	424.96	424.92 -	424.75	424.61	424.51	424.94	425.02	424.94	21
	22	425.19	425.24	425.03	425.00	424.96	424.94	424.75	424.60	424.51	424.96	425.02	425.03	22
	23	425.18	425.24	425.02	425.00	424.97	425.02	424.74	424.60	424.50 -	424.98	425.03	425.20	23
	24	425.17	425.22	425.02	425.06	424.98	425.02	424.73	424.59	424.52	425.02	425.04	425.28	24
	25	425.16	425.21	425.02	425.09 +	424.97	425.02	424.72	424.59	424.52	425.03 +	425.04	425.30	25
- Minimum	26	425.15	425.20	425.02	425.08	424.97	425.01	424.71	424.59	424.54	425.03	425.04	425.30	26
	27	425.14	425.19	425.01 -	425.07	424.97	425.01	424.70	424.59	424.65	425.02	425.04 +	425.31	27
	28	425.13	425.18	425.02	425.05	424.97	425.00	424.70	424.58 -	424.74	425.01	425.03	425.31	28
	29	425.12	425.18	425.02	425.05	424.97	425.02	424.70	424.58 -	424.77	425.00	425.03	425.32	29
	30	425.12	425.18	425.03	425.04	424.96	425.09 +	424.70	424.58 -	424.78 +	424.99	425.02	425.36	30
	31	425.11 -	425.18	425.03	425.04	424.96	425.09 +	424.69 -	424.58 -	424.78 +	424.99	425.02	425.39 +	31
Monatsmittel	425.27 +	425.16	425.07	425.03	424.99	424.98	424.84	424.62	424.57 -	424.94	424.98	425.06	müM	
Maximum (Spitze) Datum	425.43 + 9.	425.25 div	425.17 1.	425.09 25.	425.04 div	425.09 30.	425.09 1.	424.69 - 1.	424.78 30.	425.03 25.	425.04 27.	425.39 31.	müM	
Monatsamplitude	0.32	0.16	0.16	0.10	0.09 -	0.17	0.40	0.11	0.28	0.21	0.12	0.46 +	m	
Jahr	Mittel 424.96	Max (Spitze) 425.43 (9.1.)				Min (Spitze) 424.50 (23.9.)				Jahresamplitude (Spitze) 0.93				



Periode	1979 - 2022 (44 Jahre)												
Monatsmittel	424.32	424.38 +	424.38 +	424.30	424.16	424.01	423.83	423.69	423.67 -	423.79	423.97	424.17	müM
Maximum (Spitze) Jahr	425.78 2018	425.73 2021	425.48 2020	425.17 2020	425.25 2015	425.33 2021	426.03 + 2021	425.23 2021	425.20 2021	425.15 2020	425.13 - 2020	425.50 1981	müM
Minimum (Spitze) Jahr	422.96 1985	423.10 1985	423.21 + 1993	423.18 1993	423.14 1984	422.79 2003	422.55 1991	422.37 1991	422.31 - 1991	422.39 1991	422.72 2003	422.88 2003	müM
Monatsamplitude (Max) Jahr	1.30 + 1995	1.01 1990	1.13 2001	0.73 1988	0.67 - 2000	0.79 2006	0.83 2021	0.87 2007	0.90 1984	0.72 2002	0.82 2002	1.13 1981	m
Periode	Mittel 424.06	Max (Spitze) 426.03 (15.7.2021)				Min (Spitze) 422.31 (9.9.1991)				Periodenamplitude (Spitze) 3.72			



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 2 610 780 / 1 229 655


OK Terrain - müM

Abstichpunkt 426.5 müM

2021		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	425.08	425.71	425.16 +	425.04 +	425.01	425.14	425.29	425.21	425.20 +	425.09	425.07	424.97 -	1
	2	425.09	425.71	425.15	425.04 +	425.02	425.11	425.25	425.19	425.19	425.09	425.08 +	424.98	2
	3	425.09	425.73 +	425.14	425.04	425.03	425.07	425.23	425.17	425.19	425.10	425.07	425.04	3
	4	425.08	425.72	425.13	425.03	425.02	425.04	425.22	425.16	425.19	425.10	425.07	425.11	4
	5	425.07	425.68	425.12	425.03	425.02	425.05	425.20 -	425.15	425.17	425.11	425.06	425.12	5
müM	6	425.06	425.65	425.11	425.03	425.03	425.05	425.20 -	425.18	425.17	425.10	425.06	425.10	6
	7	425.05	425.61	425.11	425.02	425.05	425.03	425.21	425.20	425.18	425.11 +	425.05	425.10	7
	8	425.03	425.57	425.11	425.01	425.05	425.03	425.39	425.17	425.17	425.11	425.03	425.12	8
	9	425.02	425.53	425.10	425.01	425.04	425.04	425.37	425.15	425.17	425.10	425.01	425.14	9
	10	425.00	425.50	425.10	424.99	425.02	425.02	425.34	425.14 -	425.17	425.10	425.01	425.13	10
	11	424.99	425.46	425.09	424.98	425.02	425.00	425.33	425.14 -	425.16	425.10	425.02	425.14	11
	12	424.98 -	425.43	425.10	424.98	425.03	424.97	425.52	425.14 -	425.16	425.10	425.02	425.15	12
	13	425.02	425.40	425.09	424.98	425.02	424.96	425.54	425.14 -	425.15	425.10	425.02	425.14	13
	14	425.28	425.37	425.10	424.97	425.00	424.94	426.02	425.14 -	425.15	425.10	425.03	425.14	14
	15	425.42	425.35	425.13	424.95	424.99 -	424.92 -	426.03 +	425.14 -	425.16	425.10	425.02	425.13	15
+ Maximum	16	425.41	425.33	425.15	424.94 -	425.01	424.92 -	425.96	425.15	425.16	425.10	425.01	425.13	16
	17	425.39	425.30	425.14	424.97	425.03	424.92	425.88	425.16	425.15	425.10	425.00	425.14	17
	18	425.36	425.29	425.13	424.98	425.04	424.93	425.79	425.16	425.18	425.09	425.00	425.14	18
	19	425.34	425.27	425.12	424.98	425.05	424.94	425.69	425.17	425.18	425.10	425.00	425.14	19
	20	425.33	425.25	425.11	424.98	425.08	424.93	425.61	425.18	425.16	425.11	425.00	425.13	20
	21	425.30	425.24	425.10	424.98	425.08	424.94	425.54	425.18	425.14	425.09	424.99	425.11	21
- Minimum	22	425.30	425.22	425.09	424.98	425.15	424.97	425.49	425.21	425.13	425.09	424.98	425.10	22
	23	425.30	425.23	425.09	424.98	425.17	424.95	425.43	425.23 +	425.12	425.09	424.98	425.09	23
	24	425.31	425.21	425.08	424.97	425.17	424.98	425.40	425.23 +	425.11	425.08	424.97	425.08	24
	25	425.29	425.19	425.07	424.98	425.18	425.01	425.36	425.23 +	425.11	425.08	424.97	425.08	25
	26	425.26	425.19	425.08	424.98	425.16	425.00	425.32	425.23 +	425.10	425.08	424.97	425.10	26
27	425.27	425.18	425.07	424.98	425.16	424.98	425.29	425.22	425.10	425.08	424.97	425.14	27	
28	425.44	425.17 -	425.07	424.97	425.16	425.03	425.26	425.22	425.10	425.07	424.97	425.19	28	
29	425.69		425.07	424.97	425.18 +	425.17	425.22	425.22	425.09	425.07	424.96 -	425.28	29	
30	425.72 +		425.06	424.99	425.17	425.33 +	425.20 -	425.22	425.09 -	425.07	424.96	425.36	30	
31	425.72		425.05 -		425.16		425.22	425.21	425.21	425.06 -		425.40 +	31	
Monatsmittel		425.25	425.41	425.10	424.99 -	425.07	425.01	425.45 +	425.18	425.15	425.09	425.01	425.13	müM
Maximum (Spitze) Datum		425.72 30. / 31.	425.73 3. / 4.	425.16 1.	425.04 div	425.18 25. / 29.	425.33 30.	426.03 + 15.	425.23 div	425.20 1.	425.11 div	425.08 2.	425.40 30. / 31.	müM
Monatsamplitude		0.74	0.57	0.11	0.11	0.19	0.41	0.83 +	0.09	0.11	0.05 -	0.12	0.44	m
Jahr	Mittel	425.15			Max (Spitze) 426.03 (15.7.)			Min (Spitze) 424.92 (div)			Jahresamplitude (Spitze) 1.11			



Periode	1979 - 2021 (43 Jahre)												
Monatsmittel	424.30	424.36 +	424.36 +	424.28	424.14	423.99	423.80	423.67	423.65 -	423.76	423.95	424.15	müM
Maximum (Spitze) Jahr	425.78 2018	425.73 2021	425.48 2020	425.17 2020	425.25 2015	425.33 2021	426.03 + 2021	425.23 2021	425.20 2021	425.15 2020	425.13 2020	425.50 1981	müM
Minimum (Spitze) Jahr	422.96 1985	423.10 1985	423.21 + 1993	423.18 1993	423.14 1984	422.79 2003	422.55 1991	422.37 1991	422.31 - 1991	422.39 1991	422.72 2003	422.88 2003	müM
Monatsamplitude (Max) Jahr	1.30 + 1995	1.04 1999	1.13 2001	0.73 1988	0.71 - 2000	0.79 2006	0.83 2021	0.87 2007	0.90 1984	0.72 2002	0.82 2002	1.13 1981	m
Periode	Mittel	424.03			Max (Spitze) 426.03 (15.7.2021)			Min (Spitze) 422.31 (9.9.1991)			Periodenamplitude (Spitze) 3.72		



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 2 610 780 / 1 229 655


OK Terrain - müM

Abstichpunkt 426.5 müM

2020		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	425.22 +	424.98 -	425.33	425.17 +	424.96 -	424.97 -	425.09 +	424.92	425.00	425.01	425.13 +	424.96	1
	2	425.20	425.05	425.37	425.15	425.02	424.97 -	425.08	424.93	424.99	425.01	425.12	424.95	2
	3	425.18	425.18	425.42	425.14	425.04	424.98	425.08	424.98	424.99	425.05	425.10	424.95	3
	4	425.16	425.21	425.41	425.13	425.04	424.99	425.07	424.99	424.99	425.05	425.10	424.94	4
	5	425.15	425.22	425.46	425.13	425.06	425.01	425.05	424.99	424.99	425.03	425.09	424.94	5
Tagesmittel	6	425.13	425.21	425.48 +	425.12	425.08 +	425.00	425.03	424.97	424.99	425.02	425.09	424.96	6
	7	425.12	425.19	425.47	425.11	425.08 +	425.04	425.02	424.96	424.98	425.03	425.09	424.97	7
	8	425.10	425.18	425.46	425.11	425.07	425.03	425.01	424.96	424.96	425.03	425.08	424.96	8
	9	425.10	425.16	425.43	425.09	425.06	425.03	425.00	424.94	424.94	425.03	425.08	424.95	9
	10	425.08	425.14	425.46	425.08	425.05	425.03	424.99	424.93	424.95	425.03	425.07	424.94	10
Tagesmittel	11	425.06	425.14	425.48 +	425.08	425.04	425.04	425.00	424.92	424.95	425.03	425.07	424.94	11
	12	425.05	425.13	425.47	425.07	425.04	425.05	425.00	424.92	424.95	425.03	425.06	424.94	12
	13	425.04	425.13	425.44	425.06	425.04	425.05	424.99	424.91	424.95	425.03	425.06	424.94	13
	14	425.03	425.15	425.41	425.04	425.04	425.06	424.99	424.92	424.95	425.02	425.05	424.94	14
	15	425.01	425.15	425.39	425.04	425.02	425.06	424.99	424.92	424.94	425.01	425.04	424.95	15
müM	16	425.00	425.14	425.36	425.01	425.02	425.06	424.99	424.91	424.94	425.01	425.05	424.94	16
	17	424.99	425.12	425.34	425.00	425.01	425.08	424.99	424.96	424.94	425.00	425.05	424.94	17
	18	424.99	425.13	425.32	424.99	425.00	425.09	424.99	424.96	424.93	424.99	425.03	424.94	18
	19	424.97	425.14	425.31	424.99	425.00	425.11	424.98	424.95	424.93	424.99	425.03	424.94	19
	20	424.96	425.14	425.29	424.98	424.99	425.12 +	424.97	424.93	424.93	424.99	425.02	424.94	20
+ Maximum	21	424.95	425.12	425.27	424.96	424.99	425.12 +	424.97	424.92	424.92 -	424.99	425.02	424.93 -	21
	22	424.94	425.12	425.25	424.95	424.98	425.11	424.97	424.91	424.92 -	424.98 -	425.02	424.93	22
	23	424.93	425.11	425.24	424.94	424.98	425.11	424.98	424.91	424.94	425.05	425.01	424.94	23
	24	424.92	425.11	425.23	424.92	424.99	425.10	424.97	424.90	424.94	425.11	425.00	424.95	24
	25	424.91	425.13	425.21	424.91	424.99	425.09	424.96	424.90	424.96	425.12	424.99	424.98	25
- Minimum	26	424.90 -	425.16	425.20	424.91	424.98	425.08	424.96	424.89 -	424.97	425.13	424.98	424.99	26
	27	424.90 -	425.21	425.20	424.91	424.98	425.06	424.96	424.89 -	424.97	425.15 +	424.98	425.00	27
	28	424.91	425.24	425.20	424.90 -	424.99	425.05	424.95	424.89 -	424.97	425.13	424.97	425.01	28
	29	424.96	425.26 +	425.20	424.93	424.99	425.08	424.95	424.90	425.01 +	425.15 +	424.96	425.02	29
	30	424.97		425.19	424.95	424.98	425.09	424.94	424.99	425.01 +	425.15 +	424.95 -	425.04	30
31	424.97		425.18 -		424.98		424.93 -	425.01 +		425.14 +		425.07 +	31	
Monatsmittel		425.03	425.15	425.34 +	425.03	425.02	425.06	425.00	424.94 -	424.96	425.05	425.04	424.96	müM
Maximum (Spitze)		425.22	425.26	425.48 +	425.17	425.08	425.12	425.09	425.01 -	425.01 -	425.15	425.13	425.08	müM
Datum		1.	29.	6. / 11.	1.	6. / 7.	20. / 21.	1.	31.	29. / 30.	div	1.	31.	
Monatsamplitude		0.32 +	0.28	0.30	0.27	0.12	0.15	0.16	0.12	0.09 -	0.17	0.18	0.15	m
Jahr	Mittel	425.05					Max (Spitze) 425.48 (6.3./11.3.)			Min (Spitze) 424.89 (div)			Jahresamplitude (Spitze) 0.59	



Periode	1979 - 2020 (42 Jahre)													
Monatsmittel	424.27	424.34 +	424.34 +	424.27	424.12	423.97	423.76	423.64	423.61 -	423.73	423.92	424.12	müM	
Maximum (Spitze)	425.78 +	425.40	425.48	425.17	425.25	425.33	425.09	425.01 -	425.01 -	425.15	425.13	425.50	müM	
Jahr	2018	2018	2020	2020	2015	2016	2020	2020	2020	2020	2020	1981		
Minimum (Spitze)	422.96	423.10	423.21 +	423.18	423.14	422.79	422.55	422.37	422.31 -	422.39	422.72	422.88	müM	
Jahr	1985	1985	1993	1993	1984	2003	1991	1991	1991	1991	2003	2003		
Monatsamplitude (Max)	1.30 +	1.04	1.13	0.73	0.71	0.79	0.69 -	0.87	0.90	0.72	0.82	1.13	m	
Jahr	1995	1999	2001	1988	2000	2006	1983	2007	1984	2002	2002	1981		
Periode	Mittel	424.01					Max (Spitze) 425.78 (23.1.2018)			Min (Spitze) 422.31 (9.9.1991)			Periodenamplitude (Spitze) 3.47	



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 2 610 780 / 1 229 655


OK Terrain 428.3 müM

Abstichpunkt 426.5 müM

2019		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	424.79	424.74	424.74	424.85	424.70	424.83 +	424.60	424.79 -	424.86 +	424.76 -	424.98	425.05	1
	2	424.78	424.75	424.75	424.85	424.69	424.83	424.59	424.79 -	424.86	424.78	424.99	425.05	2
	3	424.77	424.76	424.75	424.84	424.69	424.82	424.58	424.79	424.85	424.79	425.01	425.04	3
	4	424.75	424.77	424.75	424.86 +	424.69	424.81	424.60	424.80	424.84	424.80	425.02	425.03	4
	5	424.74	424.77	424.74	424.86 +	424.69	424.80	424.59	424.80	424.81	424.83	425.04	425.02	5
Tagesmittel	6	424.73	424.77	424.74	424.84	424.68 -	424.78	424.60	424.81	424.79	424.85	425.04 +	425.00	6
	7	424.71	424.76	424.73	424.83	424.68 -	424.75	424.60	424.83	424.78	424.87	425.04	424.99	7
	8	424.71	424.76	424.72 -	424.81	424.69	424.74	424.60	424.82	424.77	424.89	425.03	424.99 -	8
	9	424.70	424.77	424.72 -	424.81	424.72	424.74	424.58	424.82	424.77	424.93	425.03	424.99	9
	10	424.69	424.77	424.74	424.79	424.74	424.75	424.58	424.84	424.75	424.95	425.02	425.01	10
müM	11	424.68 -	424.79	424.76	424.78	424.73	424.78	424.59	424.84	424.74	424.94	425.01	425.00	11
	12	424.69	424.82	424.77	424.77	424.74	424.78	424.58	424.85	424.73	424.93	425.00	425.02	12
	13	424.77	424.82 +	424.76	424.76	424.73	424.77	424.58	424.85	424.72	424.92	425.01	425.03	13
	14	424.84	424.82	424.81	424.75	424.72	424.76	424.59	424.85	424.72	424.91	425.01	425.09	14
	15	424.87	424.81	424.96	424.75	424.72	424.76	424.60	424.85	424.71	424.92	425.00	425.13	15
+ Maximum	16	424.87 +	424.80	425.02	424.74	424.71	424.78	424.60	424.85	424.70	424.94	424.99	425.13	16
	17	424.87	424.80	425.03 +	424.74	424.71	424.77	424.60	424.86	424.69	424.94	425.00	425.12	17
	18	424.86	424.80	425.02	424.73	424.71	424.76	424.59	424.86	424.68	424.95	425.00	425.11	18
	19	424.85	424.80	425.01	424.73	424.72	424.74	424.59	424.87	424.67	425.01	425.00	425.10	19
	20	424.84	424.79	425.00	424.73	424.79	424.74	424.58	424.91	424.67	425.03	425.00	425.09	20
- Minimum	21	424.83	424.78	424.98	424.73	424.83	424.73	424.58	424.93 +	424.66	425.02	424.99	425.09	21
	22	424.83	424.77	424.97	424.73	424.84	424.72	424.57	424.91	424.66	425.04	424.98	425.12	22
	23	424.82	424.77	424.96	424.73	424.84 +	424.71	424.57 -	424.87	424.65 -	425.04 +	424.98	425.15	23
	24	424.79	424.76	424.94	424.72	424.84 +	424.69	424.57	424.85	424.66	425.03	424.96	425.18	24
	25	424.78	424.75	424.93	424.73	424.84 +	424.68	424.60	424.86	424.69	425.01	424.95	425.20	25
Monatsmittel	424.78	424.78	424.86	424.77	424.76	424.74	424.62 -	424.85	424.73	424.94	425.00	425.11 +	müM	
Maximum (Spitze) Datum	424.87 16.	424.83 13.	425.03 17.	424.86 4. / 5.	424.84 div	424.83 1. / 2.	424.79 29. / 30.	424.94 21.	424.86 1. / 2.	425.04 22. / 23.	425.05 30.	425.27 + 28. / 29.	müM	
Monatsamplitude	0.20	0.09 -	0.31 +	0.16	0.16	0.22	0.22	0.15	0.21	0.29	0.12	0.28	m	
Jahr	Mittel 424.83		Max (Spitze) 425.27 (28.12./29.12.)				Min (Spitze) 424.57 (div)			Jahresamplitude (Spitze) 0.70				



Periode	1979 - 2019 (41 Jahre)												
Monatsmittel	424.26	424.32 +	424.32 +	424.25	424.10	423.94	423.73	423.60	423.58 -	423.70	423.89	424.10	müM
Maximum (Spitze) Jahr	425.78 + 2018	425.40 2018	425.31 2001	425.17 2006	425.25 2015	425.33 2016	425.06 2016	424.94 2019	424.86 - 2019	425.04 2019	425.05 2019	425.50 1981	müM
Minimum (Spitze) Jahr	422.96 1985	423.10 1985	423.21 + 1993	423.18 1993	423.14 1984	422.79 2003	422.55 1991	422.37 1991	422.31 - 1991	422.39 1991	422.72 2003	422.88 2003	müM
Monatsamplitude (Max) Jahr	1.30 + 1995	1.04 1999	1.13 2001	0.73 1988	0.71 2000	0.79 2006	0.69 - 1983	0.87 2007	0.90 1984	0.72 2002	0.82 2002	1.13 1981	m
Periode	Mittel 423.98		Max (Spitze) 425.78 (23.1.2018)				Min (Spitze) 422.31 (9.9.1991)			Periodenamplitude (Spitze) 3.47			



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 2 610 780 / 1 229 655


OK Terrain 428.3 müM

Abstichpunkt 426.5 müM

2018	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	424.76 -	425.40 +	424.90 +	424.81 +	424.64 +	424.64	424.58	424.53 +	424.51 +	424.38	424.42	424.40 -	1
2	424.81	425.37	424.86	424.81	424.62	424.63	424.57	424.53	424.51 +	424.38	424.43	424.46	2
3	424.90	425.34	424.85	424.81	424.62	424.63	424.58	424.50	424.51	424.38	424.43	424.58	3
4	425.12	425.30	424.83	424.80	424.62	424.63	424.58	424.49	424.50	424.38	424.43	424.66	4
5	425.29	425.27	424.83	424.80	424.62	424.62	424.60	424.49	424.50	424.37	424.43	424.65	5
<b>Tagesmittel</b>													
6	425.34	425.24	424.82	424.77	424.62	424.60	424.64	424.48 -	424.50	424.37	424.43	424.63	6
7	425.33	425.22	424.81	424.77	424.61	424.61	424.64 +	424.48 -	424.49	424.37	424.43	424.62	7
8	425.30	425.19	424.82	424.76	424.61	424.61	424.61	424.49	424.48	424.37	424.43	424.63	8
9	425.27	425.17	424.81	424.75	424.60	424.62	424.62	424.50	424.47	424.36	424.44	424.65	9
10	425.24	425.14	424.81	424.76	424.60	424.62	424.61	424.50	424.46	424.36	424.44 +	424.68	10
11	425.21	425.12	424.81	424.77	424.59	424.60	424.61	424.50	424.45	424.35	424.44	424.68	11
12	425.17	425.10	424.80	424.77	424.59	424.62	424.61	424.50	424.44	424.35	424.44	424.66	12
13	425.14	425.08	424.81	424.76	424.59	424.71	424.58	424.50	424.44	424.35	424.44	424.63	13
14	425.11	425.05	424.81	424.74	424.59 -	424.73 +	424.56	424.51	424.45	424.35	424.43	424.62	14
15	425.10	425.04	424.82	424.74	424.61	424.73 +	424.57	424.51	424.45	424.34 -	424.43	424.61	15
müM													
16	425.09	425.05	424.82	424.72	424.62	424.72	424.57	424.51	424.45	424.34 -	424.43	424.60	16
17	425.08	425.06	424.81	424.72	424.62	424.72	424.59	424.51	424.45	424.35	424.43	424.59	17
18	425.15	425.07	424.82	424.73	424.60	424.71	424.59	424.52	424.44	424.36	424.43	424.58	18
19	425.21	425.06	424.82	424.72	424.59	424.70	424.59	424.52	424.43	424.36	424.43	424.58	19
20	425.24	425.04	424.81	424.69	424.60	424.70	424.59	424.52	424.41	424.37	424.42	424.58	20
21	425.38	425.01	424.80	424.71	424.60	424.68	424.58	424.50	424.41	424.37	424.42	424.63	21
22	425.67	425.00	424.79	424.70	424.60	424.67	424.59	424.49	424.39	424.36	424.41	424.71	22
23	425.77 +	424.98	424.78	424.68	424.61	424.66	424.58	424.49	424.39	424.36	424.41	424.80	23
+ Maximum	425.76	424.97	424.78	424.69	424.61	424.65	424.58	424.48	424.38	424.36	424.41	424.91	24
24	425.72	424.95	424.78	424.67	424.60	424.64	424.57	424.50	424.40	424.36	424.41	424.92 +	25
- Minimum													
26	425.66	424.94	424.76	424.65	424.59	424.63	424.54	424.50	424.40	424.37	424.41	424.90	26
27	425.58	424.92	424.75 -	424.65	424.59	424.62	424.54	424.50	424.38	424.38	424.40	424.88	27
28	425.52	424.91 -	424.77	424.65	424.60	424.61	424.56	424.50	424.38	424.40	424.40	424.86	28
29	425.47		424.80	424.64	424.59	424.59	424.56	424.50	424.38	424.41	424.40	424.84	29
30	425.43		424.80	424.63 -	424.59 -	424.58 -	424.56	424.50	424.37 -	424.42	424.40 -	424.82	30
31	425.39		424.81		424.61		424.54 -	424.51		424.42 +		424.79	31
Monatsmittel	425.30 +	425.11	424.81	424.73	424.60	424.65	424.58	424.50	424.44	424.37 -	424.42	424.68	müM
Maximum (Spitze) Datum	425.78 + 23.	425.40 1.	424.90 1.	424.82 1.	424.64 1.	424.73 14. / 15.	424.64 6. / 7.	424.53 1. / 2.	424.51 div	424.42 - 30. / 31.	424.44 div	424.93 25.	müM
Monatsamplitude	1.03 +	0.50	0.15	0.19	0.06	0.15	0.11	0.05 -	0.14	0.08	0.05 -	0.54	m
Jahr	Mittel 424.68	Max (Spitze) 425.78 (23.1.)			Min (Spitze) 424.34 (div)			Jahresamplitude (Spitze) 1.44					



Periode	1979 - 2018 (40 Jahre)												
Monatsmittel	424.24	424.31 +	424.30	424.24	424.08	423.92	423.71	423.57	423.55 -	423.67	423.87	424.08	müM
Maximum (Spitze) Jahr	425.78 + 2018	425.40 2018	425.31 2001	425.17 2006	425.25 2015	425.33 2016	425.06 2016	424.75 2014	424.60 - 2013	424.63 2013	424.99 2013	425.50 1981	müM
Minimum (Spitze) Jahr	422.96 1985	423.10 1985	423.21 + 1993	423.18 1993	423.14 1984	422.79 2003	422.55 1991	422.37 1991	422.31 - 1991	422.39 1991	422.72 2003	422.88 2003	müM
Monatsamplitude (Max) Jahr	1.30 + 1995	1.04 1999	1.13 2001	0.73 1988	0.71 2000	0.79 2006	0.69 - 1983	0.87 2007	0.90 1984	0.72 2002	0.82 2002	1.13 1981	m
Periode	Mittel 423.96	Max (Spitze) 425.78 (23.1.2018)			Min (Spitze) 422.31 (9.9.1991)			Periodenamplitude (Spitze) 3.47					



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 2 610 780 / 1 229 655


OK Terrain 428.3 müM

Abstichpunkt 426.5 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	424.31 +	424.27 -	424.45 -	424.64 +	424.53	424.51	424.41 +	424.32	424.34 +	424.27 +	424.19	424.22	1
	2	424.31 +	424.32	424.48	424.63	424.53	424.49	424.41 +	424.32	424.34 +	424.26	424.18	424.21	2
	3	424.31	424.34	424.52	424.63	424.52	424.51	424.41	424.32	424.34 +	424.26	424.18	424.21	3
	4	424.30	424.34	424.54	424.62	424.52	424.56 +	424.40	424.31	424.34 +	424.26	424.18	424.19	4
	5	424.30	424.35	424.55	424.61	424.51	424.56 +	424.40	424.30	424.34 +	424.26	424.19	424.19	5
	6	424.29	424.37	424.58	424.61	424.55	424.55	424.38	424.29 -	424.33	424.25	424.18	424.19	6
	7	424.29	424.38	424.65	424.60	424.60	424.54	424.37	424.29 -	424.33	424.25	424.18	424.18	7
	8	424.28	424.40	424.70	424.60	424.63	424.54	424.38	424.29 -	424.32	424.25	424.18	424.18	8
	9	424.28	424.42	424.74	424.58	424.64 +	424.53	424.39	424.31	424.32	424.24	424.18	424.18	9
	10	424.27	424.44	424.78	424.57	424.64 +	424.53	424.39	424.34	424.31	424.24	424.17 -	424.18	10
	11	424.27	424.44	424.81	424.57	424.63	424.52	424.39	424.35	424.30	424.23	424.19	424.25	11
	12	424.27	424.45	424.83 +	424.57	424.62	424.51	424.39	424.35	424.29	424.23	424.31	424.37	12
	13	424.28	424.45 +	424.82	424.56	424.61	424.50	424.38	424.35	424.29	424.22	424.35 +	424.40	13
	14	424.28	424.45 +	424.80	424.55	424.60	424.50	424.38	424.34	424.28	424.22	424.35	424.44	14
	15	424.27	424.44	424.79	424.55	424.59	424.49	424.37	424.35	424.28	424.22	424.34	424.55	15
müM	16	424.27	424.45	424.77	424.54	424.59	424.48	424.37	424.35	424.28	424.21	424.32	424.59	16
	17	424.26	424.45 +	424.76	424.54	424.58	424.47	424.36	424.35	424.29	424.21	424.30	424.60	17
	18	424.25	424.45 +	424.76	424.53	424.58	424.46	424.36	424.36	424.30	424.21	424.29	424.61	18
	19	424.25	424.45	424.76	424.53	424.57	424.45	424.35	424.36 +	424.30	424.20	424.27	424.60	19
	20	424.24	424.44	424.76	424.52	424.56	424.44	424.35	424.36 +	424.29	424.20	424.26	424.60	20
	21	424.24	424.44	424.75	424.52	424.55	424.44	424.35	424.36	424.29	424.20	424.25	424.59	21
+ Maximum	22	424.24	424.44	424.74	424.51	424.55	424.43	424.35	424.35	424.29	424.19	424.24	424.59	22
	23	424.23	424.45	424.73	424.50 -	424.54	424.43	424.35	424.35	424.28	424.19	424.23	424.58	23
	24	424.23	424.45	424.72	424.50 -	424.53	424.42	424.34	424.36 +	424.28	424.19	424.22	424.58	24
	25	424.23	424.44	424.71	424.52	424.52	424.41	424.35	424.36	424.28	424.19	424.23	424.58	25
	- Minimum	26	424.22	424.43	424.70	424.55	424.51	424.41 -	424.35	424.35	424.28	424.19	424.24	424.58
27		424.22	424.42	424.68	424.55	424.51	424.41 -	424.34	424.35	424.28	424.19	424.23	424.57	27
28		424.22	424.43	424.67	424.54	424.50	424.42	424.33	424.34	424.27 -	424.19	424.23	424.57	28
29		424.21	424.43	424.67	424.54	424.49	424.43	424.33	424.34	424.27 -	424.19	424.22	424.57	29
30		424.21 -	424.42	424.66	424.53	424.48 -	424.42	424.33	424.34	424.27	424.18 -	424.22	424.63	30
31		424.21	424.44	424.65	424.49	424.49	424.49	424.32 -	424.34	424.27	424.19	424.22	424.72 +	31
Monatsmittel		424.26	424.41	424.69 +	424.56	424.55	424.48	424.37	424.34	424.30	424.22 -	424.24	424.44	müM
Maximum (Spitze) Datum		424.31 1. / 2.	424.45 div	424.83 + 12.	424.64 1.	424.64 9.	424.56 4.	424.41 1. / 2.	424.36 div	424.34 div	424.27 - 1.	424.36 13.	424.73 31.	müM
Monatsamplitude		0.11	0.23	0.39	0.14	0.17	0.16	0.09	0.07 -	0.07 -	0.09	0.19	0.56 +	m
Jahr		Mittel 424.40			Max (Spitze) 424.83 (12.3.)			Min (Spitze) 424.17 (div)			Jahresamplitude (Spitze) 0.66			



Periode	1979 - 2017 (39 Jahre)												
Monatsmittel	424.22	424.29 +	424.29 +	424.22	424.07	423.90	423.69	423.55	423.53 -	423.65	423.85	424.06	müM
Maximum (Spitze) Jahr	425.32 2012	425.40 1980	425.31 2001	425.17 2006	425.25 2015	425.33 2016	425.06 2016	424.75 2014	424.60 - 2013	424.63 2013	424.99 2013	425.50 + 1981	müM
Minimum (Spitze) Jahr	422.96 1985	423.10 1985	423.21 + 1993	423.18 1993	423.14 1984	422.79 2003	422.55 1991	422.37 1991	422.31 - 1991	422.39 1991	422.72 2003	422.88 2003	müM
Monatsamplitude (Max) Jahr	1.30 + 1995	1.04 1999	1.13 2001	0.73 1988	0.71 2000	0.79 2006	0.69 - 1983	0.87 2007	0.90 1984	0.72 2002	0.82 2002	1.13 1981	m
Periode	Mittel 423.94			Max (Spitze) 425.50 (17.12.1981)			Min (Spitze) 422.31 (9.9.1991)			Periodenamplitude (Spitze) 3.19			



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 2 610 780 / 1 229 655


OK Terrain 428.3 müM

Abstichpunkt 426.5 müM

2016		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	424.15 -	424.82 -	424.86	424.58	424.62 -	425.15	425.05 +	424.75 +	424.46 +	424.34 +	424.27	424.48 +	1	
	2	424.15 -	424.85	424.85	424.56	424.63	425.13	425.03	424.74	424.45	424.34 +	424.27	424.47	2	
	3	424.16	424.85	424.84	424.55	424.63	425.11	425.02	424.72	424.43	424.33	424.26	424.46	3	
	4	424.20	424.85	424.84	424.54	424.62	425.09	425.00	424.71	424.43	424.34	424.25 -	424.44	4	
	5	424.23	424.86	424.86	424.53	424.62	425.08	425.08	424.72	424.43	424.33	424.26	424.43	5	
	müM	6	424.25	424.87	424.87 +	424.52	424.62	425.07	424.97	424.72	424.43	424.33	424.30	424.41	6
		7	424.27	424.86	424.87	424.51	424.63	425.05	424.95	424.71	424.43	424.33	424.32	424.39	7
		8	424.31	424.85	424.86	424.50	424.63	425.05 -	424.93	424.69	424.42	424.32	424.34	424.40	8
		9	424.41	424.85	424.85	424.49	424.62	425.07	424.92	424.68	424.40	424.32	424.34	424.39	9
		10	424.50	424.86	424.84	424.48	424.62	425.08	424.90	424.67	424.40	424.32	424.39	424.38	10
		11	424.59	424.85	424.83	424.46	424.62	425.07	424.88	424.66	424.39	424.32	424.49	424.38	11
		12	424.73	424.85	424.81	424.46 -	424.64	425.05	424.90	424.65	424.38	424.31	424.54	424.37	12
		13	424.86	424.89	424.80	424.47	424.85	425.06	424.95	424.64	424.37	424.31	424.54	424.37	13
		14	424.92	424.96	424.78	424.48	424.97	425.10	424.96	424.63	424.36	424.31	424.53	424.36	14
		15	424.93 +	425.01	424.77	424.48	425.01	425.12	424.95	424.63	424.36	424.30	424.52	424.35	15
	+ Maximum	16	424.92	425.02 +	424.76	424.48	425.02	425.14	424.94	424.62	424.35	424.30	424.51	424.35	16
		17	424.90	425.01	424.75	424.51	425.01	425.27	424.92	424.61	424.34	424.29	424.50	424.34	17
		18	424.88	425.02	424.73	424.59	425.01	425.33 +	424.91	424.60	424.34	424.30	424.50	424.34	18
		19	424.86	424.99	424.72	424.63	425.00	425.32	424.89	424.59	424.35	424.29	424.54	424.34	19
		20	424.83	424.97	424.71	424.65	424.98	425.30	424.88	424.58	424.37	424.29	424.57	424.34	20
		21	424.81	424.96	424.70	424.66	424.97	425.28	424.87	424.57	424.36	424.28	424.58 +	424.34	21
	- Minimum	22	424.79	424.94	424.68	424.66 +	424.96	425.25	424.86	424.56	424.35	424.28	424.57	424.33	22
		23	424.77	424.93	424.67	424.66 +	424.99	425.22	424.85	424.55	424.35	424.27	424.56	424.33	23
		24	424.75	424.92	424.66	424.66 +	425.08	425.18	424.84	424.54	424.34	424.26 -	424.55	424.33	24
		25	424.73	424.93	424.64	424.66 +	425.12	425.16	424.83	424.53	424.34 -	424.29	424.54	424.33	25
		26	424.72	424.93	424.63	424.66	425.11	425.15	424.82	424.52	424.34 -	424.32	424.53	424.32	26
	27	424.71	424.92	424.62	424.65	425.10	425.13	424.81	424.50	424.34 -	424.33	424.53	424.32	27	
	28	424.69	424.90	424.61	424.63	425.10	425.10	424.79	424.49	424.34 -	424.32	424.52	424.32	28	
	29	424.68	424.88	424.60	424.62	425.12	425.08	424.78	424.48	424.34 -	424.30	424.50	424.32	29	
	30	424.67	424.88	424.59	424.61	425.16	425.06	424.76	424.47	424.34 -	424.29	424.49	424.32	30	
	31	424.72	424.88	424.59 -	424.61	425.16 +	425.06	424.75 -	424.47 -	424.34 -	424.28	424.49	424.31 -	31	
Monatsmittel		424.61	424.91	424.75	424.57	424.88	425.14 +	424.90	424.61	424.38	424.31 -	424.45	424.37	müM	
Maximum (Spitze)		424.93	425.02	424.88	424.66	425.17	425.33 +	425.06	424.75	424.47	424.34	424.58	424.49	müM	
Datum		14. / 15.	div	6.	div	30.	18.	1.	1.	1.	div	20. / 21.	1.		
Monatsamplitude		0.78 +	0.26	0.30	0.20	0.56	0.29	0.31	0.28	0.13	0.08 -	0.33	0.19	m	
Jahr		Mittel 424.66		Max (Spitze) 425.33 (18.6.)		Min (Spitze) 424.15 (1.1./2.1.)		Jahresamplitude (Spitze) 1.18							



Periode	1979 - 2016 (38 Jahre)												
Monatsmittel	424.22	424.28 +	424.28 +	424.21	424.05	423.89	423.67	423.53	423.51 -	423.64	423.84	424.05	müM
Maximum (Spitze)	425.32	425.40	425.31	425.17	425.25	425.33	425.06	424.75	424.60 -	424.63	424.99	425.50 +	müM
Jahr	2012	1980	2001	2006	2015	2016	2016	2014	2013	2013	2013	1981	
Minimum (Spitze)	422.96	423.10	423.21 +	423.18	423.14	422.79	422.55	422.37	422.31 -	422.39	422.72	422.88	müM
Jahr	1985	1985	1993	1993	1984	2003	1991	1991	1991	1991	2003	2003	
Monatsamplitude (Max)	1.30 +	1.04	1.13	0.73	0.71	0.79	0.69 -	0.87	0.90	0.72	0.82	1.13	m
Jahr	1995	1999	2001	1988	2000	2006	1983	2007	1984	2002	2002	1981	
Periode	Mittel 423.93		Max (Spitze) 425.50 (17.12.1981)		Min (Spitze) 422.31 (9.9.1991)		Periodenamplitude (Spitze) 3.19						





Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 610 780 / 229 655


OK Terrain 428.3 müM

Abstichpunkt 426.5 müM

2015		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	424.42	424.84 +	424.64	424.66	424.63 -	424.82 +	424.48 +	424.28	424.20	424.21	424.18	424.30 +	1
	2	424.41 -	424.84	424.66	424.65	424.91	424.80	424.46	424.28 +	424.20	424.21	424.18	424.30 +	2
	3	424.43	424.84 +	424.68 +	424.66	425.04	424.79	424.45	424.28	424.20	424.20	424.19	424.29	3
	4	424.62	424.83	424.68	424.67	425.17	424.77	424.44	424.27	424.20	424.21	424.18	424.28	4
	5	424.66	424.83	424.67	424.67 +	425.21	424.76	424.42	424.27	424.20	424.20	424.18	424.27	5
Tagesmittel	6	424.66	424.81	424.67	424.67 +	425.24	424.74	424.41	424.26	424.20	424.21	424.18	424.26	6
	7	424.66	424.80	424.66	424.67 +	425.25 +	424.74	424.38	424.25	424.18	424.21	424.18	424.25	7
	8	424.66	424.78	424.66	424.67	425.23	424.73	424.35	424.25	424.19	424.21 +	424.18	424.25	8
	9	424.66	424.77	424.65	424.67	425.20	424.68	424.37	424.24	424.18	424.21	424.16	424.24	9
	10	424.67	424.75	424.64	424.67	425.17	424.66	424.35	424.24	424.18	424.21	424.17	424.24	10
müM	11	424.67	424.73	424.64	424.66	425.13	424.66	424.36	424.24	424.17 -	424.20	424.16	424.23	11
	12	424.67	424.72	424.63	424.65	425.11	424.63	424.35	424.23	424.18	424.20	424.17	424.23	12
	13	424.67	424.71	424.62	424.64	425.08	424.63	424.34	424.22	424.19	424.20	424.16	424.22	13
	14	424.67	424.70	424.61	424.64	425.05	424.61	424.33	424.23	424.20	424.19	424.16	424.21	14
	15	424.67	424.68	424.60	424.63	425.03	424.63	424.32	424.23	424.21	424.19	424.16	424.21	15
müM	16	424.67	424.67	424.59	424.62	425.01	424.63	424.31	424.24	424.21	424.19	424.15	424.20	16
	17	424.67	424.65	424.57	424.61	425.00	424.61	424.30	424.24	424.22	424.19	424.15 -	424.20	17
	18	424.68	424.64	424.57	424.61	424.98	424.60	424.30	424.24	424.23	424.20	424.15	424.19	18
	19	424.69	424.63	424.56	424.60	424.95	424.60	424.31	424.24	424.23	424.19	424.15	424.19	19
	20	424.69	424.63	424.55	424.59	424.94	424.59	424.31	424.23	424.24	424.20	424.19	424.19	20
+ Maximum	21	424.69	424.62	424.55	424.57	424.92	424.58	424.30	424.22	424.24 +	424.20	424.34 +	424.19	21
	22	424.68	424.62	424.54	424.57	424.92	424.57	424.29	424.22	424.24	424.19	424.33	424.18	22
	23	424.67	424.62 -	424.53	424.56	424.91	424.57	424.29	424.22	424.23	424.19	424.32	424.18	23
	24	424.67	424.62	424.52	424.55	424.90	424.56	424.29	424.22	424.23	424.19	424.32	424.17	24
	25	424.66	424.63	424.52	424.54	424.89	424.55	424.28	424.23	424.22	424.19	424.31	424.17	25
- Minimum	26	424.66	424.64	424.51	424.53	424.88	424.54	424.29	424.23	424.22	424.19	424.31	424.17	26
	27	424.65	424.64	424.49	424.52	424.87	424.54	424.27	424.23	424.22	424.18	424.30	424.17	27
	28	424.65	424.64	424.49	424.52	424.87	424.52	424.27	424.22	424.22	424.18 -	424.29	424.16	28
	29	424.69		424.48 -	424.51	424.86	424.51	424.27 -	424.20	424.22	424.19	424.28	424.16	29
	30	424.83		424.63 -	424.50 -	424.84	424.49 -	424.28	424.20 -	424.22	424.19	424.29	424.16	30
	31	424.84 +	424.66			424.83		424.28	424.20		424.19	424.15 -	31	
Monatsmittel		424.66	424.71	424.60	424.61	425.00 +	424.64	424.34	424.24	424.21	424.20 -	424.22	424.21	müM
Maximum (Spitze)		424.84	424.84	424.68	424.67	425.25 +	424.82	424.48	424.28	424.24	424.21 -	424.34	424.30	müM
Datum		31.	1. / 3.	3.	div	7.	1.	1.	2.	21.	8.	21.	1. / 2.	
Monatsamplitude		0.43	0.23	0.20	0.17	0.62 +	0.33	0.21	0.08	0.07	0.03 -	0.19	0.15	m
Jahr	Mittel	424.47				Max (Spitze) 425.25 (7.5.)			Min (Spitze) 424.15 (17.11.)			Jahresamplitude (Spitze) 1.10		



Periode	1979 - 2015 (37 Jahre)												
Monatsmittel	424.20	424.26	424.27 +	424.20	424.03	423.85	423.64	423.50	423.49 -	423.62	423.83	424.04	müM
Maximum (Spitze)	425.32	425.40	425.31	425.17	425.25	424.94	424.79	424.75	424.60 -	424.63	424.99	425.50 +	müM
Jahr	2012	1980	2001	2006	2015	2013	2014	2014	2013	2013	2013	1981	
Minimum (Spitze)	422.96	423.10	423.21 +	423.18	423.14	422.79	422.55	422.37	422.31 -	422.39	422.72	422.88	müM
Jahr	1985	1985	1993	1993	1984	2003	1991	1991	1991	1991	2003	2003	
Monatsamplitude (Max)	1.30 +	1.04	1.13	0.73	0.71	0.79	0.69 -	0.87	0.90	0.72	0.82	1.13	m
Jahr	1995	1999	2001	1988	2000	2006	1983	2007	1984	2002	2002	1981	
Periode	Mittel	423.91				Max (Spitze) 425.50 (17.12.1981)			Min (Spitze) 422.31 (9.9.1991)			Periodenamplitude (Spitze) 3.19	



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 610 780 / 229 655


OK Terrain 428.3 müM

Abstichpunkt 426.5 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	424.70	424.65	424.78 +	424.51 +	424.50 +	424.40	424.34	424.74 +	424.47 +	424.29	424.24	424.44 +	1
	2	424.70	424.65	424.77	424.51 +	424.50 +	424.41	424.34	424.71	424.45	424.28	424.24	424.43	2
	3	424.69	424.66	424.77	424.51 +	424.50 +	424.41 +	424.34	424.68	424.44	424.26	424.23	424.42	3
	4	424.69	424.65	424.75	424.50	424.49	424.40	424.35	424.67	424.42	424.26	424.22 -	424.41	4
	5	424.72	424.65	424.73	424.49	424.49	424.39	424.32	424.66	424.42	424.27	424.25	424.40	5
Tagesmittel	6	424.74	424.64	424.72	424.48	424.49	424.38	424.28 -	424.65	424.41	424.27	424.29	424.39	6
	7	424.74	424.64 -	424.71	424.49	424.49	424.37	424.30	424.63	424.39	424.26	424.31	424.38	7
	8	424.74	424.65	424.70	424.49	424.48	424.35	424.32	424.61	424.39	424.30 +	424.31	424.36	8
	9	424.74	424.65	424.69	424.49	424.48	424.34	424.40	424.60	424.39	424.29	424.31	424.36	9
	10	424.74 +	424.64	424.66	424.48	424.47	424.36	424.54	424.60	424.38	424.28	424.31	424.35	10
Tagesmittel	11	424.72	424.64	424.66	424.47	424.47	424.35	424.59	424.61	424.37	424.29	424.32	424.35	11
	12	424.70	424.65	424.66	424.46	424.47	424.33	424.62	424.61	424.36	424.29	424.32	424.34	12
	13	424.68	424.65	424.65	424.46	424.48	424.33	424.63	424.59	424.35	424.28	424.32	424.34	13
	14	424.69	424.68	424.64	424.46	424.48	424.33	424.62	424.59	424.35	424.28	424.33	424.33	14
	15	424.68	424.72	424.63	424.45	424.49	424.31	424.62	424.59	424.34	424.28	424.29	424.33	15
müM	16	424.68	424.76	424.63	424.44	424.48	424.30	424.62	424.58	424.33	424.27	424.36	424.32	16
	17	424.71	424.81	424.63	424.44	424.47	424.31	424.60	424.58	424.33	424.27	424.45	424.32	17
	18	424.71	424.84	424.62	424.44	424.46	424.30	424.57	424.58	424.31	424.26	424.47	424.33	18
	19	424.71	424.85 +	424.60	424.44	424.45	424.28	424.57	424.58	424.30	424.26	424.49	424.33	19
	20	424.72	424.84	424.60	424.43	424.43	424.27	424.61	424.57	424.32	424.24 -	424.50 +	424.34	20
Tagesmittel	21	424.71	424.83	424.59	424.43	424.43	424.23 -	424.66	424.56	424.32	424.26	424.50 +	424.34	21
	22	424.70	424.82	424.59	424.43	424.44	424.24	424.73	424.56	424.31	424.27	424.50 +	424.33	22
	23	424.69	424.81	424.58	424.42	424.44	424.29	424.77	424.55	424.30	424.29	424.50 +	424.34	23
	24	424.68	424.79	424.56	424.42	424.43	424.33	424.77	424.55	424.28	424.29	424.48	424.33	24
	25	424.67	424.80	424.60	424.41 -	424.42	424.36	424.78 +	424.55	424.26	424.29	424.48	424.33	25
- Minimum	26	424.66	424.79	424.56	424.42	424.43	424.35	424.77	424.54	424.24	424.28	424.47	424.32	26
	27	424.67	424.79	424.56	424.44	424.43	424.34	424.76	424.52	424.23	424.26	424.47	424.33	27
	28	424.68	424.78	424.55	424.45	424.43	424.34	424.75	424.51	424.23 -	424.27	424.46	424.32	28
	29	424.67	424.78	424.53	424.48	424.43	424.35	424.76	424.51	424.24	424.27	424.45	424.33	29
	30	424.66 -	424.78	424.53	424.48	424.42	424.35	424.76	424.50	424.27	424.26	424.45	424.33	30
31	424.66	424.78	424.52 -	424.41 -	424.41 -	424.35	424.75	424.49 -	424.25	424.25	424.45	424.32 -	31	
Monatsmittel	424.70	424.73 +	424.64	424.46	424.46	424.33	424.58	424.59	424.34	424.27 -	424.38	424.35	müM	
Maximum (Spitze) Datum	424.75 10.	424.85 + 19. / 20.	424.78 1.	424.51 1. / 2.	424.50 1. / 2.	424.41 2. / 3.	424.79 24.	424.75 1.	424.49 1.	424.30 8.	424.50 div	424.44 1.	müM	
Monatsamplitude	0.09	0.21	0.27	0.11	0.10	0.22	0.52 +	0.26	0.26	0.06 -	0.28	0.13	m	
Jahr	Mittel 424.48	Max (Spitze) 424.85 (19.2./20.2.)					Min (Spitze) 424.19 (21.6.)			Jahresamplitude (Spitze) 0.66				



Periode	1979 - 2014 (36 Jahre)												
Monatsmittel	424.19	424.25	424.26 +	424.19	424.00	423.83	423.62	423.48	423.47 -	423.60	423.82	424.04	müM
Maximum (Spitze) Jahr	425.32 2012	425.40 1980	425.31 2001	425.17 2006	424.85 2001	424.94 2013	424.79 2014	424.75 2014	424.60 2013	424.63 2013	424.99 2013	425.50 + 1981	müM
Minimum (Spitze) Jahr	422.96 1985	423.10 1985	423.21 + 1993	423.18 1993	423.14 1984	422.79 2003	422.55 1991	422.37 1991	422.31 - 1991	422.39 1991	422.72 2003	422.88 2003	müM
Monatsamplitude (Max) Jahr	1.30 + 1995	1.04 1999	1.13 2001	0.73 1988	0.71 2000	0.79 2006	0.69 - 1983	0.87 2007	0.90 1984	0.72 2002	0.82 2002	1.13 1981	m
Periode	Mittel 423.89	Max (Spitze) 425.50 (17.12.1981)					Min (Spitze) 422.31 (9.9.1991)			Periodenamplitude (Spitze) 3.19			



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 610 780 / 229 655


OK Terrain 428.3 müM

Abstichpunkt 426.5 müM

2013		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	425.32 +	424.78	424.71 +	424.55	424.77 +	424.72	424.66	424.53 +	424.42	424.52	424.63 -	424.71 +	1
	2	425.29	424.87	424.70	424.55	424.77 +	424.90	424.66	424.49	424.38	424.52	424.64	424.67	2
	3	425.24	424.92	424.68	424.54	424.75	424.92	424.65	424.50	424.39	424.50	424.67	424.67	3
	4	425.19	424.94	424.66	424.55	424.76	424.94 +	424.67 +	424.51	424.39	424.50	424.72	424.67	4
	5	425.19	424.99	424.65	424.54	424.73	424.92	424.66	424.47	424.38	424.51	424.77	424.65	5
	6	425.15	425.03	424.65	424.53 -	424.67	424.89	424.64	424.49	424.37 -	424.51	424.84	424.64	6
	7	425.08	425.05 +	424.63	424.53 -	424.69	424.88	424.63	424.46	424.38	424.50	424.91	424.62	7
	8	425.09	425.04	424.62	424.53 -	424.70	424.85	424.62	424.49	424.38	424.50	424.92	424.61	8
	9	425.06	425.03	424.61	424.54	424.69	424.85	424.61	424.48	424.42	424.50	424.93	424.61	9
	10	425.03	425.01	424.61	424.54	424.68	424.84	424.60	424.47	424.41	424.49 -	424.96	424.59	10
müM	11	425.01	425.00	424.60	424.55	424.68	424.89	424.59	424.47	424.39	424.50	424.99 +	424.58	11
	12	425.00	424.99	424.61	424.62	424.64	424.86	424.57	424.48	424.38	424.51	424.96	424.57	12
	13	424.98	424.97	424.63	424.68	424.64	424.84	424.56	424.46	424.38	424.52	424.98	424.56	13
	14	424.99	424.93	424.61	424.70	424.63	424.83	424.55	424.46	424.38	424.55	424.95	424.54	14
	15	424.94	424.92	424.59	424.71	424.63	424.82	424.54	424.45	424.38	424.54	424.91	424.53	15
	16	424.93	424.91	424.58	424.71	424.62	424.80	424.53	424.42	424.39	424.56	424.90	424.50	16
	17	424.91	424.89	424.58	424.72	424.60	424.79	424.49	424.45	424.42	424.57	424.89	424.50	17
	18	424.88	424.89	424.56	424.71	424.58	424.77	424.51	424.44	424.46	424.59	424.87	424.50	18
	19	424.88	424.86	424.56	424.73	424.56	424.75	424.50	424.42	424.54	424.58	424.86	424.50	19
	20	424.85	424.85	424.55	424.79	424.55	424.75	424.51	424.42	424.59 +	424.58	424.85	424.49 -	20
+ Maximum	21	424.80	424.82	424.53	424.83	424.54	424.74	424.50	424.41	424.57	424.54	424.83	424.51	21
	22	424.79	424.83	424.53	424.84	424.55	424.72	424.48	424.41	424.57	424.57	424.82	424.52	22
	23	424.82	424.80	424.53	424.86 +	424.54	424.71	424.47	424.39 -	424.58	424.56	424.81	424.53	23
	24	424.78	424.79	424.52	424.85	424.54	424.61	424.46	424.43	424.55	424.57	424.79	424.52	24
	25	424.75	424.77	424.53	424.85	424.53	424.60 -	424.47	424.44	424.56	424.56	424.79	424.52	25
	26	424.74	424.76	424.50 -	424.85	424.52	424.66	424.44	424.46	424.54	424.56	424.77	424.57	26
	27	424.72	424.74 -	424.53	424.85	424.51 -	424.65	424.42 -	424.44	424.55	424.57	424.76	424.66	27
	28	424.70	424.74 -	424.51	424.83	424.51 -	424.65	424.43	424.45	424.53	424.62	424.74	424.69	28
	29	424.69 -		424.51	424.82	424.51 -	424.66	424.51	424.45	424.54	424.60	424.73	424.69	29
	30	424.72		424.54	424.81	424.53	424.66	424.58	424.43	424.50	424.61	424.72	424.68	30
31	424.74		424.54		424.53		424.56	424.43		424.63 +		424.70	31	
Monatsmittel	424.94 +	424.90	424.59	424.69	424.62	424.78	424.55	424.46 -	424.46	424.55	424.83	424.59	müM	
Maximum (Spitze) Datum	425.32 + 1.	425.05 7.	424.71 1.	424.86 23.	424.77 1. / 2.	424.94 4.	424.67 4.	424.53 - 1.	424.60 19.	424.63 31.	424.99 11.	424.71 1.	müM	
Monatsamplitude	0.63 +	0.31	0.21	0.33	0.26	0.34	0.25	0.14 -	0.23	0.14 -	0.36	0.22	m	
Jahr	Mittel 424.66	Max (Spitze) 425.32 (1.1.)				Min (Spitze) 424.37 (6.9.)				Jahresamplitude (Spitze) 0.95				



Periode	1979 - 2013 (35 Jahre)												
Monatsmittel	424.18	424.24	424.25 +	424.19	423.99	423.82	423.59	423.45	423.44 -	423.58	423.80	424.03	müM
Maximum (Spitze) Jahr	425.32 2012	425.40 1980	425.31 2001	425.17 2006	424.85 2001	424.94 2013	424.67 2013	424.53 - 2013	424.60 2013	424.63 2013	424.99 2013	425.50 + 1981	müM
Minimum (Spitze) Jahr	422.96 1985	423.10 1985	423.21 + 1993	423.18 1993	423.14 1984	422.79 2003	422.55 1991	422.37 1991	422.31 - 1991	422.39 1991	422.72 2003	422.88 2003	müM
Monatsamplitude (Max) Jahr	1.30 + 1995	1.04 1999	1.13 2001	0.73 1988	0.71 2000	0.79 2006	0.69 - 1983	0.87 2007	0.90 1984	0.72 2002	0.82 2002	1.13 1981	m
Periode	Mittel 423.88	Max (Spitze) 425.50 (17.12.1981)				Min (Spitze) 422.31 (9.9.1991)				Periodenamplitude (Spitze) 3.19			



Grundwasserstand

PW XI - Luterbach


SO 610/229/003

Koordinaten 610 780 / 229 655

OK Terrain 428.3 müM

Abstichpunkt 426.52 müM

2012	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	425.08	424.90 +	424.53	424.37	424.38 +	424.26 -	424.29	424.19	424.01 -	424.12 -	424.28	424.52 -	1
2	425.11	424.88	424.52	424.37	424.38	424.26	424.31	424.17	424.05	424.14	424.28 -	424.52	2
3	425.13	424.86	424.52	424.37	424.37	424.28	424.32	424.16	424.06	424.14	424.28	424.53	3
4	425.17	424.85	424.53	424.37	424.37	424.29	424.32	424.17	424.06	424.14	424.33	424.57	4
5	425.26	424.84	424.53 +	424.38	424.37	424.29	424.32	424.17	424.06	424.14	424.37	424.63	5
<b>Tagesmittel</b>													
6	425.32 +	424.83	424.53	424.37	424.37	424.29	424.33	424.19 +	424.06	424.14	424.37	424.66	6
7	425.31	424.81	424.51	424.36	424.36	424.30	424.34	424.19	424.06	424.15	424.38	424.67	7
8	425.30	424.78	424.50	424.36	424.36	424.31	424.35 +	424.16	424.07	424.16	424.38	424.65	8
9	425.28	424.76	424.49	424.35	424.37	424.32	424.35	424.14	424.05	424.20	424.38	424.64	9
10	425.26	424.74	424.49	424.35 -	424.36	424.32	424.33	424.13	424.07	424.25	424.42	424.64	10
11	425.23	424.70	424.48	424.36	424.35	424.33	424.33	424.12	424.09	424.29	424.46	424.63	11
12	425.20	424.64	424.47	424.37	424.35	424.34	424.32	424.10	424.09	424.33	424.50	424.62	12
13	425.16	424.62	424.46	424.38	424.36	424.35	424.32	424.07	424.09	424.35	424.54	424.63	13
14	425.13	424.62	424.45	424.38	424.35	424.36 +	424.32	424.07	424.09	424.35 +	424.54	424.63	14
15	425.10	424.59	424.45	424.38	424.34	424.34	424.30	424.07	424.09	424.35	424.55 +	424.68	15
müM													
16	425.06	424.57	424.44	424.39	424.34	424.34	424.29	424.08	424.09	424.35	424.54	424.83	16
17	425.03	424.56	424.44	424.41	424.34	424.34	424.29	424.05	424.09	424.34	424.53	425.03	17
18	425.02	424.55	424.44	424.42 +	424.34	424.32	424.28	424.04	424.10	424.33	424.54	425.20	18
19	424.98	424.53	424.44	424.42 +	424.33	424.32	424.27	424.05	424.11	424.33	424.53	425.27	19
20	424.96	424.49	424.44	424.41	424.33	424.34	424.28	424.01	424.11	424.33	424.52	425.27	20
21	424.99	424.54	424.44	424.40	424.33	424.34	424.28	423.92 -	424.11	424.32	424.51	425.27	21
22	425.02	424.52	424.43	424.40	424.34	424.32	424.28	423.93	424.11	424.33	424.49	425.34	22
23	425.03	424.50	424.42	424.40	424.33	424.31	424.27	424.00	424.13	424.33	424.49	425.40	23
+ Maximum	425.01	424.48 -	424.41	424.41	424.32	424.31	424.24	424.01	424.14 +	424.33	424.48	425.40	24
25	424.99	424.49	424.40	424.40	424.31	424.33	424.23	424.02	424.13	424.33	424.46	425.41	25
- Minimum													
26	424.97	424.53	424.40	424.40	424.29	424.34	424.22	424.00	424.13	424.34	424.46	425.42	26
27	424.96	424.55	424.39	424.39	424.29	424.30	424.22	423.99	424.12	424.34	424.50	425.43 +	27
28	424.95	424.54	424.38	424.39	424.28	424.27	424.23	423.99	424.12	424.32	424.52	425.43	28
29	424.94	424.53	424.38	424.39	424.28	424.27	424.22	423.99	424.12	424.31	424.53	425.40	29
30	424.93	424.53	424.38	424.38	424.28	424.27	424.19	424.00	424.12	424.30	424.53	425.38	30
31	424.92 -		424.37 -		424.27 -		424.19 -	424.00	424.29	424.29	424.53	425.35	31
Monatsmittel	425.09 +	424.65	424.45	424.38	424.34	424.31	424.28	424.07 -	424.09	424.27	424.46	424.97	müM
Maximum (Spitze)	425.32	424.91	424.53	424.42	424.38	424.36	424.36	424.20	424.14 -	424.36	424.56	425.44 +	müM
Datum	5.	1.	4. / 5.	18.	1.	13.	8.	6.	23. / 24.	13.	18.	27.	
Monatsamplitude	0.42	0.43	0.17	0.07 -	0.12	0.10	0.17	0.34	0.14	0.24	0.29	0.94 +	m
Jahr	Mittel 424.45	Max (Spitze) 425.44 (27.12.)				Min (Spitze) 423.87 (21.8.)			Jahresamplitude (Spitze) 1.57				



Periode	1979 - 2012 (34 Jahre)												
Monatsmittel	424.15	424.22	424.24 +	424.17	423.97	423.79	423.56	423.42	423.41 -	423.55	423.77	424.01	müM
Maximum (Spitze)	425.32	425.40	425.31	425.17	424.85	424.73	424.60	424.31	424.28 -	424.49	424.85	425.50 +	müM
Jahr	2012	1980	2001	2006	2001	1983	1980	1980	2007	1981	2002	1981	
Minimum (Spitze)	422.96	423.10	423.21 +	423.18	423.14	422.79	422.55	422.37	422.31 -	422.39	422.72	422.88	müM
Jahr	1985	1985	1993	1993	1984	2003	1991	1991	1991	1991	2003	2003	
Monatsamplitude (Max)	1.30 +	1.04	1.13	0.73	0.71	0.79	0.69 -	0.87	0.90	0.72	0.82	1.13	m
Jahr	1995	1999	2001	1988	2000	2006	1983	2007	1984	2002	2002	1981	
Periode	Mittel 423.85	Max (Spitze) 425.50 (17.12.1981)				Min (Spitze) 422.31 (9.9.1991)			Periodenamplitude (Spitze) 3.19				

