

Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 2 610 949 / 1 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2022		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	450.08	449.65	449.66 +	449.48	449.56 +	449.41	449.52	449.45 +	449.41	449.53	449.58	449.69	1	
	2	450.08 +	449.63	449.66	449.48	449.56	449.41	449.54	449.45	449.41	449.55	449.58	449.69	2	
	3	450.06	449.62	449.65	449.48	449.55	449.41	449.55	449.44	449.41	449.57	449.57	449.68	3	
	4	450.03	449.62	449.64	449.48	449.54	449.41	449.56	449.43	449.41	449.58	449.57	449.67	4	
	5	450.00	449.61	449.63	449.48	449.54	449.41	449.58	449.42	449.41	449.58	449.57	449.65	5	
	müM	6	449.99	449.60	449.63	449.48 -	449.54	449.43	449.59	449.42	449.41	449.58	449.57	449.63	6
		7	449.96	449.60	449.62	449.48 -	449.54	449.44	449.60 +	449.42	449.42	449.57	449.57	449.63	7
		8	449.95	449.61	449.61	449.49	449.54	449.45	449.60	449.41	449.43	449.56	449.56	449.62	8
		9	449.96	449.61	449.60	449.51	449.53	449.45	449.59	449.41	449.45	449.55	449.56	449.61	9
		10	450.01	449.61	449.60	449.53	449.53	449.44	449.58	449.40	449.45	449.54	449.56	449.61	10
		11	450.06	449.60	449.59	449.53	449.53	449.44	449.57	449.40	449.45	449.53	449.56	449.60	11
		12	450.07	449.60	449.58	449.54	449.52	449.43	449.56	449.39	449.44	449.52	449.56	449.59	12
		13	450.06	449.60	449.58	449.53	449.51	449.42	449.54	449.39	449.43	449.52	449.56	449.58	13
		14	450.04	449.59	449.57	449.53	449.51	449.41	449.53	449.38	449.42	449.51	449.55	449.57 -	14
		15	450.02	449.59 -	449.56	449.52	449.50	449.41	449.52	449.38	449.42	449.50	449.55 -	449.57 -	15
	+ Maximum	16	449.98	449.59 -	449.56	449.52	449.50	449.40	449.50	449.38	449.44	449.49	449.55 -	449.60	16
		17	449.95	449.60	449.55	449.52	449.49	449.40	449.49	449.37 -	449.44	449.49	449.56	449.62	17
		18	449.92	449.63	449.54	449.51	449.48	449.39	449.48	449.38	449.44	449.48	449.58	449.64	18
		19	449.90	449.64	449.54	449.51	449.48	449.38	449.47	449.38	449.43	449.47	449.61	449.66	19
		20	449.87	449.66	449.53	449.50	449.46	449.38	449.46	449.40	449.42	449.46	449.63	449.67	20
		21	449.84	449.67	449.52	449.50	449.45	449.37	449.46	449.41	449.41	449.46 -	449.65	449.68	21
	- Minimum	22	449.82	449.68	449.52	449.49	449.45	449.37 -	449.46	449.42	449.40	449.47	449.66	449.68	22
		23	449.80	449.69	449.52	449.49	449.44	449.37	449.47	449.41	449.40	449.48	449.67	449.70	23
		24	449.78	449.69 +	449.51	449.48	449.44	449.43	449.48	449.41	449.39	449.49	449.68	449.75	24
		25	449.76	449.69	449.51	449.50	449.44	449.46	449.48	449.41	449.39	449.54	449.69	449.81	25
		26	449.74	449.67	449.50	449.53	449.43	449.48	449.47	449.40	449.38	449.56	449.70	449.87	26
		27	449.72	449.66	449.49	449.56	449.43	449.48	449.47	449.41	449.38 -	449.58	449.70	449.90	27
	Monatsmittel	28	449.70	449.67	449.49	449.57	449.43	449.49	449.46	449.41	449.40	449.59	449.70 +	449.92	28
		29	449.69	449.49	449.49	449.57 +	449.42	449.49	449.45 -	449.40	449.46	449.59 +	449.70 +	449.92	29
		30	449.67	449.48	449.48	449.57	449.42	449.49 +	449.45 -	449.40	449.51 +	449.59 +	449.70	449.93	30
		31	449.66 -	449.48 -	449.48 -	449.57	449.41 -	449.49	449.46	449.41	449.41	449.59	449.59	449.95 +	31
31		449.91 +	449.63	449.56	449.51	449.49	449.43	449.52	449.41 -	449.42	449.53	449.61	449.70	müM	
Maximum (Spitze)	450.09 +	449.70	449.67	449.58	449.57	449.50	449.61	449.46 -	449.53	449.60	449.71	449.96	müM		
Datum	1.	25.	1.	28. / 29.	1.	29.	7.	1.	30.	29. / 30.	28.	31.			
Monatsamplitude	0.44 +	0.12	0.21	0.12	0.17	0.15	0.17	0.10 -	0.16	0.16	0.18	0.41	m		
Jahr	Mittel 449.56	Max (Spitze) 450.09 (1.1.)			Min (Spitze) 449.36 (22.6.)			Jahresamplitude (Spitze) 0.73							



Periode	1987 - 2022 (36 Jahre)												
Monatsmittel	449.65 +	449.60	449.59	449.50	449.42	449.41	449.41	449.36	449.33 -	449.37	449.45	449.54	müM
Maximum (Spitze)	450.81	450.58	450.83	450.93 +	450.53	450.43 -	450.75	450.57	450.57	450.43	450.59	450.80	müM
Jahr	2018	1999	2006	2006	2015	2016	2021	2007	2007	2002	2002	2012	
Minimum (Spitze)	448.85	448.93	448.98	449.00 +	448.96	448.93	448.92	448.90	448.78 -	448.81	448.82	448.80	müM
Jahr	1990	1990	1993	1993	1993	1991	1989	1989	1991	1989	1989	1989	
Monatsamplitude (Max)	1.13	1.14	1.20 +	1.03	1.01	0.79	0.71	1.00	0.91	0.64 -	0.85	1.00	m
Jahr	2018	1999	2001	2006	2015	1987	2021	2007	2007	2006	1992	1995	
Periode	Mittel 449.47	Max (Spitze) 450.93 (12.4.2006)			Min (Spitze) 448.78 (22.9.1991)			Periodenamplitude (Spitze) 2.14					



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 2 610 949 / 1 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2021		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	449.73	450.55 +	449.76 +	449.62 +	449.51 -	449.77	450.40	450.04	449.74	449.66 +	449.55	449.47	1	
	2	449.76	450.55	449.75	449.61	449.53	449.75	450.41	450.03	449.73	449.65	449.55 +	449.47	2	
	3	449.78	450.53	449.74	449.61	449.55	449.73	450.37	450.02	449.72	449.65	449.55	449.45 -	3	
	4	449.79	450.53	449.73	449.60	449.56	449.71	450.32	450.01	449.71	449.64	449.55	449.47	4	
	5	449.80	450.52	449.72	449.60	449.57	449.71	450.27	450.01	449.71	449.65	449.55	449.53	5	
	müM	6	449.80	450.49	449.70	449.60	449.57	449.72	450.22	450.00	449.70	449.64	449.55	449.56	6
		7	449.79	450.43	449.69	449.59	449.59	449.72	450.17	450.00	449.69	449.65	449.55	449.58	7
		8	449.78	450.37	449.68	449.58	449.60	449.72	450.14	450.03	449.68	449.65	449.54	449.60	8
		9	449.77	450.30	449.67	449.58	449.60	449.72	450.19	450.05	449.68	449.64	449.54	449.64	9
		10	449.76	450.25	449.66	449.58	449.60	449.72	450.24	450.06 +	449.67	449.64	449.54	449.66	10
		11	449.74	450.19	449.66	449.57	449.60	449.71	450.26	450.05	449.67	449.63	449.53	449.69	11
		12	449.73	450.15	449.65	449.57	449.61	449.70	450.24	450.03	449.66	449.63	449.53	449.71	12
		13	449.71 -	450.11	449.64	449.57	449.62	449.69	450.30	450.00	449.65	449.62	449.53	449.73	13
		14	449.75	450.07	449.64	449.57	449.61	449.67	450.47	449.98	449.64	449.62	449.52	449.74	14
		15	449.88	450.04	449.64	449.57	449.61	449.66	450.60	449.96	449.63 -	449.61	449.52	449.74	15
	+ Maximum	16	450.00	450.01	449.64	449.57	449.61	449.65	450.72	449.94	449.63	449.61	449.52	449.74	16
		17	450.07	449.99	449.64	449.56	449.63	449.64	450.73 +	449.93	449.69	449.60	449.51	449.75	17
		18	450.09	449.96	449.65	449.56	449.65	449.63	450.69	449.91	449.70	449.60	449.51	449.75	18
		19	450.08	449.94	449.64	449.55	449.67	449.62	450.62	449.89	449.71	449.60	449.51	449.75	19
		20	450.07	449.92	449.64	449.55	449.70	449.61	450.54	449.87	449.74	449.59	449.51	449.75	20
		21	450.04	449.89	449.64	449.55	449.72	449.60 -	450.47	449.86	449.76	449.59	449.51	449.74	21
	- Minimum	22	450.02	449.87	449.64	449.54	449.77	449.61	450.40	449.84	449.76 +	449.58	449.51	449.73	22
		23	450.01	449.85	449.63	449.54	449.81	449.61	450.34	449.83	449.75	449.58	449.50	449.72	23
		24	450.01	449.84	449.63	449.53	449.85	449.64	450.29	449.82	449.74	449.57	449.50	449.71	24
		25	450.02	449.82	449.63	449.53	449.86	449.67	450.24	449.81	449.73	449.57	449.49	449.70	25
		26	450.01	449.81	449.63	449.52	449.87 +	449.70	450.20	449.80	449.71	449.57	449.48	449.71	26
	27	450.01	449.79	449.63	449.52	449.86	449.71	450.16	449.79	449.71	449.56	449.48	449.73	27	
	28	450.02	449.77 -	449.62	449.52	449.84	449.72	450.13	449.77	449.69	449.56	449.48	449.77	28	
	29	450.20		449.62	449.51	449.83	449.91	450.11	449.76	449.68	449.56	449.47	449.82	29	
	30	450.42		449.62	449.51 -	449.80	450.22 +	450.08	449.75	449.67	449.55 -	449.47 -	449.93	30	
	31	450.52 +		449.62 -		449.78		450.05 -	449.74 -		449.55 -		450.03 +	31	
Monatsmittel		449.94	450.13	449.66	449.56	449.68	449.71	450.33 +	449.92	449.70	449.61	449.52 -	449.69	müM	
Maximum (Spitze)		450.56	450.56	449.77	449.63	449.88	450.34	450.75 +	450.07	449.77	449.67	449.56 -	450.06	müM	
Datum		31.	1.	1.	1.	26.	30.	16.	10.	22.	1.	2.	31.		
Monatsamplitude		0.86 +	0.80	0.17	0.13	0.38	0.76	0.71	0.33	0.15	0.12	0.10 -	0.62	m	
Jahr	Mittel	449.79					Max (Spitze)	450.75 (16.7.)		Min (Spitze)	449.45 (3.12.)		Jahresamplitude (Spitze)	1.30	



Periode	1987 - 2021 (35 Jahre)														
Monatsmittel	449.64 +	449.59	449.59	449.50	449.42	449.41	449.40	449.36	449.33 -	449.36	449.45	449.54	müM		
Maximum (Spitze)	450.81	450.58	450.83	450.93 +	450.53	450.43 -	450.75	450.57	450.57	450.43	450.59	450.80	müM		
Jahr	2018	1999	2006	2006	2015	2016	2021	2007	2007	2002	2002	2012			
Minimum (Spitze)	448.85	448.93	448.98	449.00 +	448.96	448.93	448.92	448.90	448.78 -	448.81	448.82	448.80	müM		
Jahr	1990	1990	1993	1993	1993	1991	1989	1989	1991	1989	1989	1989			
Monatsamplitude (Max)	1.13	1.14	1.20 +	1.03	1.01	0.79	0.71	1.00	0.91	0.64 -	0.85	1.00	m		
Jahr	2018	1999	2001	2006	2015	1987	2021	2007	2007	2006	1992	1995			
Periode	Mittel	449.47					Max (Spitze)	450.93 (12.4.2006)		Min (Spitze)	448.78 (22.9.1991)		Periodenamplitude (Spitze)	2.14	



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 2 610 949 / 1 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2020		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	449.94 +	449.60 -	449.94	449.69 +	449.47	449.42	449.49 +	449.37 -	449.48 +	449.43 -	449.70 +	449.51	1	
	2	449.92	449.61	450.03	449.68	449.48	449.42	449.49	449.38	449.48 +	449.43	449.69	449.51	2	
	3	449.89	449.64	450.10	449.66	449.50	449.41	449.49	449.41	449.48	449.44	449.68	449.50	3	
	4	449.87	449.67	450.13	449.65	449.51	449.41	449.41 -	449.48	449.45	449.47	449.46	449.67	449.50	4
	5	449.84	449.69	450.15	449.64	449.51	449.41	449.42	449.47	449.48	449.47	449.48	449.66	449.50	5
	müM	6	449.82	449.72	450.18	449.63	449.53	449.42	449.46	449.49	449.46	449.48	449.66	449.50	6
		7	449.79	449.73	450.21	449.61	449.53	449.43	449.46	449.49	449.45	449.49	449.65	449.52	7
		8	449.77	449.74	450.21 +	449.61	449.53 +	449.44	449.45	449.48	449.44	449.49	449.64	449.54	8
		9	449.75	449.75	450.20	449.60	449.53	449.45	449.44	449.47	449.43	449.49	449.63	449.56	9
		10	449.73	449.75	450.16	449.59	449.53	449.45	449.43	449.47	449.43	449.49	449.62	449.57	10
		11	449.71	449.75	450.14	449.58	449.52	449.45	449.43	449.46	449.42	449.50	449.62	449.58	11
		12	449.69	449.74	450.12	449.57	449.52	449.45	449.43	449.45	449.41	449.50	449.61	449.58	12
		13	449.68	449.75	450.09	449.56	449.51	449.44	449.43	449.44	449.40	449.50	449.60	449.59	13
		14	449.66	449.76	450.06	449.55	449.51	449.45	449.43	449.44	449.39	449.49	449.60	449.60	14
		15	449.64	449.78	450.04	449.55	449.52	449.45	449.42	449.44	449.39	449.49	449.59	449.60	15
	+ Maximum	16	449.63	449.80	450.01	449.54	449.51	449.45	449.42	449.43	449.38	449.48	449.59	449.62	16
		17	449.61	449.81	449.97	449.53	449.50	449.46	449.42	449.47	449.38	449.48	449.59	449.61	17
		18	449.60	449.81	449.95	449.52	449.50	449.49	449.41	449.50	449.37	449.47	449.58	449.61	18
		19	449.58	449.81	449.92	449.51	449.49	449.50	449.41	449.51	449.36	449.46	449.58	449.62	19
		20	449.57	449.82	449.90	449.51	449.48	449.51	449.40	449.51 +	449.36	449.46	449.57	449.62	20
		21	449.56	449.81	449.88	449.50	449.48	449.52 +	449.40	449.51	449.36	449.45	449.57	449.62	21
		22	449.55	449.80	449.85	449.49	449.47	449.51	449.40	449.50	449.35 -	449.45	449.56	449.62	22
		23	449.54	449.79	449.83	449.48	449.46	449.51	449.40	449.50	449.36	449.46	449.55	449.62	23
		24	449.54	449.78	449.81	449.47	449.46	449.50	449.40	449.49	449.37	449.52	449.55	449.63	24
		25	449.53	449.78	449.80	449.46	449.46	449.49	449.41	449.48	449.37	449.56	449.55	449.64	25
	- Minimum	26	449.52	449.77	449.78	449.46	449.46	449.48	449.40	449.46	449.38	449.59	449.53	449.64	26
		27	449.52	449.79	449.76	449.46	449.45	449.47	449.40	449.45	449.39	449.64	449.52	449.66	27
		28	449.52 -	449.83	449.74	449.45 -	449.45	449.46	449.39	449.44	449.40	449.67	449.52	449.67	28
		29	449.53	449.87 +	449.73	449.46	449.44	449.48	449.39	449.43	449.41	449.69	449.52	449.67	29
		30	449.56	449.71	449.71	449.47	449.44	449.49	449.38	449.44	449.42	449.70 +	449.51 -	449.69	30
		31	449.59		449.70 -	449.47	449.43 -		449.38 -	449.47		449.70 +		449.71 +	31
Monatsmittel		449.67	449.76	449.97 +	449.55	449.49	449.46	449.43	449.46	449.41 -	449.51	449.60	449.59	müM	
Maximum (Spitze) Datum		449.94 1.	449.90 29.	450.22 + 8.	449.70 1.	449.55 7. / 8.	449.53 21.	449.50 1.	449.53 20.	449.50 1.	449.71 30. / 31.	449.70 1.	449.73 31.	müM	
Monatsamplitude		0.44	0.32	0.54 +	0.26	0.14	0.13 -	0.14	0.17	0.16	0.30	0.21	0.25	m	
Jahr	Mittel	449.57			Max (Spitze) 450.22 (8.3.)			Min (Spitze) 449.33 (22.9.)			Jahresamplitude (Spitze) 0.89				



Periode	1987 - 2020 (34 Jahre)												
Monatsmittel	449.64 +	449.58	449.58	449.49	449.41	449.40	449.38	449.35	449.31 -	449.36	449.45	449.54	müM
Maximum (Spitze) Jahr	450.81 2018	450.58 1999	450.83 2006	450.93 + 2006	450.53 2015	450.43 - 2016	450.57 2016	450.57 2007	450.57 2007	450.43 2002	450.59 2002	450.80 2012	müM
Minimum (Spitze) Jahr	448.85 1990	448.93 1990	448.98 1993	449.00 + 1993	448.96 1993	448.93 1991	448.92 1989	448.90 1989	448.78 - 1991	448.81 1989	448.82 1989	448.80 1989	müM
Monatsamplitude (Max) Jahr	1.13 2018	1.14 1999	1.20 + 2001	1.03 2006	1.01 2015	0.79 1987	0.70 2016	1.00 2007	0.91 2007	0.64 - 2006	0.85 1992	1.00 1995	m
Periode	Mittel	449.46			Max (Spitze) 450.93 (12.4.2006)			Min (Spitze) 448.78 (22.9.1991)			Periodenamplitude (Spitze) 2.14		



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 2 610 949 / 1 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2019		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	449.53	449.44 -	449.48	449.56	449.44	449.54	449.42 +	449.38	449.47 +	449.35	449.47	449.51 -	1
	2	449.52	449.44	449.47	449.55	449.44	449.53	449.42	449.39	449.46	449.34 -	449.47	449.52	2
	3	449.51	449.45	449.46	449.55	449.44	449.53	449.41	449.38	449.46	449.35	449.48	449.53	3
	4	449.49	449.47	449.46	449.55	449.43	449.52	449.40	449.38	449.45	449.35	449.49	449.53	4
	5	449.48	449.49	449.45	449.57	449.43	449.51	449.40	449.37 -	449.45	449.36	449.50	449.54	5
	6	449.47	449.50	449.45	449.58 +	449.43	449.50	449.40	449.37 -	449.44	449.37	449.51	449.54	6
	7	449.46	449.51	449.44	449.58 +	449.43 -	449.50	449.40	449.39	449.43	449.37	449.53	449.54	7
	8	449.45	449.51	449.43	449.57	449.43 -	449.50	449.40	449.40	449.43	449.37	449.54	449.54	8
	9	449.44	449.51	449.43 -	449.56	449.45	449.49	449.40	449.40	449.42	449.37	449.54 +	449.54	9
	10	449.43	449.52	449.43 -	449.55	449.46	449.49	449.40	449.41	449.41	449.39	449.54 +	449.54	10
	11	449.42	449.52	449.44	449.54	449.48	449.52	449.40	449.42	449.41	449.38	449.54 +	449.55	11
	12	449.42 -	449.53	449.44	449.54	449.48	449.54	449.39	449.43	449.40	449.39	449.53	449.55	12
	13	449.43	449.55	449.44	449.53	449.48	449.54	449.39	449.44	449.39	449.40	449.53	449.56	13
	14	449.47	449.55	449.44	449.52	449.48	449.54	449.39	449.45	449.39	449.40	449.53	449.58	14
	15	449.50	449.56	449.50	449.51	449.48	449.54	449.39	449.44	449.38	449.39	449.52	449.62	15
müM	16	449.52	449.56 +	449.56	449.50	449.47	449.55	449.40	449.44	449.37	449.39	449.52	449.66	16
	17	449.53	449.56 +	449.62	449.50	449.47	449.55 +	449.40	449.44	449.37	449.38	449.51	449.69	17
	18	449.54	449.56	449.65	449.49	449.47	449.55	449.39	449.44	449.36	449.37	449.51	449.71	18
	19	449.54 +	449.56	449.67	449.48	449.47	449.54	449.39	449.44	449.36	449.41	449.51	449.71	19
	20	449.54	449.55	449.68	449.48	449.48	449.53	449.38	449.46	449.35	449.44	449.50	449.72	20
+ Maximum	21	449.53	449.55	449.68 +	449.47	449.52	449.53	449.38	449.50	449.34	449.46	449.50	449.71	21
	22	449.52	449.54	449.68	449.47	449.54	449.52	449.38	449.51	449.34 -	449.48	449.49	449.71	22
	23	449.52	449.53	449.67	449.47	449.56	449.51	449.37	449.52 +	449.35	449.49 +	449.49	449.72	23
	24	449.50	449.52	449.66	449.46	449.56	449.50	449.36	449.52	449.36	449.49	449.48	449.75	24
	25	449.49	449.51	449.65	449.45	449.56	449.49	449.35	449.52	449.36	449.49	449.47	449.78	25
- Minimum	26	449.48	449.50	449.63	449.45	449.56	449.47	449.34 -	449.51	449.36	449.48	449.47	449.82	26
	27	449.47	449.49	449.62	449.45	449.56 +	449.46	449.34 -	449.50	449.36	449.48	449.46	449.85	27
	28	449.46	449.49	449.61	449.45	449.56	449.44	449.35	449.50	449.36	449.48	449.45 -	449.89	28
	29	449.45		449.60	449.44	449.56	449.43	449.37	449.49	449.36	449.48	449.46	449.93	29
	30	449.45		449.58	449.44 -	449.56	449.43 -	449.37	449.48	449.36	449.48	449.49	449.95 +	30
	31	449.44		449.57		449.55		449.38	449.48		449.47		449.95 +	31
Monatsmittel	449.48	449.52	449.54	449.51	449.49	449.51	449.39 -	449.45	449.39	449.41	449.50	449.67 +	müM	
Maximum (Spitze) Datum	449.55 18. / 19.	449.58 div	449.69 20. / 21.	449.59 6.	449.57 26. / 27.	449.56 17.	449.43 1.	449.53 23. / 24.	449.48 1.	449.50 23.	449.55 9.	449.96 30.	müM	
Monatsamplitude	0.16	0.15	0.28	0.16	0.16	0.16	0.11 -	0.18	0.15	0.17	0.11	0.48 +	m	
Jahr	Mittel 449.49	Max (Spitze) 449.96 (30.12.)					Min (Spitze) 449.32 (26.7.)			Jahresamplitude (Spitze) 0.64				



Periode	1987 - 2019 (33 Jahre)												
Monatsmittel	449.64 +	449.57	449.57	449.49	449.41	449.40	449.37	449.34	449.31 -	449.35	449.44	449.53	müM
Maximum (Spitze) Jahr	450.81 2018	450.58 1999	450.83 2006	450.93 + 2006	450.53 2015	450.43 - 2016	450.57 2016	450.57 2007	450.57 2007	450.43 2002	450.59 2002	450.80 2012	müM
Minimum (Spitze) Jahr	448.85 1990	448.93 1990	448.98 1993	449.00 + 1993	448.96 1993	448.93 1991	448.92 1989	448.90 1989	448.78 - 1991	448.81 1989	448.82 1989	448.80 1989	müM
Monatsamplitude (Max) Jahr	1.13 2018	1.14 1999	1.20 + 2001	1.03 2006	1.01 2015	0.79 1987	0.70 2016	1.00 2007	0.91 2007	0.64 - 2006	0.85 1992	1.00 1995	m
Periode	Mittel 449.45	Max (Spitze) 450.93 (12.4.2006)					Min (Spitze) 448.78 (22.9.1991)			Periodenamplitude (Spitze) 2.14			



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 2 610 949 / 1 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2018		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	449.72 -	450.07 +	449.50 +	449.45	449.27 +	449.25	449.31 -	449.37 +	449.35	449.31	449.31	449.25 -	1
	2	449.77	450.04	449.49	449.46	449.26	449.26	449.32	449.36	449.35 +	449.31	449.31	449.25	2
	3	449.82	450.01	449.47	449.47	449.26	449.26	449.33	449.36	449.35	449.32	449.31	449.29	3
	4	449.91	449.98	449.45	449.47	449.25	449.26	449.34	449.35	449.34	449.32	449.31 +	449.33	4
	5	450.13	449.94	449.44	449.47	449.25	449.26	449.36	449.34	449.34	449.32	449.31	449.38	5
	6	450.28	449.91	449.43	449.48 +	449.24	449.26	449.39	449.33	449.34	449.32 +	449.31	449.40	6
	7	450.30	449.88	449.42	449.47	449.24	449.25	449.42	449.33 -	449.34	449.32	449.31	449.40	7
	8	450.27	449.84	449.42	449.47	449.23	449.25	449.44	449.33	449.34	449.31	449.31	449.41	8
	9	450.23	449.81	449.41	449.46	449.23	449.24	449.44	449.34	449.33	449.32	449.31	449.42	9
	10	450.17	449.77	449.41	449.46	449.22	449.24	449.45 +	449.34	449.32	449.31	449.31	449.43	10
	11	450.12	449.75	449.40	449.45	449.22	449.23 -	449.45 +	449.34	449.32	449.31	449.30	449.45	11
	12	450.07	449.71	449.40 -	449.44	449.22	449.24	449.45	449.34	449.31	449.31	449.30	449.46	12
	13	450.02	449.69	449.40	449.42	449.21	449.27	449.44	449.33	449.31	449.31	449.30	449.46	13
	14	449.98	449.66	449.41	449.41	449.21 -	449.30	449.44	449.33 -	449.31	449.30	449.30	449.45	14
	15	449.95	449.63	449.42	449.39	449.22	449.32	449.43	449.33	449.31	449.30	449.29	449.45	15
müM	16	449.92	449.62	449.43	449.38	449.23	449.32 +	449.43	449.34	449.32	449.30	449.29	449.44	16
	17	449.89	449.61	449.43	449.37	449.25	449.32	449.43	449.34	449.32	449.29	449.29	449.43	17
	18	449.88	449.61	449.44	449.37	449.25	449.31	449.43	449.35	449.32	449.29	449.29	449.43	18
	19	449.93	449.62	449.45	449.36	449.25	449.30	449.42	449.35	449.32	449.29	449.29	449.42	19
	20	449.99	449.63	449.46	449.35	449.25	449.29	449.41	449.35	449.32	449.28	449.28	449.41	20
+ Maximum	21	450.08	449.62	449.46	449.34	449.24	449.28	449.42	449.35	449.32	449.28	449.27	449.41	21
	22	450.28	449.62	449.46	449.33	449.24	449.27	449.42	449.34	449.31	449.27	449.27	449.43	22
	23	450.72	449.60	449.46	449.32	449.23	449.26	449.42	449.34	449.31	449.27	449.26	449.44	23
	24	450.80 +	449.59	449.46	449.32	449.23	449.25	449.42	449.34	449.31	449.27	449.26	449.48	24
	25	450.73	449.57	449.44	449.31	449.23	449.24	449.41	449.34	449.31	449.27	449.27	449.52	25
- Minimum	26	450.62	449.56	449.43	449.30	449.23	449.25	449.40	449.35	449.31	449.27	449.26	449.55	26
	27	450.49	449.54	449.42	449.29	449.22	449.27	449.39	449.35	449.31	449.27 -	449.25	449.56	27
	28	450.37	449.52 -	449.41	449.29	449.22	449.28	449.39	449.35	449.31	449.28	449.25	449.56 +	28
	29	450.27		449.41	449.28	449.22	449.30	449.39	449.34	449.30 -	449.30	449.25 -	449.56	29
	30	450.19		449.42	449.27 -	449.22	449.31	449.39	449.35	449.30 -	449.30	449.25	449.55	30
	31	450.12		449.43		449.23		449.38	449.35		449.30		449.54	31
Monatsmittel		450.16 +	449.73	449.44	449.39	449.23 -	449.27	449.40	449.34	449.32	449.30	449.29	449.44	müM
Maximum (Spitze)		450.81 +	450.08	449.51	449.49	449.28 -	449.34	449.46	449.38	449.37	449.33	449.32	449.58	müM
Datum		24.	1.	1.	5. / 6.	1.	16.	10. / 11.	1.	1.	6.	4.	27. / 28.	
Monatsamplitude		1.13 +	0.57	0.13	0.24	0.08	0.12	0.17	0.07 -	0.08	0.08	0.09	0.35	m
Jahr	Mittel	449.44			Max (Spitze) 450.81 (24.1.)			Min (Spitze) 449.19 (14.5.)			Jahresamplitude (Spitze) 1.62			



Periode	1987 - 2018 (32 Jahre)												
Monatsmittel	449.64 +	449.58	449.57	449.49	449.41	449.40	449.37	449.34	449.31 -	449.35	449.44	449.53	müM
Maximum (Spitze)	450.81	450.58	450.83	450.93 +	450.53	450.43 -	450.57	450.57	450.57	450.43	450.59	450.80	müM
Jahr	2018	1999	2006	2006	2015	2016	2016	2007	2007	2002	2002	2012	
Minimum (Spitze)	448.85	448.93	448.98	449.00 +	448.96	448.93	448.92	448.90	448.78 -	448.81	448.82	448.80	müM
Jahr	1990	1990	1993	1993	1993	1991	1989	1989	1991	1989	1989	1989	
Monatsamplitude (Max)	1.13	1.14	1.20 +	1.03	1.01	0.79	0.70	1.00	0.91	0.64 -	0.85	1.00	m
Jahr	2018	1999	2001	2006	2015	1987	2016	2007	2007	2006	1992	1995	
Periode	Mittel	449.45			Max (Spitze) 450.93 (12.4.2006)			Min (Spitze) 448.78 (22.9.1991)			Periodenamplitude (Spitze) 2.14		



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 2 610 949 / 1 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	449.42 +	449.38 -	449.56 -	449.60 +	449.47	449.39	449.38 +	449.34	449.35	449.31 +	449.28 -	449.34	1	
	2	449.42	449.44	449.59	449.58	449.47	449.40	449.38 +	449.34	449.36	449.31	449.28 -	449.34	2	
	3	449.41	449.49	449.63	449.57	449.46	449.40	449.38	449.34	449.36 +	449.31	449.29	449.33	3	
	4	449.40	449.52	449.66	449.56	449.46	449.42	449.38	449.33	449.36 +	449.31	449.29	449.33	4	
	5	449.40	449.55	449.68	449.55	449.45	449.44	449.37	449.33	449.36 +	449.30	449.29	449.32	5	
	müM	6	449.39	449.57	449.71	449.54	449.45	449.44	449.36	449.32	449.36	449.30	449.30	449.32	6
		7	449.39	449.60	449.78	449.53	449.46	449.45	449.36	449.32 -	449.36	449.30	449.31	449.31 -	7
		8	449.38	449.63	449.86	449.53	449.47	449.45 +	449.35	449.32 -	449.35	449.30	449.31	449.31 -	8
		9	449.37	449.67	449.91	449.52	449.49	449.45	449.35	449.33	449.35	449.30	449.31	449.31 -	9
		10	449.37	449.70	449.94	449.51	449.49 +	449.44	449.35	449.34	449.34	449.30	449.31	449.31 -	10
		11	449.36	449.72	449.95 +	449.50	449.49 +	449.44	449.36	449.37	449.34	449.30	449.31	449.35	11
		12	449.36	449.73 +	449.95	449.49	449.49	449.43	449.36	449.39	449.33	449.30	449.34	449.41	12
		13	449.37	449.73	449.93	449.49	449.48	449.42	449.36	449.39	449.33	449.30	449.38	449.45	13
		14	449.38	449.72	449.90	449.48	449.47	449.41	449.36	449.39	449.32	449.30	449.40	449.49	14
		15	449.38	449.70	449.88	449.47	449.47	449.41	449.35	449.39	449.32	449.30	449.40	449.56	15
	+ Maximum	16	449.38	449.69	449.85	449.47	449.46	449.40	449.35	449.40	449.32	449.30	449.40 +	449.63	16
		17	449.38	449.67	449.83	449.46	449.46	449.40	449.34	449.40 +	449.31	449.29	449.40	449.66	17
		18	449.38	449.66	449.81	449.46	449.45	449.39	449.34	449.39	449.32	449.29	449.39	449.68	18
		19	449.38	449.64	449.79	449.45	449.44	449.38	449.34	449.39	449.32	449.29	449.39	449.68 +	19
		20	449.37	449.62	449.77	449.45	449.44	449.37	449.33	449.39	449.32	449.29	449.38	449.67	20
		21	449.37	449.61	449.75	449.44	449.44	449.37	449.33	449.39	449.32	449.28	449.38	449.66	21
	- Minimum	22	449.36	449.60	449.73	449.44	449.43	449.37	449.33 -	449.38	449.32	449.28	449.37	449.66	22
		23	449.36	449.59	449.71	449.43	449.42	449.36	449.33	449.38	449.32	449.28	449.36	449.65	23
		24	449.35	449.57	449.69	449.43	449.42	449.36	449.33	449.37	449.31	449.29	449.35	449.64	24
		25	449.35	449.56	449.68	449.42 -	449.41	449.35	449.34	449.37	449.31	449.29	449.35	449.64	25
		26	449.34	449.55	449.66	449.44	449.41	449.35 -	449.34	449.37	449.31	449.29	449.36	449.63	26
	27	449.34	449.54	449.65	449.46	449.40	449.35 -	449.35	449.36	449.31	449.29	449.36	449.62	27	
	28	449.34	449.53	449.63	449.47	449.40	449.36	449.35	449.36	449.31	449.29	449.36	449.61	28	
	29	449.33		449.62	449.47	449.39	449.37	449.35	449.35	449.31	449.28	449.36	449.60	29	
	30	449.33 -		449.61	449.47	449.38	449.38	449.35	449.35	449.31 -	449.28	449.34	449.61	30	
	31	449.33		449.60		449.38 -		449.35	449.35	449.35	449.28 -		449.67	31	
Monatsmittel		449.37	449.61	449.75 +	449.49	449.45	449.40	449.35	449.36	449.33	449.30 -	449.34	449.51	müM	
Maximum (Spitze)		449.43	449.74	449.96 +	449.60	449.50	449.46	449.40	449.41	449.38	449.32 -	449.42	449.70	müM	
Datum		1.	12.	11.	1.	10. / 11.	8.	1. / 2.	16. / 17.	3. / 4.	1.	15.	31.		
Monatsamplitude		0.12	0.40	0.44 +	0.19	0.14	0.13	0.08	0.11	0.08	0.06 -	0.15	0.41	m	
Jahr	Mittel	449.44			Max (Spitze) 449.96 (11.3.)			Min (Spitze) 449.27 (div)			Jahresamplitude (Spitze) 0.70				



Periode	1987 - 2017 (31 Jahre)												
Monatsmittel	449.62 +	449.57	449.58	449.49	449.42	449.40	449.37	449.34	449.31 -	449.35	449.45	449.53	müM
Maximum (Spitze)	450.51	450.58	450.83	450.93 +	450.53	450.43 -	450.57	450.57	450.57	450.43	450.59	450.80	müM
Jahr	2013	1999	2006	2006	2015	2016	2016	2007	2007	2002	2002	2012	
Minimum (Spitze)	448.85	448.93	448.98	449.00 +	448.96	448.93	448.92	448.90	448.78 -	448.81	448.82	448.80	müM
Jahr	1990	1990	1993	1993	1993	1991	1989	1989	1991	1989	1989	1989	
Monatsamplitude (Max)	1.11	1.14	1.20 +	1.03	1.01	0.79	0.70	1.00	0.91	0.64 -	0.85	1.00	m
Jahr	1995	1999	2001	2006	2015	1987	2016	2007	2007	2006	1992	1995	
Periode	Mittel	449.45			Max (Spitze) 450.93 (12.4.2006)			Min (Spitze) 448.78 (22.9.1991)			Periodenamplitude (Spitze) 2.14		



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 2 610 949 / 1 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2016		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	449.33 -	449.87 -	449.90	449.59	449.67	450.19	450.31	449.88 +	449.58 +	449.47	449.53	449.75 +	1	
	2	449.33	449.93	449.89	449.58	449.68	450.18	450.40	449.87	449.58	449.47	449.53	449.73	2	
	3	449.34	449.97	449.89	449.57	449.68	450.15	450.45	449.86	449.57	449.47	449.52	449.71	3	
	4	449.35	449.99	449.87	449.56	449.68	450.11	450.45	449.85	449.56	449.47	449.51	449.70	4	
	5	449.38	449.99	449.88	449.55	449.67	450.07	450.42	449.85	449.56	449.47	449.51 -	449.68	5	
	müM	6	449.40	449.99	449.91	449.54	449.67	450.04	450.37	449.84	449.56	449.47	449.54	449.67	6
		7	449.42	449.98	449.94	449.53	449.66	450.01	450.31	449.83	449.56	449.46	449.58	449.65	7
		8	449.45	449.97	449.96	449.53	449.65	449.98	450.26	449.82	449.56	449.46	449.60	449.64	8
		9	449.52	449.96	449.97 +	449.52	449.64	449.97	450.21	449.80	449.55	449.46	449.62	449.62	9
		10	449.64	449.95	449.96	449.51	449.63	449.96	450.17	449.79	449.54	449.46	449.64	449.61	10
		11	449.78	449.95	449.94	449.50	449.62	449.96	450.13	449.77	449.53	449.45	449.69	449.60	11
		12	450.00	449.95	449.92	449.49 -	449.62 -	449.95	450.20	449.76	449.52	449.45	449.76	449.59	12
		13	450.17	449.96	449.90	449.50	449.68	449.94 -	450.45	449.75	449.52	449.45	449.80	449.58	13
		14	450.26	450.00	449.88	449.52	449.79	449.97	450.56 +	449.74	449.51	449.45	449.82	449.57	14
		15	450.27 +	450.07	449.86	449.55	449.88	450.00	450.42 +	449.72	449.50	449.44	449.83	449.56	15
	+ Maximum	16	450.24	450.14	449.84	449.56	449.93	450.04	450.49	449.71	449.50	449.44	449.82	449.54	16
		17	450.19	450.16 +	449.82	449.58	449.95	450.18	450.43	449.70	449.49	449.44	449.81	449.53	17
		18	450.14	450.15	449.80	449.63	449.95	450.34	450.36	449.70	449.49	449.44	449.80	449.52	18
		19	450.09	450.11	449.78	449.70	449.93	450.40	450.31	449.69	449.51	449.44	449.82	449.51	19
		20	450.04	450.07	449.76	449.75	449.91	450.42 +	450.25	449.69	449.51	449.44	449.86	449.50	20
		21	449.99	450.04	449.74	449.78	449.90	450.40	450.20	449.68	449.51	449.43	449.90	449.49	21
	- Minimum	22	449.95	450.01	449.73	449.79	449.88	450.36	450.15	449.67	449.51	449.43	449.91 +	449.48	22
		23	449.92	449.98	449.72	449.80 +	449.88	450.31	450.11	449.66	449.50	449.43	449.90	449.47	23
		24	449.89	449.95	449.70	449.79	449.96	450.26	450.08	449.65	449.50	449.42 -	449.89	449.46	24
		25	449.87	449.94	449.68	449.78	450.03	450.23	450.04	449.65	449.49	449.43	449.88	449.46	25
		26	449.85	449.93	449.67	449.77	450.07	450.24	450.01	449.63	449.49	449.48	449.85	449.45	26
	Monatsmittel	449.80	449.99	449.81	449.63	449.84	450.15	450.24 +	449.73	449.52	449.46 -	449.74	449.56	müM	
	Maximum (Spitze) Datum	450.29 14.	450.18 17.	449.98 9.	449.81 22.	450.20 31.	450.43 20.	450.57 + 14.	449.88 1.	449.59 1.	449.55 - 29. / 30.	449.92 22.	449.75 1.	müM	
	Monatsamplitude	0.97 +	0.36	0.40	0.33	0.60	0.51	0.70	0.31	0.13 -	0.14	0.42	0.34	m	
	Jahr	Mittel 449.79	Max (Spitze) 450.57 (14.7.)				Min (Spitze) 449.31 (1.1.)				Jahresamplitude (Spitze) 1.26				



Periode	1987 - 2016												(30 Jahre)
Monatsmittel	449.63 +	449.57	449.57	449.49	449.41	449.40	449.37	449.34	449.31 -	449.35	449.45	449.53	müM
Maximum (Spitze) Jahr	450.51 2013	450.58 1999	450.83 2006	450.93 + 2006	450.53 2015	450.43 - 2016	450.57 2016	450.57 2007	450.57 2007	450.43 2002	450.59 2002	450.80 2012	müM
Minimum (Spitze) Jahr	448.85 1990	448.93 1990	448.98 1993	449.00 + 1993	448.96 1993	448.93 1991	448.92 1989	448.90 1989	448.78 - 1991	448.81 1989	448.82 1989	448.80 1989	müM
Monatsamplitude (Max) Jahr	1.11 1995	1.14 1999	1.20 + 2001	1.03 2006	1.01 2015	0.79 1987	0.70 2016	1.00 2007	0.91 2007	0.64 - 2006	0.85 1992	1.00 1995	m
Periode	Mittel 449.45	Max (Spitze) 450.93 (12.4.2006)				Min (Spitze) 448.78 (22.9.1991)				Periodenamplitude (Spitze) 2.14			



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 610 949 / 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2015		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	449.59	449.99	449.63	449.60	449.56 -	449.67 +	449.54 +	449.38	449.36 +	449.34	449.33	449.41 +	1
	2	449.59 -	450.00 +	449.64	449.61	449.76	449.66	449.54	449.39	449.36	449.33	449.33	449.41	2
	3	449.59	449.99	449.66	449.63	449.97	449.64	449.53	449.39	449.36	449.33 -	449.33	449.41 +	3
	4	449.66	449.97	449.68	449.64	450.24	449.63	449.52	449.38	449.36	449.33	449.33	449.41	4
	5	449.76	449.94	449.69	449.66	450.42	449.62	449.51	449.38	449.35	449.34	449.32	449.40	5
	6	449.83	449.92	449.71	449.68	450.48	449.61	449.50	449.37	449.35	449.34	449.32	449.40	6
	7	449.87	449.88	449.71	449.69	450.51 +	449.61	449.49	449.36	449.35	449.35	449.32	449.39	7
	8	449.87	449.86	449.71 +	449.70	450.49	449.61	449.48	449.36	449.34	449.36	449.32	449.38	8
	9	449.87	449.83	449.71	449.70 +	450.43	449.60	449.48	449.35	449.34	449.36	449.32	449.38	9
	10	449.86	449.81	449.70	449.70	450.36	449.59	449.47	449.35	449.33	449.36 +	449.33	449.37	10
müM	11	449.84	449.79	449.69	449.69	450.29	449.59	449.46	449.34	449.32	449.36	449.33	449.37	11
	12	449.83	449.77	449.68	449.68	450.22	449.58	449.45	449.34	449.32	449.36	449.32	449.36	12
	13	449.82	449.75	449.67	449.67	450.16	449.57	449.44	449.33 -	449.32	449.35	449.32	449.36	13
	14	449.81	449.74	449.66	449.65	450.11	449.56	449.43	449.33	449.32	449.35	449.32	449.35	14
	15	449.81	449.72	449.65	449.64	450.06	449.57	449.42	449.34	449.32	449.35	449.32	449.35	15
	16	449.82	449.70	449.64	449.63	450.02	449.62	449.42	449.35	449.32 -	449.35	449.32	449.35	16
	17	449.83	449.68	449.63	449.61	449.98	449.63	449.41	449.35	449.32	449.35	449.31	449.35	17
	18	449.86	449.67	449.61	449.61	449.95	449.64	449.40	449.36	449.33	449.35	449.31	449.34	18
	19	449.88	449.66	449.61	449.60	449.92	449.64	449.40	449.36	449.33	449.35	449.31 -	449.34	19
	20	449.90	449.65	449.60	449.59	449.88	449.64	449.40	449.37	449.34	449.35	449.31	449.34	20
+ Maximum	21	449.91	449.64	449.59	449.58	449.86	449.64	449.39	449.36	449.34	449.35	449.36	449.34	21
	22	449.90	449.63	449.58	449.58	449.83	449.63	449.38	449.36	449.34	449.35	449.39	449.34	22
	23	449.89	449.63	449.57	449.57	449.81	449.63	449.38	449.36	449.34	449.34	449.40	449.34	23
	24	449.87	449.63	449.57	449.56	449.80	449.62	449.38 -	449.36	449.34	449.34	449.40	449.34	24
	25	449.85	449.63	449.56	449.55	449.78	449.61	449.38 -	449.38	449.34	449.34	449.39	449.34	25
- Minimum	26	449.83	449.63	449.55	449.54	449.76	449.60	449.38	449.38	449.34	449.34	449.40	449.34	26
	27	449.82	449.63	449.54	449.54	449.74	449.59	449.38	449.39 +	449.34	449.33	449.40	449.34	27
	28	449.81	449.63 -	449.53	449.53	449.73	449.58	449.38	449.39	449.34	449.33	449.40	449.34	28
	29	449.80		449.53 -	449.53	449.71	449.57	449.38	449.38	449.34	449.33	449.40	449.33	29
	30	449.87		449.55 -	449.53 -	449.69	449.55 -	449.38	449.37	449.34	449.34	449.41 +	449.33	30
	31	449.94 +		449.59		449.68		449.38	449.37		449.33		449.33 -	31
Monatsmittel	449.82	449.76	449.63	449.62	450.01 +	449.61	449.44	449.36	449.34 -	449.34	449.35	449.36	müM	
Maximum (Spitze) Datum	449.98 31.	450.01 2.	449.73 8.	449.71 9.	450.53 + 7.	449.68 1.	449.56 1.	449.40 2.	449.37 - 1. / 2.	449.37 10.	449.42 30.	449.43 2.	müM	
Monatsamplitude	0.40	0.40	0.21	0.20	1.01 +	0.14	0.20	0.08	0.07	0.05 -	0.13	0.11	m	
Jahr	Mittel 449.55	Max (Spitze) 450.53 (7.5.)				Min (Spitze) 449.29 (19.11./20.11.)				Jahresamplitude (Spitze) 1.23				



Periode	1987 - 2015 (29 Jahre)												
Monatsmittel	449.63 +	449.55	449.56	449.49	449.40	449.37	449.34	449.32	449.30 -	449.35	449.44	449.53	müM
Maximum (Spitze) Jahr	450.51 2013	450.58 1999	450.83 2006	450.93 + 2006	450.53 2015	450.05 2013	449.93 - 2014	450.57 2007	450.57 2007	450.43 2002	450.59 2002	450.80 2012	müM
Minimum (Spitze) Jahr	448.85 1990	448.93 1990	448.98 1993	449.00 + 1993	448.96 1993	448.93 1991	448.92 1989	448.90 1989	448.78 - 1991	448.81 1989	448.82 1989	448.80 1989	müM
Monatsamplitude (Max) Jahr	1.11 1995	1.14 1999	1.20 + 2001	1.03 2006	1.01 2015	0.79 1987	0.55 - 1987	1.00 2007	0.91 2007	0.64 2006	0.85 1992	1.00 1995	m
Periode	Mittel 449.44	Max (Spitze) 450.93 (12.4.2006)				Min (Spitze) 448.78 (22.9.1991)				Periodenamplitude (Spitze) 2.14			



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 610 949 / 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	450.03 +	449.78	449.87 +	449.61 +	449.61	449.58 +	449.49	449.92 +	449.66 +	449.48	449.49	449.76 +	1	
	2	450.02	449.77	449.85	449.60	449.61	449.58	449.49 -	449.92	449.65	449.48	449.48	449.74	2	
	3	449.99	449.76	449.84	449.60	449.63	449.57	449.49	449.91	449.64	449.47	449.48	449.72	3	
	4	449.97	449.76	449.82	449.59	449.64	449.56	449.50	449.90	449.64	449.47	449.47 -	449.71	4	
	5	449.97	449.75	449.80	449.58	449.65	449.56	449.50	449.88	449.63	449.47 -	449.48	449.69	5	
	müM	6	449.97	449.74	449.79	449.58	449.65	449.56	449.51	449.87	449.62	449.47	449.52	449.68	6
		7	449.96	449.74 -	449.78	449.57	449.66 +	449.55	449.52	449.85	449.62	449.47	449.56	449.67	7
		8	449.96	449.74	449.76	449.57	449.65	449.54	449.56	449.84	449.61	449.49	449.58	449.66	8
		9	449.95	449.74	449.75	449.57	449.65	449.53	449.64	449.82	449.61	449.50	449.59	449.64	9
		10	449.93	449.75	449.74	449.57	449.65	449.53	449.70	449.82	449.60	449.51	449.60	449.63	10
		11	449.91	449.76	449.73	449.57	449.64	449.52	449.75	449.81	449.60	449.52	449.60	449.62	11
		12	449.89	449.76	449.72	449.56	449.63	449.52	449.79	449.81	449.59	449.53	449.60	449.62	12
		13	449.88	449.77	449.71	449.56	449.63	449.52	449.82	449.80	449.59	449.53	449.60	449.61	13
		14	449.86	449.81	449.70	449.55	449.62	449.51	449.84	449.79	449.58	449.53	449.60	449.60	14
		15	449.85	449.86	449.69	449.55	449.62	449.51	449.84	449.78	449.58	449.53	449.61	449.59	15
	+ Maximum	16	449.83	449.94	449.69	449.55	449.63	449.50	449.84	449.77	449.57	449.53	449.66	449.59	16
		17	449.85	450.05	449.68	449.55	449.63	449.50	449.83	449.77	449.57	449.53	449.76	449.58 -	17
		18	449.87	450.11	449.67	449.54	449.63	449.49	449.81	449.76	449.56	449.53	449.85	449.59	18
		19	449.88	450.12 +	449.66	449.54	449.63	449.48	449.79	449.75	449.56	449.52	449.91	449.60	19
		20	449.89	450.11	449.65	449.54	449.62	449.48	449.78	449.75	449.55	449.52	449.94	449.60	20
	- Minimum	21	449.88	450.08	449.65	449.53	449.62	449.47	449.79	449.74	449.54	449.52	449.95 +	449.61	21
		22	449.87	450.04	449.64	449.53	449.61	449.46	449.83	449.73	449.54	449.52	449.94	449.61	22
		23	449.86	450.01	449.64	449.53	449.61	449.46 -	449.87	449.72	449.53	449.53	449.92	449.61	23
		24	449.85	449.98	449.64	449.52	449.61	449.47	449.90	449.71	449.53	449.53 +	449.90	449.61	24
		25	449.83	449.95	449.65	449.52	449.61	449.50	449.92	449.71	449.52	449.53	449.88	449.60	25
	Monatsmittel		449.89 +	449.88	449.71	449.56	449.62	449.51	449.75	449.78	449.57	449.51 -	449.70	449.63	müM
	Maximum (Spitze) Datum		450.04 1.	450.14 + 18.	449.87 1.	449.62 1.	449.67 6.	449.59 1.	449.93 27.	449.93 1.	449.67 1.	449.55 - 24.	449.96 21.	449.76 1.	müM
	Monatsamplitude		0.27	0.42	0.28	0.11	0.10	0.15	0.46	0.28	0.20	0.09 -	0.50 +	0.19	m
	Jahr		Mittel 449.68		Max (Spitze) 450.14 (18.2.)			Min (Spitze) 449.45 (22.6.)			Jahresamplitude (Spitze) 0.69				



Periode	1987 - 2014												(28 Jahre)
Monatsmittel	449.62 +	449.55	449.56	449.49	449.38	449.37	449.34	449.32	449.30 -	449.35	449.44	449.54	müM
Maximum (Spitze) Jahr	450.51 2013	450.58 1999	450.83 2006	450.93 + 2006	449.95 2001	450.05 2013	449.93 - 2014	450.57 2007	450.57 2007	450.43 2002	450.59 2002	450.80 2012	müM
Minimum (Spitze) Jahr	448.85 1990	448.93 1990	448.98 1993	449.00 + 1993	448.96 1993	448.93 1991	448.92 1989	448.90 1989	448.78 - 1991	448.81 1989	448.82 1989	448.80 1989	müM
Monatsamplitude (Max) Jahr	1.11 1995	1.14 1999	1.20 + 2001	1.03 2006	0.41 - 1989	0.79 1987	0.55 1987	1.00 2007	0.91 2007	0.64 2006	0.85 1992	1.00 1995	m
Periode	Mittel 449.44		Max (Spitze) 450.93 (12.4.2006)			Min (Spitze) 448.78 (22.9.1991)			Periodenamplitude (Spitze) 2.14				



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 610 949 / 224 014


OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2013		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	450.47 +	449.80	449.75 +	449.69 -	449.90 +	449.75	449.63 +	449.58 +	449.52	449.54	449.83	449.81	1	
	2	450.40	449.89	449.74	449.73	449.88	449.90	449.62	449.58	449.51	449.54	449.84	449.79	2	
	3	450.33	450.00	449.72	449.75	449.86	450.00	449.61	449.57	449.51	449.53	449.87	449.78	3	
	4	450.27	450.08	449.71	449.77	449.84	450.03	449.62	449.57	449.51	449.53 -	449.95	449.76	4	
	5	450.22	450.12	449.70	449.77	449.82	450.04 +	449.61	449.57	449.50	449.53	450.04	449.75	5	
	6	450.17	450.17	449.69	449.76	449.80	450.02	449.61	449.56	449.50	449.54	450.11	449.74	6	
	7	450.12	450.19	449.68	449.75	449.79	449.99	449.60	449.56	449.50	449.54	450.20	449.72	7	
	8	450.09	450.19 +	449.67	449.74	449.77	449.96	449.59	449.56	449.50	449.54	450.25	449.71	8	
	9	450.05	450.18	449.66	449.73	449.76	449.93	449.59	449.56	449.52	449.54	450.26	449.70	9	
	10	450.02	450.15	449.65	449.73	449.75	449.91	449.58	449.56	449.52	449.54	450.27 +	449.69	10	
müM	11	449.99	450.12	449.64	449.73	449.75	449.89	449.57	449.56	449.52	449.55	450.27	449.68	11	
	12	449.97	450.08	449.63	449.79	449.74	449.87	449.56	449.55	449.51	449.55	450.25	449.67	12	
	13	449.95	450.04	449.62	449.86	449.73	449.85	449.56	449.55	449.51	449.57	450.22	449.66	13	
	14	449.93	450.01	449.61	449.91	449.72	449.83	449.55	449.54	449.50	449.59	450.20	449.65	14	
	15	449.92	449.98	449.60	449.93	449.71	449.81	449.54	449.53	449.49	449.60	450.17	449.64	15	
	16	449.90	449.95	449.59	449.94	449.70	449.79	449.53	449.53	449.49 -	449.62	450.13	449.63	16	
	17	449.88	449.93	449.59	449.93	449.69	449.78	449.52	449.52	449.49	449.65	450.09	449.62	17	
	18	449.87	449.91	449.58	449.91	449.68	449.76	449.52	449.51	449.51	449.66	450.06	449.61	18	
	19	449.85	449.89	449.58	449.91	449.67	449.74	449.52	449.51	449.53	449.67	450.03	449.60	19	
	20	449.84	449.87	449.58	449.97	449.66	449.72	449.51	449.50	449.55	449.66	450.00	449.62	20	
+ Maximum	21	449.82	449.86	449.57	450.05	449.65	449.71	449.51	449.50	449.55	449.66	449.97	449.65	21	
	22	449.80	449.85	449.57	450.10	449.64	449.70	449.51	449.49	449.56	449.65	449.95	449.67	22	
	23	449.79	449.83	449.57	450.12 +	449.64	449.69	449.50	449.49 -	449.56 +	449.64	449.93	449.69	23	
	24	449.78	449.82	449.56	450.10	449.63	449.68	449.50	449.49	449.56 +	449.64	449.91	449.70	24	
	25	449.76	449.80	449.56	450.08	449.62	449.67	449.49	449.50	449.56	449.64	449.90	449.71	25	
	- Minimum	26	449.75	449.79	449.56	450.05	449.62	449.66	449.48	449.51	449.55	449.64	449.89	449.76	26
		27	449.74	449.78	449.55	450.02	449.61	449.66	449.48	449.51	449.55	449.65	449.87	449.89	27
		28	449.73	449.76 -	449.55 -	449.98	449.61 -	449.65	449.47 -	449.52	449.55	449.69	449.85	449.99	28
		29	449.72 -		449.56	449.95	449.62	449.64	449.49	449.52	449.55	449.73	449.84	450.03	29
		30	449.74		449.59	449.93	449.64	449.63 -	449.55	449.52	449.54	449.78	449.82 -	450.05 +	30
31		449.76		449.64		449.65		449.57	449.52		449.81 +		450.05	31	
Monatsmittel	449.96	449.97	449.62	449.89	449.71	449.81	449.55	449.53	449.52 -	449.61	450.03 +	449.74	müM		
Maximum (Spitze) Datum	450.51 + 1.	450.21 7.	449.76 1.	450.13 23.	449.90 1.	450.05 4.	449.64 1.	449.59 1.	449.57 23.	449.83 31.	450.28 11.	450.06 30.	müM		
Monatsamplitude	0.80 +	0.45	0.22	0.47	0.31	0.43	0.18	0.12	0.10 -	0.32	0.47	0.48	m		
Jahr	Mittel 449.74	Max (Spitze) 450.51 (1.1.)				Min (Spitze) 449.46 (27.7.)				Jahresamplitude (Spitze) 1.05					



Periode	1987 - 2013											(27 Jahre)	
Monatsmittel	449.61 +	449.53	449.56	449.48	449.37	449.36	449.33	449.31	449.29 -	449.34	449.43	449.54	müM
Maximum (Spitze) Jahr	450.51 2013	450.58 1999	450.83 2006	450.93 + 2006	449.95 2001	450.05 2013	449.82 - 2001	450.57 2007	450.57 2007	450.43 2002	450.59 2002	450.80 2012	müM
Minimum (Spitze) Jahr	448.85 1990	448.93 1990	448.98 1993	449.00 + 1993	448.96 1993	448.93 1991	448.92 1989	448.90 1989	448.78 - 1991	448.81 1989	448.82 1989	448.80 1989	müM
Monatsamplitude (Max) Jahr	1.11 1995	1.14 1999	1.20 + 2001	1.03 2006	0.41 - 1989	0.79 1987	0.55 1987	1.00 2007	0.91 2007	0.64 2006	0.85 1992	1.00 1995	m
Periode	Mittel 449.43	Max (Spitze) 450.93 (12.4.2006)				Min (Spitze) 448.78 (22.9.1991)				Periodenamplitude (Spitze) 2.14			



Grundwasserstand

Limnigraph Obergerlafingen - Obergerlafingen


SO 610/224/006

Koordinaten 610 949 / 224 014

OK Terrain 455.5 müM

Abstichpunkt 456.36 müM

2012		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	450.06	449.90 +	449.59 +	449.46	449.55 +	449.45	449.48	449.47 +	449.41	449.37 -	449.47	449.84 -	1	
	2	450.16	449.89	449.58	449.45	449.55	449.44	449.49	449.46	449.43	449.38	449.46 -	449.86	2	
	3	450.22	449.87	449.57	449.45	449.54	449.44 -	449.51	449.46	449.43	449.38	449.46 -	449.87	3	
	4	450.25	449.85	449.56	449.45	449.54	449.44	449.53	449.45	449.44 +	449.39	449.46 -	449.88	4	
	5	450.28	449.83	449.55	449.45	449.54	449.45	449.53	449.45	449.43	449.39	449.49	449.92	5	
	müM	6	450.39	449.81	449.55	449.46	449.54	449.45	449.54	449.45	449.43	449.39	449.52	449.95	6
		7	450.47 +	449.79	449.55	449.46	449.53	449.45	449.57	449.46	449.43	449.39	449.54	449.99	7
		8	450.46	449.76	449.55	449.45	449.53	449.46	449.59	449.46	449.42	449.39	449.56	450.01	8
		9	450.40	449.74	449.54	449.45	449.53	449.47	449.60	449.46	449.41	449.41	449.57	450.00	9
		10	450.34	449.72	449.54	449.45 -	449.52	449.48	449.60 +	449.45	449.40	449.43	449.58	450.00	10
		11	450.28	449.70	449.53	449.45	449.52	449.49	449.60	449.44	449.39	449.46	449.63	449.98	11
		12	450.22	449.68	449.53	449.46	449.51	449.51	449.60	449.44	449.39	449.48	449.73	449.97	12
		13	450.17	449.66	449.52	449.47	449.51	449.53	449.59	449.43	449.39	449.50	449.81	449.96	13
		14	450.12	449.64	449.52	449.48	449.51	449.56	449.59	449.43	449.38	449.50	449.85	449.95	14
		15	450.07	449.63	449.51	449.48	449.50	449.58	449.58	449.42	449.38	449.50 +	449.87 +	449.95	15
	+ Maximum	16	450.03	449.61	449.51	449.50	449.50	449.58 +	449.57	449.42	449.37	449.50	449.86	450.06	16
		17	449.99	449.60	449.51	449.52	449.49	449.58	449.56	449.42	449.37	449.50	449.85	450.29	17
		18	449.95	449.59	449.50	449.53	449.49	449.58	449.56	449.42	449.37	449.49	449.83	450.56	18
		19	449.92	449.59	449.50	449.55	449.48	449.57	449.55	449.41	449.36	449.49	449.81	450.75	19
		20	449.89	449.58	449.50	449.55	449.48	449.57	449.54	449.40	449.36	449.48	449.79	450.79 +	20
		21	449.88	449.57	449.50	449.56	449.47	449.56	449.53	449.40	449.36	449.47	449.78	450.75	21
	- Minimum	22	449.88	449.57	449.50	449.56	449.48	449.55	449.53	449.39	449.35	449.46	449.76	450.67	22
		23	449.89	449.56	449.49	449.56	449.48	449.54	449.52	449.39	449.35	449.46	449.73	450.68	23
		24	449.89	449.55 -	449.49	449.57	449.48	449.53	449.52	449.39 -	449.35	449.45	449.72	450.72	24
		25	449.89	449.56	449.49	449.57 +	449.48	449.53	449.51	449.39	449.35	449.45	449.70	450.69	25
		26	449.88	449.57	449.48	449.57	449.48	449.53	449.50	449.39	449.35 -	449.45	449.70	450.65	26
		27	449.87	449.58	449.48	449.57	449.47	449.52	449.49	449.40	449.35 -	449.45	449.70	450.64	27
		28	449.87 -	449.58	449.47	449.57	449.47	449.51	449.48	449.39	449.35	449.46	449.72	450.63	28
		29	449.88	449.59	449.47	449.56	449.46	449.50	449.48	449.39	449.35	449.46	449.76	450.64	29
		30	449.89	449.57	449.47	449.56	449.46	449.49	449.48	449.39	449.36	449.47	449.81	450.59	30
		31	449.90	449.56	449.46 -	449.56	449.45 -	449.49	449.47 -	449.40	449.36	449.47	449.81	450.54	31
Monatsmittel		450.08	449.68	449.52	449.51	449.50	449.51	449.54	449.42	449.38 -	449.45	449.68	450.28 +	müM	
Maximum (Spitze)		450.49	449.91	449.60	449.58	449.56	449.59	449.61	449.48	449.45	449.52	449.88	450.80	müM	
Datum		7.	1.	1.	25.	1.	16.	10.	1.	4.	14. / 15.	15.	20.		
Monatsamplitude		0.64	0.37	0.15	0.15	0.13	0.17	0.16	0.10 -	0.11	0.16	0.43	0.99 +	m	
Jahr		Mittel 449.63	Max (Spitze) 450.80 (20.12.)				Min (Spitze) 449.34 (26.9.)			Jahresamplitude (Spitze) 1.46					



Periode	1987 - 2012												(26 Jahre)
Monatsmittel	449.60 +	449.52	449.55	449.47	449.36	449.34	449.32	449.30	449.28 -	449.33	449.41	449.53	müM
Maximum (Spitze)	450.49	450.58	450.83	450.93 +	449.95	450.03	449.82 -	450.57	450.57	450.43	450.59	450.80	müM
Jahr	2012	1999	2006	2006	2001	1987	2001	2007	2007	2002	2002	2012	
Minimum (Spitze)	448.85	448.93	448.98	449.00 +	448.96	448.93	448.92	448.90	448.78 -	448.81	448.82	448.80	müM
Jahr	1990	1990	1993	1993	1993	1991	1989	1989	1991	1989	1989	1989	
Monatsamplitude (Max)	1.11	1.14	1.20 +	1.03	0.41 -	0.79	0.55	1.00	0.91	0.64	0.85	1.00	m
Jahr	1995	1999	2001	2006	1989	1987	1987	2007	2007	2006	1992	1995	
Periode	Mittel 449.42	Max (Spitze) 450.93 (12.4.2006)				Min (Spitze) 448.78 (22.9.1991)			Periodenamplitude (Spitze) 2.14				

