

Grundwasserstand

PW Tannwald - Obergerlafingen


SO 611/222/003

Koordinaten 2 611 260 / 1 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2023		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	462.51	462.56 +	462.41	462.51	462.53	462.43 +	462.24	462.23	462.20 +	462.06	462.06 -	462.70	1
	2	462.51	462.55	462.39	462.51	462.54	462.42	462.25 +	462.24 +	462.18	462.05	462.08	462.68	2
	3	462.50 -	462.55	462.38	462.52	462.53	462.41	462.24	462.21	462.16	462.04	462.09	462.66	3
	4	462.51	462.54	462.38 -	462.52	462.53	462.40	462.19	462.21	462.14	462.02	462.09	462.64	4
	5	462.51	462.53	462.39	462.51	462.52	462.41	462.20	462.21	462.12	462.01	462.14	462.63	5
	6	462.51	462.53	462.39	462.51	462.51	462.38	462.20	462.22	462.11	462.02	462.12	462.64	6
	7	462.51	462.52	462.38	462.51	462.51	462.36	462.21	462.23	462.09	462.00	462.13	462.65	7
	8	462.52	462.51	462.38	462.51	462.53	462.36	462.21	462.21	462.07	462.01	462.11	462.67	8
	9	462.59	462.51	462.39	462.51	462.54	462.36	462.24	462.19	462.06	462.00	462.13	462.75	9
	10	462.59	462.49	462.40	462.51	462.56 +	462.34	462.21	462.18	462.05	461.99	462.13	462.80	10
müM	11	462.58	462.49	462.44	462.51	462.56	462.36	462.20	462.17	462.04	461.99	462.14	462.87	11
	12	462.58	462.48	462.44	462.50	462.55	462.33	462.21	462.17	462.03	461.98	462.17	463.00 +	12
	13	462.59	462.48	462.44	462.50	462.54	462.31	462.25 +	462.18	462.02	461.97 -	462.21	463.00 +	13
	14	462.60	462.47	462.49	462.50	462.53	462.29	462.23	462.18	462.03	461.97	462.38	463.00 +	14
	15	462.61	462.47	462.49	462.50	462.53	462.28	462.22	462.17	462.01	461.98	462.49 +	463.00 +	15
	16	462.62	462.47	462.49	462.51	462.54	462.28	462.22	462.16	462.01	461.99	462.45	462.99	16
	17	462.62 +	462.46	462.48	462.51	462.54	462.28	462.20	462.12	462.01 -	461.98	462.43	462.97	17
	18	462.62	462.46	462.47	462.51	462.54	462.28	462.19	462.16	462.02	461.99	462.42	462.95	18
	19	462.58	462.45	462.46	462.51	462.54	462.28	462.19	462.15	462.04	461.97	462.44	462.94	19
	20	462.59	462.45	462.45	462.52	462.52	462.27	462.18 -	462.13	462.04	462.00	462.45	462.93	20
+ Maximum	21	462.60	462.45	462.45	462.51	462.53	462.28	462.18	462.11	462.03	462.02	462.44	462.92	21
	22	462.60	462.43	462.49	462.50	462.54	462.27	462.19	462.08	462.04	462.02	462.44	462.92	22
	23	462.59	462.43	462.45	462.50	462.51	462.28	462.19	462.06 -	462.04	462.01	462.43	462.92	23
	24	462.57	462.43	462.45	462.50	462.50	462.27	462.18	462.07	462.06	462.02	462.43	462.90	24
	25	462.57	462.43	462.47	462.51	462.50	462.28	462.21	462.08	462.05	462.02	462.43	462.89	25
- Minimum	26	462.57	462.42	462.47	462.50	462.47	462.26	462.23	462.11	462.05	462.01	462.43	462.87	26
	27	462.57	462.42	462.50	462.50 -	462.48	462.24	462.22	462.16	462.04	462.05	462.42	462.85	27
	28	462.57	462.40 -	462.50 +	462.50	462.46	462.24	462.21	462.21	462.05	462.05	462.42	462.84	28
	29	462.56	462.49	462.49	462.52 +	462.46	462.21 -	462.22	462.22	462.05	462.06 +	462.42	462.82	29
	30	462.55	462.49	462.49	462.51	462.44	462.23	462.23	462.23	462.05	462.05	462.44	462.81	30
31	462.56	462.49	462.49	462.51	462.43 -	462.23	462.22	462.20	462.20	462.05	462.05	462.84	31	
Monatsmittel	462.57	462.48	462.44	462.51	462.52	462.31	462.21	462.17	462.17	462.06	462.01 -	462.30	462.84 +	müM
Maximum (Spitze) Datum	462.62 17.	462.56 1.	462.50 28.	462.52 29.	462.56 10.	462.43 1.	462.25 2. / 13.	462.24 2.	462.20 1.	462.06 - 29.	462.49 15.	463.00 div	müM	
Monatsamplitude	0.12	0.15	0.12	0.02 -	0.13	0.22	0.07	0.18	0.19	0.10	0.43 +	0.37	m	
Jahr	Mittel 462.37	Max (Spitze) 463.00 (15.12.) (div)					Min (Spitze) 461.97 (13.10.)			Jahresamplitude (Spitze) 1.04				



Periode	1973 - 2023 (ohne: 1997)											(50 Jahre)	
Monatsmittel	462.47	462.51	462.52 +	462.49	462.46	462.43	462.37	462.28	462.22 -	462.24	462.30	462.40	müM
Maximum (Spitze) Jahr	463.15 1982	463.39 1980	463.24 1978	463.20 1977	463.14 1985	463.49 2016	463.52 + 2016	463.11 2007	463.00 - 1987	463.15 1984	463.00 1984	463.20 1981	müM
Minimum (Spitze) Jahr	461.90 + 2004	461.88 1998	461.83 1998	461.84 1998	461.86 1998	461.76 1998	461.66 1998	461.62 1998	461.61 - 1998	461.69 1998	461.78 2003	461.68 2003	müM
Monatsamplitude (Max) Jahr	0.69 2018	0.96 + 1999	0.66 2001	0.66 1986	0.61 1984	0.74 2016	0.85 1984	0.64 2007	0.65 1987	0.56 - 1984	0.60 1974	0.78 1981	m
Periode	Mittel 462.39	Max (Spitze) 463.52 (11.7.2016)					Min (Spitze) 461.61 (2.9.1998)			Periodenamplitude (Spitze) 1.91			



Grundwasserstand

PW Tannwald - Obergerlafingen


SO 611/222/003

Koordinaten 2 611 260 / 1 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2022		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	462.45	462.34 +	462.28	462.30	462.30	462.18	462.30	462.18 +	461.97 +	461.92	462.06	462.25	1
	2	462.44	462.33	462.29	462.30	462.30	462.16	462.30	462.17	461.96	461.94	462.06	462.26	2
	3	462.43	462.30	462.29	462.29	462.30	462.15	462.31	462.13	461.97 +	461.95	462.05	462.27	3
	4	462.44	462.31	462.29	462.29	462.27	462.13	462.32	462.11	461.97 +	461.94	462.05	462.26	4
	5	462.46	462.30	462.28	462.27	462.30	462.14	462.34 +	462.06	461.96	461.93	462.06	462.27	5
	6	462.46	462.31	462.28	462.28	462.33	462.14	462.33	462.09	461.95	461.92	462.07	462.28	6
	7	462.45	462.32	462.28	462.28	462.33	462.12 -	462.32	462.12	461.95	461.92	462.07	462.26	7
	8	462.45	462.30	462.27	462.31	462.33	462.14	462.31	462.11	461.93	461.93	462.04 -	462.25	8
	9	462.52	462.30	462.28	462.31	462.33 +	462.15	462.30	462.07	461.97 +	461.93	462.05	462.24	9
	10	462.53 +	462.30	462.29	462.31	462.33 +	462.17	462.28	462.06	461.95	461.93	462.07	462.24	10
müM	11	462.52	462.29 -	462.30	462.31	462.31	462.18	462.26	462.07	461.93	461.92	462.08	462.25	11
	12	462.50	462.29 -	462.31 +	462.31	462.30	462.18	462.26	462.02	461.93	461.91	462.08	462.23	12
	13	462.46	462.29 -	462.31 +	462.30	462.30	462.17	462.25	462.06	461.91	461.91	462.09	462.22 -	13
	14	462.47	462.29 -	462.30 +	462.30	462.29	462.14	462.23	462.06	461.90	461.92	462.10	462.23	14
	15	462.47	462.29 -	462.30	462.29	462.26	462.16	462.22	462.06	461.90	461.94	462.10	462.24	15
	16	462.46	462.29 -	462.28	462.29	462.25	462.18	462.23	462.06	461.92	461.95	462.11	462.29	16
	17	462.45	462.31	462.27	462.28	462.24	462.16	462.23	462.04	461.91	461.93	462.12	462.30	17
	18	462.44	462.32	462.27	462.28	462.23	462.15	462.19	462.04	461.90	461.90 -	462.16	462.31	18
	19	462.43	462.32	462.28	462.28	462.23	462.16	462.18	462.05	461.89	461.90 -	462.19	462.30	19
	20	462.41	462.32	462.28	462.27	462.21	462.12 -	462.16	462.06	461.87	461.90 -	462.21	462.29	20
+ Maximum	21	462.39	462.32	462.28	462.26	462.21	462.15	462.18	462.06	461.86	461.90 -	462.22	462.29	21
	22	462.39	462.33	462.28	462.23 -	462.23	462.13	462.20	462.04	461.85	461.92	462.22	462.30	22
	23	462.39	462.33	462.28	462.26	462.22	462.14	462.21	462.03	461.83	461.93	462.22	462.32	23
	24	462.38	462.32	462.26 -	462.28	462.24	462.26	462.21	462.01	461.84	461.96	462.22	462.42	24
	25	462.38	462.31	462.26 -	462.34	462.22	462.26	462.20	462.01	461.83	462.00	462.24	462.43	25
- Minimum	26	462.36	462.30	462.27	462.37 +	462.23	462.27 +	462.19	462.00	461.82	462.01	462.25	462.42	26
	27	462.36	462.29 -	462.27	462.34	462.21	462.27 +	462.17	462.01	461.81 -	462.01	462.26 +	462.43	27
	28	462.36	462.29 -	462.27	462.32	462.22	462.25	462.15 -	462.01	461.84	462.01	462.26 +	462.44	28
	29	462.34 -		462.27	462.32	462.21	462.24	462.17	461.99	461.92	462.02	462.26 +	462.44	29
	30	462.34 -		462.27	462.30	462.22	462.23	462.20	461.97 -	461.93	462.04	462.26 +	462.50	30
	31	462.35		462.29		462.19 -		462.19	461.97 -		462.05 +		462.51 +	31
Monatsmittel	462.43 +	462.31	462.28	462.30	462.26	462.18	462.24	462.06	461.91 -	461.95	462.14	462.31	müM	
Maximum (Spitze) Datum	462.53 + 10.	462.34 1.	462.31 12. / 13.	462.37 26.	462.33 9. / 10.	462.27 26. / 27.	462.34 5.	462.18 1.	461.97 div	462.05 31.	462.26 div	462.51 31.	müM	
Monatsamplitude	0.19	0.05 -	0.05 -	0.14	0.14	0.15	0.19	0.21	0.16	0.15	0.22	0.29 +	m	
Jahr	Mittel 462.20	Max (Spitze) 462.53 (10.1.)				Min (Spitze) 461.81 (27.9.)				Jahresamplitude (Spitze) 0.72				



Periode	1973 - 2022 (ohne: 1997)												(49 Jahre)
Monatsmittel	462.47	462.51	462.52 +	462.49	462.46	462.43	462.37	462.28	462.23 -	462.24	462.30	462.39	müM
Maximum (Spitze) Jahr	463.15 1982	463.39 1980	463.24 1978	463.20 1977	463.14 1985	463.49 2016	463.52 + 2016	463.11 2007	463.00 - 1987	463.15 1984	463.00 1984	463.20 1981	müM
Minimum (Spitze) Jahr	461.90 + 2004	461.88 1998	461.83 1998	461.84 1998	461.86 1998	461.76 1998	461.66 1998	461.62 1998	461.61 - 1998	461.69 1998	461.78 2003	461.68 2003	müM
Monatsamplitude (Max) Jahr	0.69 2018	0.96 + 1999	0.66 2001	0.66 1986	0.61 1984	0.74 2016	0.85 1984	0.64 2007	0.65 1987	0.56 - 1984	0.60 1974	0.78 1981	m
Periode	Mittel 462.39	Max (Spitze) 463.52 (11.7.2016)				Min (Spitze) 461.61 (2.9.1998)				Periodenamplitude (Spitze) 1.91			



Grundwasserstand

PW Tannwald - Obergerlafingen


SO 611/222/003

Koordinaten 2 611 260 / 1 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2021		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	462.44	462.84	462.56 +	462.42 +	462.35 -	462.44	462.71	462.73	462.54 +	462.33	462.27 +	462.19 -	1
	2	462.45	462.85	462.55	462.42	462.37	462.43	462.66	462.73	462.53	462.34	462.24	462.19	2
	3	462.45	462.87 +	462.55	462.42	462.37	462.44	462.64	462.70	462.52	462.35	462.25	462.19	3
	4	462.44	462.86	462.54	462.41	462.35	462.47	462.63	462.71	462.52	462.35 +	462.25	462.24	4
	5	462.42	462.83	462.54	462.41	462.36	462.50	462.62	462.71	462.52	462.35	462.25	462.23	5
	6	462.41	462.81	462.53	462.41	462.38	462.50	462.62 -	462.74	462.51	462.35	462.24	462.22	6
	7	462.42	462.80	462.52	462.41	462.39	462.48	462.66	462.79 +	462.50	462.35	462.24	462.24	7
	8	462.42	462.79	462.52	462.39	462.38	462.47	462.70	462.77	462.49	462.33	462.25	462.27	8
	9	462.42	462.77	462.52	462.39	462.37	462.46	462.79	462.73	462.49	462.33	462.22	462.29	9
	10	462.42	462.76	462.51	462.39	462.37	462.45	462.74	462.70	462.49	462.33	462.21	462.29	10
müM	11	462.39	462.74	462.51	462.39	462.37	462.44	462.70	462.68	462.48	462.33	462.21	462.29	11
	12	462.35 -	462.73	462.51	462.39	462.37	462.44	462.68	462.66	462.46	462.32	462.21	462.29	12
	13	462.42	462.71	462.50	462.39	462.37	462.43	462.98	462.66	462.45	462.31	462.22	462.29	13
	14	462.60	462.69	462.50	462.39	462.37	462.42	462.97	462.65	462.44	462.31	462.22	462.28	14
	15	462.60	462.67	462.51	462.39	462.37	462.39	462.98 +	462.65	462.43	462.32	462.21	462.28	15
	16	462.60	462.67	462.51	462.37	462.39	462.38	462.95	462.65	462.52	462.32	462.20	462.29	16
	17	462.55	462.66	462.50	462.37	462.40	462.37	462.91	462.63	462.51	462.30	462.20	462.29	17
	18	462.53	462.66	462.50	462.37	462.42	462.36 -	462.88	462.63	462.47	462.30	462.19	462.29	18
	19	462.55	462.64	462.49	462.37	462.46	462.36	462.85	462.62	462.48	462.28	462.18 -	462.29	19
	20	462.54	462.64	462.48	462.37	462.47	462.37	462.82	462.62	462.48	462.27	462.19	462.28	20
+ Maximum	21	462.54	462.64	462.48	462.35	462.48	462.39	462.81	462.60	462.45	462.26	462.19	462.29	21
	22	462.55	462.63	462.47	462.30	462.54 +	462.40	462.80	462.58	462.41	462.26	462.19	462.31	22
	23	462.59	462.61	462.47	462.28 -	462.51	462.42	462.79	462.59	462.39	462.27	462.19	462.31	23
	24	462.60	462.60	462.46	462.32	462.51	462.46	462.79	462.59	462.38	462.27	462.19	462.31	24
	25	462.61	462.60	462.45	462.32	462.48	462.47	462.78	462.58	462.38	462.25 -	462.20	462.31	25
- Minimum	26	462.57	462.59	462.45	462.30	462.48	462.46	462.77	462.57	462.37	462.25	462.20	462.35	26
	27	462.66	462.58	462.45	462.31	462.48	462.50	462.76	462.57	462.36	462.25	462.21	462.37	27
	28	462.81	462.57 -	462.44	462.31	462.47	462.47	462.66	462.75	462.57	462.35	462.26	462.41	28
	29	462.88 +		462.43	462.32	462.46	462.74	462.74	462.56	462.34	462.26	462.18	462.47 +	29
	30	462.84	462.42 -	462.42	462.32	462.45	462.79 +	462.73	462.56	462.33 -	462.26	462.19	462.45	30
	31	462.82		462.42	462.32	462.45		462.72	462.55 -		462.27		462.44	31
Monatsmittel	462.54	462.71	462.49	462.37	462.42	462.46	462.77 +	462.65	462.45	462.30	462.21 -	462.30	müM	
Maximum (Spitze) Datum	462.89 28. / 29.	462.87 3. / 4.	462.56 1.	462.42 1.	462.54 21. / 22.	462.80 29. / 30.	463.00 + div	462.79 div	462.54 1.	462.36 4. / 5.	462.28 - 1.	462.47 29. / 30.	müM	
Monatsamplitude	0.55 +	0.30	0.15	0.15	0.19	0.45	0.39	0.24	0.21	0.11	0.09 -	0.28	m	
Jahr	Mittel 462.47	Max (Spitze) 463.00 (div)					Min (Spitze) 462.18 (18.11./19.11.)			Jahresamplitude (Spitze) 0.82				



Periode	1973 - 2021 (ohne: 1997)												(48 Jahre)
Monatsmittel	462.47	462.51	462.52 +	462.49	462.46	462.44	462.38	462.29	462.23 -	462.25	462.30	462.39	müM
Maximum (Spitze) Jahr	463.15 1982	463.39 1980	463.24 1978	463.20 1977	463.14 1985	463.49 2016	463.52 + 2016	463.11 2007	463.00 - 1987	463.15 1984	463.00 1984	463.20 1981	müM
Minimum (Spitze) Jahr	461.90 + 2004	461.88 1998	461.83 1998	461.84 1998	461.86 1998	461.76 1998	461.66 1998	461.62 1998	461.61 - 1998	461.69 1998	461.78 2003	461.68 2003	müM
Monatsamplitude (Max) Jahr	0.70 2018	0.96 + 1999	0.66 2001	0.66 1986	0.61 1984	0.74 2016	0.85 1984	0.64 2007	0.65 1987	0.56 - 1984	0.60 1974	0.78 1981	m
Periode	Mittel 462.39	Max (Spitze) 463.52 (11.7.2016)					Min (Spitze) 461.61 (2.9.1998)			Periodenamplitude (Spitze) 1.91			



Grundwasserstand

PW Tannwald - Obergerlafingen


SO 611/222/003

Koordinaten 2 611 260 / 1 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2020		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	462.72 +	462.33	462.83	462.50 +	462.34	462.19	462.15	462.12	462.07	462.00	462.34	462.31	1	
	2	462.72	462.32	462.84	462.49	462.35	462.16	462.16	462.14 +	462.08	461.88 -	462.37 +	462.30	2	
	3	462.71	462.34	462.83	462.48	462.35	462.21	462.17 +	462.14	462.06	462.11	462.36	462.29	3	
	4	462.70	462.34	462.83	462.47	462.34	462.23	462.15	462.12	462.00	462.13	462.35	462.33	4	
	5	462.69	462.36	462.92 +	462.47	462.36 +	462.25 +	462.13	461.87	462.10 +	462.12	462.33	462.33	5	
	müM	6	462.69	462.31	462.92	462.46	462.32	462.23	462.13	461.81	462.09	462.09	462.36	462.36	6
		7	462.68	462.31	462.87	462.44	462.33	462.24	462.09	461.84	462.05	462.10	462.36	462.34	7
		8	462.68	462.30 -	462.84	462.43	462.33	462.24	461.89	461.78	461.99	462.09	462.36	462.17	8
		9	462.68	462.30	462.84	462.43	462.32	462.22	461.93	461.88	461.99	462.09	462.36	462.34	9
		10	462.68	462.30	462.85	462.42	462.32	462.22	462.02	461.99	461.81	462.12	462.34	462.27	10
		11	462.67	462.32	462.86	462.41	462.32	462.23	462.05	462.08	462.08	462.11	462.34	462.36	11
		12	462.67	462.33	462.85	462.40	462.32	462.23	462.05	462.07	462.07	462.11	462.31	462.35	12
		13	462.66	462.36	462.83	462.40	462.32	462.21	462.05	462.11	462.05	462.11	462.16 -	462.29	13
		14	462.66	462.41	462.82	462.40	462.33	462.22	462.12	462.06	461.99	462.11	462.34	462.34	14
		15	462.65	462.41	462.81	462.39	462.33	462.22	462.11	461.78 -	462.03	462.12	462.34	462.13 -	15
	+ Maximum	16	462.64	462.43	462.81	462.39	462.32	462.20	462.14	461.79	462.04	462.11	462.35	462.27	16
		17	462.64	462.39	462.79	462.38	462.31	462.15 -	462.12	461.92	462.03	462.12	462.32	462.21	17
		18	462.64	462.39	462.79	462.37	462.30	462.18	462.13	461.91	461.97	462.11	462.32	462.33	18
		19	462.63	462.39	462.78	462.36	462.29	462.21	462.06	461.83	461.99	462.07	462.31	462.34	19
		20	462.62	462.39	462.78	462.37	462.26	462.22	462.11	461.91	462.01	462.10	462.32	462.35	20
	- Minimum	21	462.61	462.38	462.78	462.37	462.26	462.21	461.87	462.11	461.94	462.05	462.33	462.33	21
		22	462.60	462.38	462.77	462.36	462.25	462.19	462.03	462.08	461.78 -	461.89	462.32	462.31	22
		23	462.59	462.40	462.76	462.35	462.23	462.20	461.87	461.82	461.99	462.13	462.26	462.29	23
		24	462.58	462.37	462.75	462.34	462.24	462.19	462.12	461.89	461.99	462.18	462.32	462.36	24
		25	462.59	462.37	462.69	462.34	462.24	462.22	462.06	462.03	461.98	462.11	462.30	462.38	25
		26	462.59	462.42	462.61	462.33 -	462.22	462.22	462.11	461.84	462.02	462.21	462.26	462.38	26
		27	462.56	462.49	462.57	462.34	462.20	462.22	461.86	461.99	462.06	462.25	462.31	462.40	27
		28	462.32 -	462.69	462.55	462.34	462.19 -	462.23	461.78	461.86	462.01	462.24	462.32	462.41	28
		29	462.36	462.77 +	462.54	462.34	462.21	462.24	461.75 -	462.05	461.81	462.23	462.31	462.39	29
		30	462.37		462.52	462.34	462.22	462.18	461.90	462.07	462.06	462.15	462.28	462.43	30
		31	462.34		462.51 -		462.22		461.95	462.12		462.27 +		462.43 +	31
Monatsmittel		462.61	462.39	462.77 +	462.40	462.29	462.21	462.02	461.97 -	462.00	462.11	462.32	462.33	müM	
Maximum (Spitze)		462.72	462.81	462.92 +	462.50	462.36	462.25	462.17	462.16	462.10 -	462.31	462.38	462.43	müM	
Datum		1.	29.	6.	1.	5.	5.	3.	4.	5.	31.	2.	31.		
Monatsamplitude		0.41	0.51 +	0.42	0.17	0.18	0.11 -	0.44	0.39	0.35	0.47	0.25	0.32	m	
Jahr		Mittel 462.28		Max (Spitze) 462.92 (6.3.)		Min (Spitze) 461.73 (29.7.)		Jahresamplitude (Spitze) 1.19							



Periode	1973 - 2020 (ohne: 1997)												(47 Jahre)
Monatsmittel	462.47	462.51	462.52 +	462.50	462.46	462.44	462.37	462.28	462.23 -	462.24	462.31	462.39	müM
Maximum (Spitze)	463.15	463.39	463.24	463.20	463.14	463.49	463.52 +	463.11	463.00 -	463.15	463.00	463.20	müM
Jahr	1982	1980	1978	1977	1985	2016	2016 +	2007	1987 -	1984	1984	1981	
Minimum (Spitze)	461.90 +	461.88	461.83	461.84	461.86	461.76	461.66	461.62	461.61 -	461.69	461.78	461.68	müM
Jahr	2004	1998	1998	1998	1998	1998	1998	1998	1998 -	1998	2003	2003	
Monatsamplitude (Max)	0.70	0.96 +	0.66	0.66	0.61	0.74	0.85	0.64	0.65	0.56 -	0.60	0.78	m
Jahr	2018	1999	2001	1986	1984	2016	1984	2007	1987	1984	1974	1981	
Periode	Mittel 462.39		Max (Spitze) 463.52 (11.7.2016)		Min (Spitze) 461.61 (2.9.1998)		Periodenamplitude (Spitze) 1.91						



Grundwasserstand

PW Tannwald - Obergerlafingen


SO 611/222/003

Koordinaten 2 611 260 / 1 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2019		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	462.02	462.14	462.16 -	462.21	462.18 -	462.28	462.18	462.16	462.18	462.10 -	462.23 -	462.60	1	
	2	462.02	462.15	462.17	462.21	462.18	462.27	462.18	462.16	462.19 +	462.11	462.25	462.60	2	
	3	462.02	462.15	462.17	462.23	462.19	462.26	462.17	462.16	462.18	462.11	462.27	462.60	3	
	4	462.01 -	462.14	462.17	462.25	462.19	462.26	462.15	462.16	462.18	462.12	462.28	462.60	4	
	5	462.01 -	462.14	462.17	462.26	462.19	462.26	462.15	462.15	462.18	462.13	462.28	462.61	5	
	Tagesmittel	6	462.01 -	462.13 -	462.17	462.26 +	462.19	462.27	462.16	462.15 -	462.15	462.13	462.29	462.61	6
		7	462.01 -	462.13 -	462.17	462.26 +	462.21	462.27	462.17	462.17	462.14	462.13	462.29	462.62	7
		8	462.02	462.13 -	462.17	462.24	462.23	462.26	462.18	462.17	462.15	462.11	462.26	462.63	8
		9	462.02	462.14	462.17	462.23	462.23	462.26	462.19	462.17	462.15	462.13	462.28	462.62	9
		10	462.02	462.15	462.17	462.23	462.24	462.28	462.19 +	462.19	462.12	462.14	462.28	462.62	10
		11	462.02	462.16	462.17	462.22	462.24	462.30 +	462.19 +	462.21	462.10	462.12	462.29	462.63	11
		12	462.05	462.16	462.17	462.22	462.23	462.30 +	462.18	462.21	462.09	462.15	462.29	462.65	12
		13	462.09	462.16	462.19	462.21	462.22	462.27	462.18	462.20	462.08	462.15	462.28	462.69	13
		14	462.10	462.17	462.23	462.20	462.23	462.26	462.17	462.20	462.09	462.14	462.27	462.71	14
		15	462.08	462.17 +	462.27	462.20	462.24	462.26	462.18	462.19	462.09	462.13	462.27	462.70	15
	müM	16	462.07	462.17 +	462.27 +	462.20	462.25	462.28	462.18	462.19	462.10	462.12	462.27	462.70	16
		17	462.07	462.17 +	462.27 +	462.20	462.25	462.28	462.16	462.19	462.09	462.13	462.27	462.69	17
		18	462.07	462.17 +	462.26	462.19	462.26	462.27	462.17	462.18	462.06	462.15	462.28	462.67	18
		19	462.07	462.17 +	462.25	462.19	462.30	462.26	462.14	462.21	462.04 -	462.22	462.28	462.68	19
		20	462.07	462.16	462.24	462.18	462.34	462.26	462.14	462.23	462.09	462.22 +	462.28	462.69	20
	+ Maximum	21	462.05	462.16	462.23	462.19	462.34 +	462.26	462.14	462.23 +	462.05	462.21	462.26	462.73	21
		22	462.09	462.15	462.23	462.19	462.32	462.26	462.13	462.23 +	462.04	462.21	462.25	462.75	22
		23	462.10	462.16	462.23	462.19	462.30	462.25	462.13	462.22	462.05	462.22 +	462.25	462.75	23
		24	462.09	462.16	462.23	462.19	462.30	462.25	462.09 -	462.22	462.08	462.22 +	462.25	462.76	24
		25	462.10	462.16	462.23	462.18	462.30	462.20	462.12	462.21	462.09	462.18	462.24	462.76	25
	- Minimum	26	462.11	462.16	462.23	462.18	462.30	462.17	462.11	462.21	462.10	462.21	462.29	462.77	26
		27	462.10	462.16	462.23	462.18	462.30	462.16 -	462.11	462.20	462.11	462.21	462.40	462.80 +	27
		28	462.11	462.16	462.22	462.18	462.30	462.17	462.15	462.19	462.11	462.21	462.50	462.79	28
		29	462.12 +		462.21	462.16 -	462.30	462.18	462.16	462.18	462.12	462.21	462.56	462.76	29
		30	462.09		462.20	462.17	462.29	462.18	462.16	462.17	462.12	462.20	462.59 +	462.73	30
		31	462.12		462.21		462.28		462.15	462.17		462.20		462.73	31
Monatsmittel		462.06 -	462.15	462.21	462.21	462.25	462.25	462.16	462.19	462.11	462.16	462.30	462.69 +	müM	
Maximum (Spitze) Datum		462.12 - 29.	462.17 div	462.27 16. / 17.	462.26 6. / 7.	462.34 21.	462.30 11. / 12.	462.19 10. / 11.	462.23 21. / 22.	462.19 2.	462.22 div	462.59 30.	462.80 + 27.	müM	
Monatsamplitude		0.11	0.04 -	0.11	0.10	0.17	0.14	0.10	0.08	0.15	0.12	0.37 +	0.21	m	
Jahr		Mittel 462.23				Max (Spitze) 462.80 (27.12.)							Min (Spitze) 462.01 (div)	Jahresamplitude (Spitze) 0.79	



Periode	1973 - 2019 (ohne: 1997)												(46 Jahre)
Monatsmittel	462.47	462.51	462.52 +	462.50	462.47	462.44	462.38	462.29	462.23 -	462.25	462.31	462.40	müM
Maximum (Spitze) Jahr	463.15 1982	463.39 1980	463.24 1978	463.20 1977	463.14 1985	463.49 2016	463.52 + 2016	463.11 2007	463.00 - 1987	463.15 1984	463.00 1984	463.20 1981	müM
Minimum (Spitze) Jahr	461.90 + 2004	461.88 1998	461.83 1998	461.84 1998	461.86 1998	461.76 1998	461.66 1998	461.62 1998	461.61 - 1998	461.69 1998	461.78 2003	461.68 2003	müM
Monatsamplitude (Max) Jahr	0.69 2018	0.96 + 1999	0.66 2001	0.66 1986	0.61 1984	0.74 2016	0.85 1984	0.64 2007	0.65 1987	0.56 - 1984	0.60 1974	0.78 1981	m
Periode	Mittel 462.40				Max (Spitze) 463.52 (11.7.2016)			Min (Spitze) 461.61 (2.9.1998)			Periodenamplitude (Spitze) 1.91		



Grundwasserstand

PW Tannwald - Obergerlafingen


SO 611/222/003

Koordinaten 2 611 260 / 1 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2018		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	462.23 -	462.70 +	462.48	462.51 +	462.37 +	462.33	462.23	462.13 +	462.09	461.92	461.89	461.83 -	1	
	2	462.25	462.67	462.48	462.50	462.37 +	462.32	462.22	462.12	462.10	461.92	461.88	461.98	2	
	3	462.33	462.65	462.47	462.50	462.37 +	462.31	462.24	462.11	462.10 +	461.92	461.87	462.00	3	
	4	462.42	462.63	462.48	462.49	462.36	462.30	462.25	462.10	462.08	461.92	461.88	462.01	4	
	5	462.44	462.61	462.48	462.48	462.36	462.30	462.26	462.10	462.07	461.92	461.86	462.00	5	
	müM	6	462.42	462.60	462.48	462.48	462.35	462.29	462.28 +	462.08	462.05	461.92	461.85	461.98	6
		7	462.39	462.59	462.49	462.48	462.35	462.29	462.28 +	462.09	462.07	461.93	461.87	461.98	7
		8	462.38	462.58	462.49	462.47	462.34	462.29	462.28 +	462.09	462.06	461.92	461.86	461.97	8
		9	462.37	462.54	462.49	462.47	462.35	462.29	462.26	462.08 -	462.06	461.91	461.87	462.00	9
		10	462.36	462.53	462.48	462.47	462.35	462.28	462.25	462.08 -	462.04	461.92	461.86	461.99	10
		11	462.33	462.53	462.49	462.47	462.35	462.29	462.22	462.08	462.00	461.91	461.86	461.99	11
		12	462.30	462.52	462.49	462.47	462.34	462.32	462.22	462.09	462.02	461.91	461.84	461.95	12
		13	462.30	462.50	462.49	462.46	462.34	462.34 +	462.22	462.09	462.03	461.90	461.85	461.95	13
		14	462.30	462.50	462.50	462.45	462.34	462.34 +	462.22	462.10	462.04	461.93	461.93	461.97	14
		15	462.30	462.50	462.50	462.44	462.35	462.34 +	462.22	462.10	462.05	461.93 +	461.93	461.97	15
	+ Maximum	16	462.30	462.54	462.49	462.44	462.35	462.33	462.20	462.10	462.05	462.00	461.94 +	461.97	16
		17	462.32	462.58	462.50	462.43	462.35	462.32	462.21	462.09	462.05	461.98	461.93	461.96	17
		18	462.38	462.58	462.51 +	462.42	462.34	462.31	462.20	462.11	462.03	461.97	461.92	461.96	18
		19	462.44	462.57	462.51 +	462.41	462.32	462.29	462.19	462.11	462.03	461.97	461.91	461.96	19
		20	462.48	462.55	462.50	462.40	462.32	462.28	462.20	462.10	462.03	461.96	461.91	461.93	20
		21	462.53	462.54	462.48	462.40	462.32	462.27	462.21	462.08 -	462.03	461.95	461.91	461.95	21
	- Minimum	22	462.92 +	462.53	462.48	462.39	462.32	462.27	462.21	462.09	462.02	461.95	461.90	461.96	22
		23	462.89	462.52	462.48	462.39	462.31	462.27	462.21	462.10	462.03	461.92	461.89	461.99	23
		24	462.76	462.51	462.48	462.39	462.31	462.26	462.19	462.10	462.03	461.94	461.84	462.04 +	24
		25	462.70	462.50	462.47	462.38 -	462.30	462.31	462.17	462.10	462.03	461.95	461.83	462.04 +	25
		26	462.68	462.49	462.47	462.38 -	462.29	462.33	462.17	462.10	461.90	461.98	461.83	462.04 +	26
	Monatsmittel	462.47	462.55 +	462.49	462.44	462.33	462.29	462.21	462.10	462.02	461.95	461.87 -	461.98	müM	
	Maximum (Spitze) Datum	462.92 + 22.	462.70 1.	462.51 div	462.51 1.	462.37 div	462.34 div	462.28 div	462.13 1.	462.10 3.	462.01 15.	461.94 - 16.	462.04 div	müM	
	Monatsamplitude	0.69 +	0.22	0.05	0.13	0.09	0.11	0.15	0.05 -	0.21	0.12	0.14	0.21	m	
	Jahr	Mittel 462.22	Max (Spitze) 462.92 (22.1.)					Min (Spitze) 461.80 (29.11./30.11.)			Jahresamplitude (Spitze) 1.12				



Periode	1973 - 2018 (ohne: 1997)												(45 Jahre)
Monatsmittel	462.48	462.52	462.53 +	462.51	462.47	462.45	462.38	462.29	462.23 -	462.25	462.31	462.39	müM
Maximum (Spitze) Jahr	463.15 1982	463.39 1980	463.24 1978	463.20 1977	463.14 1985	463.49 2016	463.52 + 2016	463.11 2007	463.00 - 1987	463.15 1984	463.00 1984	463.20 1981	müM
Minimum (Spitze) Jahr	461.90 + 2004	461.88 1998	461.83 1998	461.84 1998	461.86 1998	461.76 1998	461.66 1998	461.62 1998	461.61 - 1998	461.69 1998	461.78 2003	461.68 2003	müM
Monatsamplitude (Max) Jahr	0.69 2018	0.96 + 1999	0.66 2001	0.66 1986	0.61 1984	0.74 2016	0.85 1984	0.64 2007	0.65 1987	0.56 - 1984	0.60 1974	0.78 1981	m
Periode	Mittel 462.40	Max (Spitze) 463.52 (11.7.2016)					Min (Spitze) 461.61 (2.9.1998)			Periodenamplitude (Spitze) 1.91			



Grundwasserstand

PW Tannwald - Obergerlafingen


SO 611/222/003

Koordinaten 2 611 260 / 1 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	462.49	462.42	462.47	462.47 +	462.45	462.40	462.37 +	462.28 +	462.24	462.19	462.18	462.19	1	
	2	462.49 +	462.42	462.50	462.46	462.44	462.40	462.36	462.27	462.24	462.19	462.18	462.18	2	
	3	462.48	462.42	462.50	462.46	462.43	462.40	462.35	462.27	462.24	462.20	462.16	462.17	3	
	4	462.48	462.43	462.50	462.46	462.43	462.41	462.33	462.26	462.24 +	462.19	462.16	462.17	4	
	5	462.47	462.43	462.52	462.45	462.44	462.42	462.33	462.24	462.24	462.19	462.17	462.16	5	
	6	462.45	462.43	462.56	462.44	462.45	462.42 +	462.32	462.24	462.23	462.19	462.20	462.15	6	
	7	462.45	462.44	462.59 +	462.44	462.46	462.41	462.32	462.24	462.22	462.19	462.16	462.15 -	7	
	8	462.45	462.45	462.59	462.43	462.46	462.41	462.32	462.25	462.22	462.20	462.16	462.17	8	
	9	462.45	462.45 +	462.57	462.44	462.46	462.41	462.33	462.26	462.22	462.20	462.14	462.18	9	
	10	462.45	462.45	462.57	462.44	462.46	462.41	462.33	462.27	462.23	462.20 +	462.14 -	462.19	10	
müM	11	462.45	462.45	462.57	462.43	462.47 +	462.40	462.33	462.27	462.22	462.20	462.18	462.20	11	
	12	462.46	462.45	462.57	462.43	462.46	462.40	462.33	462.27	462.22	462.18	462.22	462.20	12	
	13	462.45	462.44	462.57	462.43	462.46	462.40	462.31	462.27	462.20	462.18	462.22 +	462.24	13	
	14	462.44	462.43	462.55	462.43	462.45	462.39	462.31	462.27	462.20	462.18	462.22	462.31	14	
	15	462.45	462.42	462.55	462.43	462.43	462.39	462.31	462.26	462.20	462.18	462.22	462.35	15	
	16	462.47	462.41	462.54	462.43	462.43	462.39	462.30	462.26	462.20	462.18	462.21	462.35	16	
	17	462.48	462.41	462.54	462.42	462.43	462.38	462.30	462.25	462.20	462.18	462.20	462.31	17	
	18	462.48	462.41	462.54	462.42	462.43	462.38	462.30	462.26	462.20	462.18	462.19	462.29	18	
	19	462.47	462.41	462.54	462.41	462.43	462.38	462.28	462.26	462.20	462.18	462.19	462.28	19	
	20	462.46	462.41	462.53	462.41	462.43	462.36	462.28 -	462.26	462.19	462.18	462.19	462.27	20	
+ Maximum	21	462.40	462.41	462.53	462.40 -	462.42	462.36	462.28	462.25	462.19	462.18	462.19	462.26	21	
	22	462.40	462.40	462.53	462.40 -	462.42	462.35 -	462.29	462.26	462.18	462.18	462.19	462.25	22	
	23	462.38	462.40	462.52	462.40	462.42	462.35 -	462.30	462.26	462.18 -	462.18	462.19	462.25	23	
	24	462.34	462.40	462.52	462.43	462.41	462.35	462.30	462.24	462.19	462.18	462.18	462.26	24	
	25	462.33	462.40	462.51	462.44	462.41	462.35	462.30	462.25	462.19	462.18	462.19	462.28	25	
	- Minimum	26	462.32	462.39 -	462.50	462.44	462.41	462.36	462.30	462.25	462.19	462.18	462.19	462.29	26
		27	462.32 -	462.41	462.49	462.44	462.41	462.38	462.30	462.25	462.19	462.17	462.19	462.29	27
		28	462.33	462.44	462.49	462.45	462.41	462.38	462.29	462.25	462.19	462.18	462.19	462.29	28
		29	462.33		462.47	462.45	462.41	462.38	462.29	462.24 -	462.19	462.18	462.19	462.29	29
		30	462.35		462.47	462.45	462.40	462.37	462.29	462.24 -	462.19	462.18	462.19	462.35	30
31		462.40		462.47 -		462.40 -		462.29	462.24		462.17 -		462.37 +	31	
Monatsmittel	462.42	462.42	462.53 +	462.43	462.43	462.39	462.31	462.26	462.21	462.18 -	462.19	462.25	müM		
Maximum (Spitze) Datum	462.49 2.	462.45 9.	462.59 + 7.	462.47 1.	462.47 11.	462.42 6.	462.37 1.	462.28 1.	462.24 4.	462.20 - 10.	462.22 13.	462.37 31.	müM		
Monatsamplitude	0.17	0.06	0.12	0.06	0.07	0.07	0.09	0.05	0.06	0.03 -	0.09	0.23 +	m		
Jahr	Mittel 462.33		Max (Spitze) 462.59 (7.3.)				Min (Spitze) 462.14 (10.11.)			Jahresamplitude (Spitze) 0.45					



Periode	1973 - 2017 (ohne: 1997)												(44 Jahre)
Monatsmittel	462.48	462.52	462.53 +	462.51	462.47	462.45	462.38	462.29	462.24 -	462.26	462.32	462.40	müM
Maximum (Spitze) Jahr	463.15 1982	463.39 1980	463.24 1978	463.20 1977	463.14 1985	463.49 2016	463.52 + 2016	463.11 2007	463.00 - 1987	463.15 1984	463.00 1984	463.20 1981	müM
Minimum (Spitze) Jahr	461.90 + 2004	461.88 1998	461.83 1998	461.84 1998	461.86 1998	461.76 1998	461.66 1998	461.62 1998	461.61 - 1998	461.69 1998	461.78 2003	461.68 2003	müM
Monatsamplitude (Max) Jahr	0.65 1995	0.96 + 1999	0.66 2001	0.66 1986	0.61 1984	0.74 2016	0.85 1984	0.64 2007	0.65 1987	0.56 - 1984	0.60 1974	0.78 1981	m
Periode	Mittel 462.40		Max (Spitze) 463.52 (11.7.2016)				Min (Spitze) 461.61 (2.9.1998)			Periodenamplitude (Spitze) 1.91			



Grundwasserstand

PW Tannwald - Obergerlafingen


SO 611/222/003

Koordinaten 2 611 260 / 1 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2016		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	462.06 -	462.52	462.58	462.50	462.54	462.80	463.11	462.97 +	462.68 +	462.59	462.54 -	462.65	1	
	2	462.08	462.50	462.59	462.49	462.54	462.79	463.11	462.96	462.68	462.59	462.54 -	462.65	2	
	3	462.11	462.49 -	462.60	462.49	462.54	462.78	463.07	462.94	462.67	462.58	462.54 -	462.65	3	
	4	462.14	462.50	462.65	462.48	462.53	462.77	463.02	462.94	462.68	462.57	462.57	462.64	4	
	5	462.15	462.51	462.68 +	462.48	462.52	462.77	463.05	462.95	462.68 +	462.57	462.62	462.63	5	
	6	462.16	462.52	462.68	462.48	462.52	462.76 -	463.09	462.93	462.67	462.57	462.64	462.62	6	
	7	462.19	462.52	462.66	462.48	462.51 -	462.76 -	463.09	462.92	462.66	462.57	462.63	462.61	7	
	8	462.30	462.52	462.65	462.47	462.51 -	462.78	463.09	462.91	462.65	462.56	462.63	462.60	8	
	9	462.40	462.54	462.64	462.47	462.51 -	462.79	463.10	462.90	462.64	462.55	462.64	462.60	9	
	10	462.50	462.54	462.63	462.46	462.51 -	462.78	463.10	462.89	462.63	462.55	462.71	462.59	10	
müM	11	462.57	462.55	462.62	462.46 -	462.53	462.76 -	463.31	462.87	462.62	462.56	462.76	462.68 +	11	
	12	462.59	462.58	462.61	462.48	462.64	462.79	463.52 +	462.86	462.61	462.56	462.72	462.67	12	
	13	462.61 +	462.65	462.59	462.51	462.72	462.87	463.42	462.85	462.61	462.57	462.69	462.58	13	
	14	462.58	462.69 +	462.58	462.51	462.71	462.89	463.28	462.84	462.60	462.57	462.68	462.57	14	
	15	462.53	462.60	462.57	462.51	462.68	462.92	463.23	462.83	462.59	462.57	462.75	462.56	15	
	16	462.49	462.63	462.56	462.55	462.65	463.03	463.20	462.82	462.60	462.56	462.75	462.55	16	
	17	462.48	462.61	462.56	462.60	462.64	463.05	463.18	462.83	462.62	462.55	462.68	462.54	17	
	18	462.48	462.60	462.56	462.61 +	462.64	463.00	463.16	462.84	462.63	462.54	462.74	462.54	18	
	19	462.47	462.59	462.55	462.60	462.63	462.98	463.14	462.82	462.63	462.54	462.78 +	462.54	19	
	20	462.46	462.58	462.55	462.58	462.61	462.95	463.12	462.80	462.62	462.54	462.77	462.54	20	
+ Maximum	21	462.44	462.57	462.54	462.57	462.62	462.92	463.11	462.78	462.62	462.54	462.76	462.53	21	
	22	462.43	462.57	462.54	462.56	462.70	462.90	463.11	462.77	462.60	462.54	462.74	462.53	22	
	23	462.42	462.57	462.54	462.56	462.80	462.88	463.09	462.76	462.59	462.53 -	462.73	462.52	23	
	24	462.42	462.58	462.53	462.55	462.80	462.93	463.07	462.75	462.60	462.54	462.72	462.52	24	
	25	462.41	462.60	462.52	462.55	462.76	462.99	463.05	462.72	462.60	462.58	462.72	462.51	25	
	- Minimum	26	462.41	462.62	462.52	462.55	462.73	462.96	463.04	462.71	462.59	462.60 +	462.71	462.51	26
		27	462.41	462.61	462.52	462.55	462.71	462.93	463.03	462.72	462.58 -	462.59	462.70	462.50	27
		28	462.40	462.60	462.52	462.54	462.81	462.90	463.02	462.72	462.58 -	462.56	462.69	462.49	28
		29	462.40	462.58	462.51 -	462.53	462.92 +	463.19	463.01	462.72	462.58 -	462.55	462.67	462.48	29
		30	462.46	462.51 -	462.53	462.53	462.89	463.30 +	463.00	462.70	462.59	462.54	462.66	462.48	30
31		462.52	462.51 -	462.51	462.84	462.84	462.99 -	462.99 -	462.69 -	462.54	462.54	462.54	462.48 -	31	
Monatsmittel	462.39 -	462.57	462.57	462.52	462.65	462.90	463.13 +	462.83	462.62	462.56	462.68	462.56	müM		
Maximum (Spitze)	462.61	462.69	462.68	462.61	462.92	463.49	463.52 +	462.98	462.68	462.60 -	462.83	462.76	müM		
Datum	12.	13. / 14.	4. / 5.	17. / 18.	29.	29.	11. / 12.	1.	div	25. / 26.	15.	11.			
Monatsamplitude	0.56	0.21	0.18	0.16	0.41	0.74 +	0.54	0.30	0.10	0.07 -	0.29	0.28	m		
Jahr	Mittel 462.66	Max (Spitze) 463.52 (11.7./12.7.)					Min (Spitze) 462.05 (1.1.)			Jahresamplitude (Spitze) 1.47					



Periode	1973 - 2016 (ohne: 1997)											(43 Jahre)	
Monatsmittel	462.48	462.52	462.53 +	462.51	462.47	462.45	462.39	462.30	462.24 -	462.26	462.32	462.40	müM
Maximum (Spitze)	463.15	463.39	463.24	463.20	463.14	463.49	463.52 +	463.11	463.00 -	463.15	463.00	463.20	müM
Jahr	1982	1980	1978	1977	1985	2016	2016 +	2007	1987	1984	1984	1981	
Minimum (Spitze)	461.90 +	461.88	461.83	461.84	461.86	461.76	461.66	461.62	461.61 -	461.69	461.78	461.68	müM
Jahr	2004	1998	1998	1998	1998	1998	1998	1998	1998	1998	2003	2003	
Monatsamplitude (Max)	0.65	0.96 +	0.66	0.66	0.61	0.74	0.85	0.64	0.65	0.56 -	0.60	0.78	m
Jahr	1995	1999	2001	1986	1984	2016	1984	2007	1987	1984	1974	1981	
Periode	Mittel 462.40	Max (Spitze) 463.52 (11.7.2016)					Min (Spitze) 461.61 (2.9.1998)			Periodenamplitude (Spitze) 1.91			



Grundwasserstand

PW Tannwald - Obergerlafingen

SO 611/222/003


Daten unvollständig { ... }

Koordinaten 611 260 / 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2015	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	462.30 -	462.60 +	462.45	462.41	462.76	462.57 +	462.43 +	462.24 +	462.13 -	462.14	462.11	462.04	1
2	462.30 -	462.58	462.48 +	462.40	462.81	462.56	462.40	462.23	462.13 -	462.14	462.11	462.04	2
3	462.33	462.58	462.48 +	462.41	462.90	462.55	462.40	462.23	462.14	462.14	462.11	462.04	3
4	462.42	462.57	462.48 +	462.43	462.90	462.54	462.39	462.23	462.14	462.15	462.09	462.02	4
5	462.42	462.56	462.45	462.44 +	462.88	462.53	462.39	462.22	462.15	462.15	462.09	462.03	5
Tagesmittel													
6	462.41	462.55	462.43	462.44 +	462.95 +	462.54	462.39	462.21	462.15	462.16	462.08	462.03	6
7	462.40	462.54	462.43	462.42	462.89	462.54	462.38	462.19	462.15	462.17 +	462.08	462.03	7
8	462.40	462.52	462.44	462.41	462.83	462.53	462.38	462.19	462.14	462.17 +	462.07	462.02	8
9	462.39	462.51	462.44	462.41	462.80	462.52	462.37	462.18	462.14	462.16	462.07	462.02	9
10	462.40	462.50	462.43	462.40	462.77	462.51	462.37	462.18	462.14	462.16	462.06	462.01 -	10
11	462.41	462.49	462.42	462.40	462.76	462.51	462.35	462.16	462.14	462.16	462.06	462.01 -	11
12	462.41	462.49	462.42	462.39	462.74	462.50	462.35	462.15	462.13 -	462.16	462.04	462.03	12
13	462.41	462.48	462.42	462.38	462.73	462.52	462.35	462.16	462.14	462.16	462.04	462.04	13
14	462.41	462.48	462.42	462.38	462.72	462.52	462.33	462.17	462.15	462.16	462.04	462.04	14
15	462.43	462.48	462.42	462.38	462.71	462.54	462.32	462.17	462.16	462.15	462.04	462.03	15
müM													
16	462.44	462.47	462.42	462.38	462.71	462.54	462.29	462.19	462.14	462.15	462.03	462.02	16
17	462.49	462.47	462.41	462.39	462.68	462.52	462.29	462.19	462.15	462.15	462.03	462.02	17
18	462.51	462.44	462.40	462.39	462.67	462.51	462.29	462.18	462.15	462.15	462.03	462.02	18
19	462.51	462.43 -	462.40	462.39	462.67	462.50	462.29	462.17	462.14	462.16	462.02 -	462.03	19
20	462.50	462.44	462.39	462.38	462.65	462.50	462.29	462.17	462.15	462.15	462.02	462.03	20
21	462.50	462.45	462.39	462.37 -	462.65	462.49	462.26	462.16	462.16 +	462.13	462.13 +	462.04	21
22	462.50	462.45	462.39	462.37 -	462.64	462.49	462.26	462.16	462.16 +	462.14	462.12	462.04	22
23	462.49	462.46	462.39	462.37 -	462.64	462.49	462.26	462.17	462.16 +	462.14	462.11	462.04	23
+ Maximum													
24	462.49	462.46	462.39	462.38	462.63	462.48	462.26	462.19	462.16 +	462.14	462.10	462.04	24
25	462.48	462.45	462.39	462.39	462.62	462.47	462.26	462.19	462.16 +	462.14	462.11	462.04	25
- Minimum													
26	462.47	462.44	462.39	462.40	462.62	462.46	462.26	462.18	462.16 +	462.13	462.10	462.04	26
27	462.47	462.44	462.38	462.41	462.60	462.46	462.26	462.18	462.16 +	462.12 -	462.09	462.04	27
28	462.47	462.44	462.37 -	462.41	462.59	462.45	462.25	462.17	462.15	462.13	462.09	462.04	28
29	462.55		462.37 -	462.40	462.59	462.45	462.25	462.17	462.14	462.12 -	462.08	462.04	29
30	462.62 +		462.43	462.39	462.58	462.44 -	462.25	462.15	462.14	462.12 -	462.07	462.05 +	30
31	462.62 +		462.43		462.57 -		462.24 -	462.14 -		462.13		462.05 +	31
Monatsmittel	462.45	462.49	462.42	462.40	462.72 +	462.51	462.32	462.18	462.15	462.15	462.08	462.03 -	müM
Maximum (Spitze)	462.62	462.60	462.48	462.44	462.95 +	462.57	462.43	462.24	462.16	462.17	462.13	462.05 -	müM
Datum	30. / 31.	1.	div	5. / 6.	6.	1.	1.	1.	15.	7. / 8.	21.	30. / 31.	
Monatsamplitude	0.32	0.17	0.11	0.07	0.38 +	0.13	0.19	0.10	0.03 -	0.05	0.11	0.04	m
Jahr	Mittel 462.32		Max (Spitze) 462.95 (6.5.)				Min (Spitze) 462.01 (10.12./11.12.)			Jahresamplitude (Spitze) 0.94			



Periode	1973 - 2015											(43 Jahre)	
Monatsmittel	462.47	462.51	{462.52}+	{462.51}	{462.47}	{462.44}	{462.37}	{462.28}	{462.23} -	{462.25}	462.30	462.38	müM
Maximum (Spitze)	463.15	463.39 +	{463.24}	{463.20}	{463.14}	{463.25}	{463.22}	{463.11}	{463.00} -	{463.15}	463.00	463.20	müM
Jahr	1982	1980	1978	1977	1985	1987	1987	2007	1987	1984	1984	1981	
Minimum (Spitze)	461.90 +	461.88	{461.83}	{461.84}	{461.86}	{461.76}	{461.66}	{461.62}	{461.61} -	{461.69}	461.75	461.68	müM
Jahr	2004	1998	1998	1998	1998	1998	1998	1998	1998	1998	1997	2003	
Monatsamplitude (Max)	0.65	0.96 +	{0.66}	{0.66}	{0.61}	{0.72}	{0.85}	{0.64}	{0.65}	{0.56} -	0.60	0.78	m
Jahr	1995	1999	2001	1986	1984	2000	1984	2007	1987	1984	1974	1981	
Periode	Mittel {462.39}		Max (Spitze) {463.39} (5.2.1980)				Min (Spitze) {461.61} (2.9.1998)			Periodenamplitude (Spitze) {1.78}			



Grundwasserstand

PW Tannwald - Obergerlafingen

SO 611/222/003


Daten unvollständig { ... }

Koordinaten 611 260 / 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	462.76	462.70	462.76 +	462.60 +	462.58	462.52	462.33	462.54 +	462.45 +	462.26	462.24 -	462.43 +	1	
	2	462.76	462.70	462.76 +	462.60 +	462.58	462.52	462.33	462.52	462.45 +	462.25	462.24 -	462.42	2	
	3	462.75	462.69	462.75	462.60 +	462.59	462.51	462.32 -	462.51	462.44	462.25	462.25	462.41	3	
	4	462.79	462.69	462.75	462.60 +	462.60 +	462.57	462.33	462.51	462.43	462.25	462.25	462.40	4	
	5	462.80	462.68	462.74	462.59	462.59	462.59 +	462.34	462.51	462.43	462.26	462.30	462.39	5	
	6	462.80	462.67 -	462.71	462.58	462.57	462.56	462.35	462.51	462.43	462.27	462.33	462.38	6	
	7	462.78	462.68	462.71	462.58	462.57	462.51	462.38	462.51	462.42	462.27	462.34	462.38	7	
	8	462.76	462.69	462.70	462.57	462.57	462.50	462.52	462.51	462.41	462.30	462.32	462.37	8	
	9	462.75	462.70	462.69	462.57	462.55	462.49	462.52	462.50	462.41	462.30	462.32	462.42	9	
	10	462.74	462.71	462.68	462.56	462.56	462.48	462.50	462.53	462.41	462.29	462.31	462.41	10	
müM	11	462.73	462.69	462.68	462.56	462.56	462.46	462.51	462.53	462.42	462.30	462.31	462.39	11	
	12	462.72	462.69	462.67	462.56	462.56	462.36	462.51	462.53	462.41	462.31 +	462.31	462.37	12	
	13	462.72	462.74	462.66	462.55	462.55	462.36	462.50	462.53	462.39	462.31 +	462.32	462.36	13	
	14	462.72	462.77	462.65	462.54	462.56	462.37	462.49	462.52	462.38	462.30	462.32	462.36	14	
	15	462.72	462.78	462.64	462.54	462.56	462.37	462.48	462.52	462.38	462.30	462.35	462.35	15	
	16	462.74	462.88 +	462.64	462.53	462.57	462.36	462.46	462.52	462.38	462.30	462.45	462.34	16	
	17	462.81 +	462.87	462.64	462.53	462.56	462.35	462.44	462.52	462.37	462.29	462.47 +	462.34	17	
	18	462.80	462.83	462.63	462.53	462.56	462.35	462.44	462.52	462.36	462.29	462.47 +	462.36	18	
	19	462.79	462.81	462.63	462.53	462.56	462.35	462.44	462.52	462.36	462.28	462.46	462.36	19	
	20	462.77	462.80	462.62	462.53	462.56	462.34	462.49	462.51	462.35	462.28	462.45	462.35	20	
+ Maximum	21	462.75	462.79	462.62	462.54	462.55	462.34	462.50	462.50	462.33	462.27	462.43	462.34	21	
	22	462.74	462.79	462.63	462.54	462.54	462.33 -	462.54	462.50	462.33	462.28	462.43	462.33	22	
	23	462.73	462.77	462.65	462.53	462.56	462.34	462.55 +	462.50	462.32	462.28	462.43	462.33	23	
	24	462.73	462.77	462.65	462.52 -	462.56	462.36	462.54	462.48	462.31	462.28	462.43	462.32	24	
	25	462.72	462.76	462.65	462.53	462.55	462.36	462.52	462.48	462.31	462.27	462.42	462.32	25	
	- Minimum	26	462.72	462.76	462.65	462.53	462.54	462.35	462.51	462.49	462.30	462.27	462.43	462.32	26
		27	462.73	462.75	462.64	462.56	462.55	462.34	462.51	462.49	462.29	462.26	462.43	462.33	27
		28	462.73	462.76	462.63	462.58	462.55	462.34	462.50	462.48	462.28	462.25	462.43	462.34	28
		29	462.73		462.62	462.59	462.53 -	462.34	462.52	462.45 -	462.28	462.25	462.43	462.33	29
		30	462.72		462.61	462.58	462.53 -	462.34	462.53	462.45 -	462.26 -	462.25	462.43	462.31	30
31		462.71 -		462.60 -		462.53 -		462.54	462.45 -		462.24 -		462.31 -	31	
Monatsmittel	462.75 +	462.75	462.67	462.56	462.56	462.41	462.47	462.51	462.37	462.28 -	462.37	462.36	müM		
Maximum (Spitze) Datum	462.81 17.	462.88 + 16.	462.76 1. / 2.	462.60 div	462.60 3. / 4.	462.59 5.	462.55 23.	462.54 1.	462.45 1. / 2.	462.31 12. / 13.	462.47 17. / 18.	462.43 1.	müM		
Monatsamplitude	0.10	0.21	0.16	0.08	0.07 -	0.26 +	0.23	0.09	0.19	0.07 -	0.23	0.12	m		
Jahr	Mittel 462.50		Max (Spitze) 462.88 (16.2.)				Min (Spitze) 462.24 (div)			Jahresamplitude (Spitze) 0.64					



Periode	1973 - 2014 (42 Jahre)												
Monatsmittel	462.47	462.51	{462.52}+	{462.52}+	{462.46}	{462.44}	{462.37}	{462.28}	{462.23} -	{462.25}	462.30	462.39	müM
Maximum (Spitze) Jahr	463.15 1982	463.39 + 1980	{463.24} 1978	{463.20} 1977	{463.14} 1985	{463.25} 1987	{463.22} 1987	{463.11} 2007	{463.00} - 1987	{463.15} 1984	463.00 1984	463.20 1981	müM
Minimum (Spitze) Jahr	461.90 + 2004	461.88 1998	{461.83} 1998	{461.84} 1998	{461.86} 1998	{461.76} 1998	{461.66} 1998	{461.62} 1998	{461.61} - 1998	{461.69} 1998	461.75 1997	461.68 2003	müM
Monatsamplitude (Max) Jahr	0.65 1995	0.96 + 1999	{0.66} 2001	{0.66} 1986	{0.61} 1984	{0.72} 2000	{0.85} 1984	{0.64} 2007	{0.65} 1987	{0.56} - 1984	0.60 1974	0.78 1981	m
Periode	Mittel {462.40}		Max (Spitze) {463.39} (5.2.1980)				Min (Spitze) {461.61} (2.9.1998)			Periodenamplitude (Spitze) {1.78}			



Grundwasserstand

PW Tannwald - Obergerlafingen

SO 611/222/003


Daten unvollständig { ... }

Koordinaten 611 260 / 222 405


OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2013		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	462.95 +	462.79	462.60	462.71	462.78 +	462.98 +	462.61	462.56 +	462.47	462.48	462.60 -	462.72	1	
	2	462.93	462.86 +	462.60	462.69	462.77	462.94	462.61	462.53	462.46	462.47	462.61	462.71	2	
	3	462.91	462.84	462.59	462.68	462.77	462.84	462.62 +	462.53	462.63 +	462.46	462.65	462.71	3	
	4	462.88	462.80	462.58	462.67	462.76	462.80	462.62 +	462.52	462.45	462.46	462.77	462.70	4	
	5	462.87	462.84	462.58	462.67	462.76	462.78	462.61	462.52	462.44 -	462.46	462.78	462.69	5	
	müM	6	462.86	462.85	462.58	462.66	462.75	462.76	462.60	462.51	462.44 -	462.46	462.83	462.69	6
		7	462.84	462.83	462.58	462.64 -	462.74	462.75	462.59	462.51	462.44 -	462.46	462.83	462.68	7
		8	462.83	462.81	462.57	462.64 -	462.74	462.73	462.59	462.53	462.47	462.45 -	462.80	462.67	8
		9	462.82	462.79	462.57	462.64 -	462.73	462.73	462.58	462.54	462.47	462.45 -	462.83	462.66	9
		10	462.82	462.79	462.56	462.64 -	462.74	462.73	462.58	462.52	462.48	462.46	462.84 +	462.65	10
		11	462.82	462.79	462.56	462.67	462.74	462.73	462.58	462.52	462.47	462.47	462.84 +	462.64	11
		12	462.82	462.78	462.56 -	462.85	462.72	462.72	462.57	462.52	462.47	462.48	462.83	462.63	12
		13	462.81	462.76	462.56	462.79	462.71	462.71	462.57	462.51	462.46	462.50	462.81	462.63	13
		14	462.80	462.74	462.72	462.76	462.70	462.70	462.56	462.50	462.46	462.50	462.80	462.63	14
		15	462.79	462.74	462.84 +	462.75	462.70	462.70	462.56	462.50	462.45	462.50	462.80	462.62	15
	+ Maximum	16	462.79	462.72	462.70	462.74	462.71	462.69	462.55	462.50	462.46	462.54	462.78	462.61	16
		17	462.77	462.72	462.67	462.72	462.70	462.68	462.54	462.49	462.46	462.54	462.78	462.60	17
		18	462.76	462.71	462.65	462.72	462.69	462.67	462.54	462.49	462.46	462.53	462.78	462.56 -	18
		19	462.76	462.70	462.64	462.89	462.69	462.66	462.55	462.48	462.50	462.53	462.78	462.58	19
		20	462.76	462.70	462.63	462.97 +	462.67	462.65	462.55	462.48	462.50	462.53	462.78	462.64	20
		21	462.75	462.69	462.62	462.94	462.67	462.66	462.54	462.47 -	462.47	462.52	462.78	462.65	21
	- Minimum	22	462.73	462.69	462.62	462.89	462.66	462.66	462.54	462.47 -	462.47	462.52	462.79	462.65	22
		23	462.71	462.69	462.61	462.86	462.65	462.65	462.53	462.47 -	462.48	462.52	462.80	462.64	23
		24	462.71	462.68	462.60	462.84	462.64	462.65	462.53	462.48	462.47	462.52	462.80	462.64	24
		25	462.69	462.67	462.59	462.82	462.64	462.64	462.52	462.49	462.45	462.52	462.79	462.67	25
		26	462.68	462.65	462.58	462.82	462.64	462.63	462.51	462.49	462.46	462.51	462.77	462.87 +	26
		27	462.67 -	462.63 -	462.57	462.82	462.63 -	462.62	462.50 -	462.51	462.46	462.62	462.74	462.86	27
		28	462.67 -	462.63 -	462.58	462.81	462.63 -	462.62	462.51	462.46	462.46	462.62	462.74	462.81	28
		29	462.67 -	462.60	462.60	462.80	462.68	462.62	462.62 +	462.49	462.47	462.63 +	462.73	462.78	29
		30	462.70	462.71	462.71	462.79	462.66	462.61 -	462.62 +	462.49	462.48	462.63 +	462.73	462.77	30
		31	462.71	462.71	462.71	462.76	462.76	462.76	462.57	462.47 -	462.47	462.61	462.76	462.76	31
Monatsmittel		462.78 +	462.75	462.62	462.76	462.70	462.71	462.57	462.50	462.47 -	462.52	462.78	462.68	müM	
Maximum (Spitze)		462.95	462.86	462.88	462.97	462.78	462.98 +	462.62	462.56 -	462.63	462.63	462.84	462.87	müM	
Datum		1.	2.	15.	20.	1.	1.	div	1.	3.	29. / 30.	10. / 11.	26.		
Monatsamplitude		0.28	0.23	0.33	0.33	0.15	0.37 +	0.12	0.09 -	0.19	0.18	0.24	0.31	m	
Jahr		Mittel 462.65	Max (Spitze) 462.98 (1.6.)				Min (Spitze) 462.44 (div)			Jahresamplitude (Spitze) 0.54					



Periode	1973 - 2013 (41 Jahre)												
Monatsmittel	462.46	462.51	{462.52}+	{462.52}+	{462.46}	{462.44}	{462.37}	{462.28}	{462.23} -	{462.25}	462.30	462.39	müM
Maximum (Spitze)	463.15	463.39 +	{463.24}	{463.20}	{463.14}	{463.25}	{463.22}	{463.11}	{463.00} -	{463.15}	463.00	463.20	müM
Jahr	1982	1980	1978	1977	1985	1987	1987	2007	1987	1984	1984	1981	
Minimum (Spitze)	461.90 +	461.88	{461.83}	{461.84}	{461.86}	{461.76}	{461.66}	{461.62}	{461.61} -	{461.69}	461.75	461.68	müM
Jahr	2004	1998	1998	1998	1998	1998	1998	1998	1998	1998	1997	2003	
Monatsamplitude (Max)	0.65	0.96 +	{0.66}	{0.66}	{0.61}	{0.72}	{0.85}	{0.64}	{0.65}	{0.56} -	0.60	0.78	m
Jahr	1995	1999	2001	1986	1984	2000	1984	2007	1987	1984	1974	1981	
Periode	Mittel {462.39}	Max (Spitze) {463.39} (5.2.1980)				Min (Spitze) {461.61} (2.9.1998)			Periodenamplitude (Spitze) {1.78}				



Grundwasserstand

PW Tannwald - Obergerlafingen

SO 611/222/003


Daten unvollständig { ... }

Koordinaten 611 260 / 222 405

OK Terrain 464.2 müM

Abstichpunkt 468.88 müM

2012		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	462.52 -	462.53 +	462.37 +	462.30 -	462.35	462.27	462.30	462.22 +	462.07 +	462.04 -	462.21	462.53 -	1
	2	462.52 -	462.51	462.37 +	462.31	462.36	462.28	462.31	462.21	462.07	462.04 -	462.20 -	462.53 -	2
	3	462.52 -	462.50	462.37 +	462.31	462.36 +	462.28	462.31	462.21	462.07	462.04 -	462.21	462.56	3
	4	462.60	462.49	462.37	462.31	462.36	462.28	462.32	462.21	462.07 +	462.05	462.24	462.60	4
	5	462.68 +	462.48	462.36	462.31	462.35	462.28	462.34	462.21	462.07 +	462.05	462.26	462.61	5
	6	462.64	462.46	462.36	462.31	462.35	462.28	462.37	462.21	462.07	462.05	462.26	462.61	6
	7	462.61	462.45	462.34	462.31	462.34	462.29	462.37 +	462.20	462.05	462.06	462.25	462.60	7
	8	462.60	462.44	462.33	462.30 -	462.34	462.31	462.35	462.19	462.04	462.07	462.24	462.59	8
	9	462.58	462.43	462.33	462.31	462.34	462.29	462.33	462.17	462.04	462.10	462.27	462.58	9
	10	462.57	462.42	462.33	462.32	462.33	462.32	462.32	462.16	462.03	462.13	462.35	462.58	10
müM	11	462.56	462.42	462.33	462.34	462.33	462.35	462.31	462.17	462.02	462.13	462.42	462.57	11
	12	462.63	462.41	462.32	462.36	462.33	462.35	462.32	462.17	462.02	462.13	462.41	462.56	12
	13	462.66	462.40	462.32	462.36	462.33	462.36 +	462.32	462.17	462.02	462.14	462.39	462.57	13
	14	462.61	462.40	462.31	462.35	462.33	462.34	462.31	462.16	462.01	462.14	462.39	462.66	14
	15	462.59	462.39	462.31	462.37	462.32	462.33	462.30	462.16	462.00	462.14	462.40	462.80	15
	16	462.58	462.39	462.31	462.39	462.31	462.32	462.29	462.16	462.00	462.14	462.41	462.90	16
	17	462.56	462.41	462.32	462.40	462.31	462.31	462.28	462.15	462.00	462.14	462.41	462.98	17
	18	462.54	462.42	462.32	462.41 +	462.32	462.30	462.28	462.14	461.99	462.14	462.41	463.02	18
	19	462.55	462.39	462.32	462.41	462.32	462.30	462.28	462.14	461.98 -	462.14	462.40	462.99	19
	20	462.57	462.36 -	462.31	462.40	462.34	462.30	462.27	462.13	462.00	462.14	462.40	462.94	20
+ Maximum	21	462.58	462.37	462.31	462.40	462.35	462.29	462.27	462.13	461.99	462.14	462.39	462.97	21
	22	462.58	462.37	462.31	462.41	462.35	462.28	462.26	462.12	461.99	462.14	462.39	463.06	22
	23	462.57	462.36 -	462.31	462.41 +	462.33	462.27	462.25	462.12	462.00	462.13	462.38	463.07 +	23
	24	462.56	462.37	462.31	462.41	462.32	462.26	462.25	462.12	462.00	462.14	462.38	463.03	24
	25	462.56	462.38	462.30	462.39	462.32	462.26	462.25	462.12	462.00	462.15	462.39	463.05	25
- Minimum	26	462.56	462.38	462.30	462.37	462.31	462.25	462.24	462.09	462.01	462.16	462.43	463.07 +	26
	27	462.58	462.38	462.29 -	462.36	462.31	462.24 -	462.24	462.07	462.01	462.18	462.48	463.05	27
	28	462.59	462.38	462.30	462.36	462.30	462.25	462.24	462.07	462.01	462.18	462.54	463.03	28
	29	462.59	462.38	462.30	462.36	462.28	462.27	462.23	462.07	462.02	462.18	462.56 +	463.00	29
	30	462.58	462.30	462.30	462.36	462.27 -	462.28	462.23	462.07 -	462.04	462.19	462.54	462.98	30
	31	462.56	462.30	462.30	462.36	462.27	462.28	462.22 -	462.07 -	462.07 -	462.21 +	462.95	462.95	31
Monatsmittel	462.58	462.41	462.32	462.36	462.33	462.29	462.29	462.15	462.02 -	462.12	462.37	462.81 +	müM	
Maximum (Spitze) Datum	462.69 12.	462.53 1.	462.37 div	462.41 div	462.36 2. / 3.	462.36 12.	462.37 6. / 7.	462.22 1.	462.07 - div	462.21 31.	462.56 28. / 29.	463.09 + 22. / 25.	müM	
Monatsamplitude	0.17	0.17	0.08 -	0.11	0.10	0.13	0.15	0.16	0.09	0.17	0.36	0.57 +	m	
Jahr	Mittel 462.34		Max (Spitze) 463.09 (22.12./25.12.)				Min (Spitze) 461.98 (div)			Jahresamplitude (Spitze) 1.11				



Periode	1973 - 2012 (40 Jahre)												
Monatsmittel	462.46	462.50	{462.52}+	{462.51}	{462.46}	{462.43}	{462.36}	{462.27}	{462.22} -	{462.25}	462.29	462.39	müM
Maximum (Spitze) Jahr	463.15 1982	463.39 + 1980	{463.24} 1978	{463.20} 1977	{463.14} 1985	{463.25} 1987	{463.22} 1987	{463.11} 2007	{463.00} - 1987	{463.15} 1984	463.00 1984	463.20 1981	müM
Minimum (Spitze) Jahr	461.90 + 2004	461.88 1998	{461.83} 1998	{461.84} 1998	{461.86} 1998	{461.76} 1998	{461.66} 1998	{461.62} 1998	{461.61} - 1998	{461.69} 1998	461.75 1997	461.68 2003	müM
Monatsamplitude (Max) Jahr	0.65 1995	0.96 + 1999	{0.66} 2001	{0.66} 1986	{0.61} 1984	{0.72} 2000	{0.85} 1984	{0.64} 2007	{0.65} 1987	{0.56} - 1984	0.60 1974	0.78 1981	m
Periode	Mittel {462.39}		Max (Spitze) {463.39} (5.2.1980)				Min (Spitze) {461.61} (2.9.1998)			Periodenamplitude (Spitze) {1.78}			

