

Grundwasserstand

Limnigraph Oensingfeld - Oensingen


SO 621/236/002

Koordinaten 2 621 965 / 1 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2023		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	426.80 -	427.07 -	427.13 +	427.08 -	427.18 -	427.21 +	427.03 +	426.83 +	426.63 +	426.45 +	426.25	426.42 -	1	
	2	426.80	427.08	427.12	427.08	427.19	427.20	427.02	426.83	426.63	426.45	426.25	426.44	2	
	3	426.81	427.08	427.12	427.08	427.19	427.19	427.01	426.82	426.62	426.44	426.24	426.46	3	
	4	426.81	427.09	427.12	427.09	427.19	427.19	427.01	426.82	426.62	426.43	426.24	426.48	4	
	5	426.82	427.09	427.11	427.09	427.20	427.19	427.00	426.81	426.61	426.43	426.23	426.50	5	
	müM	6	426.82	427.10	427.11	427.09	427.20	427.18	426.99	426.81	426.61	426.42	426.23	426.52	6
		7	426.83	427.10	427.11	427.09	427.20	427.17	426.99	426.80	426.60	426.41	426.23	426.55	7
		8	426.84	427.11	427.11	427.10	427.20	427.17	426.98	426.80	426.59	426.40	426.22	426.57	8
		9	426.84	427.11	427.10	427.10	427.21	427.16	426.97	426.80	426.58	426.40	426.22	426.60	9
		10	426.85	427.11	427.09	427.11	427.21	427.15	426.97	426.79	426.58	426.39	426.21	426.63	10
		11	426.86	427.12	427.09	427.12	427.21	427.15	426.96	426.78	426.57	426.38	426.21	426.67	11
		12	426.86	427.12	427.08	427.12	427.21	427.14	426.95	426.78	426.56	426.38	426.21 -	426.70	12
		13	426.87	427.12	427.09	427.13	427.21	427.14	426.94	426.77	426.56	426.37	426.21 -	426.74	13
		14	426.88	427.13	427.08	427.13	427.22	427.13	426.94	426.76	426.55	426.36	426.21	426.78	14
		15	426.89	427.13	427.08	427.13	427.22	427.12	426.93	426.76	426.54	426.35	426.22	426.84	15
	+ Maximum	16	426.90	427.13	427.08	427.14	427.22	427.11	426.93	426.75	426.54	426.35	426.23	426.90	16
		17	426.91	427.13	427.08	427.14	427.22	427.10	426.92	426.74	426.53	426.34	426.24	426.97	17
		18	426.92	427.13	427.08	427.15	427.22	427.09	426.92	426.73	426.52	426.33	426.25	427.04	18
		19	426.93	427.13	427.07	427.15	427.23	427.09	426.91	426.72	426.52	426.33	426.26	427.13	19
		20	426.94	427.14	427.08	427.15	427.23	427.08	426.90	426.72	426.52	426.32	426.28	427.20	20
		21	426.95	427.14	427.08	427.16	427.23	427.08	426.89	426.71	426.52	426.31	426.29	427.28	21
	- Minimum	22	426.96	427.14	427.08	427.16	427.23 +	427.07	426.89	426.70	426.51	426.30	426.30	427.35	22
		23	426.97	427.14	427.07	427.16	427.23	427.07	426.88	426.69	426.50	426.30	426.32	427.41	23
		24	426.98	427.14 +	427.07	427.17	427.23	427.06	426.87	426.68	426.50	426.29	426.33	427.47	24
		25	427.00	427.13	427.07 -	427.17	427.23	427.06	426.87	426.68	426.49	426.29	426.34	427.52	25
		26	427.01	427.13	427.07	427.17	427.22	427.06	426.86	426.67	426.49	426.28	426.36	427.57	26
		27	427.02	427.13	427.07	427.17	427.22	427.05	426.86	426.66	426.48	426.27	426.37	427.62	27
		28	427.03	427.13	427.07	427.18	427.22	427.04	426.85	426.66	426.47	426.27	426.38	427.66	28
		29	427.04	427.13	427.07	427.18	427.22	427.04	426.84	426.65	426.47	426.26	426.40	427.70	29
		30	427.05	427.13	427.07	427.18 +	427.22	427.03 -	426.84	426.65	426.46 -	426.26	426.41 +	427.74	30
		31	427.06 +	427.13	427.08	427.17	427.21	427.03 -	426.84 -	426.64 -	426.46 -	426.25 -	426.41 -	427.78 +	31
Monatsmittel		426.91	427.12	427.09	427.13	427.21 +	427.12	426.93	426.74	426.55	426.35	426.27 -	427.01	müM	
Maximum (Spitze)		427.07	427.14	427.13	427.18	427.24	427.21	427.03	426.84	426.64	426.46	426.42 -	427.80 +	müM	
Datum		31.	24.	1.	30.	22.	1.	1.	1.	1.	1.	30.	31.		
Monatsamplitude		0.27	0.08	0.07	0.11	0.06 -	0.18	0.19	0.20	0.18	0.21	0.21	1.38 +	m	
Jahr	Mittel	426.87			Max (Spitze) 427.80 (31.12.)			Min (Spitze) 426.20 (14.11.) (div)			Jahresamplitude (Spitze) 1.59				



Periode	1995 - 2023 (29 Jahre)												
Monatsmittel	427.89	428.20	428.51	428.69	428.70 +	428.61	428.46	428.28	428.06	427.85	427.69	427.65 -	müM
Maximum (Spitze)	430.53	430.82	431.37	431.66 +	431.58	431.24	431.00	430.55	430.44	430.40	430.12	430.01 -	müM
Jahr	2003	1995	1995	1995	1995	1995	1995	1995	2007	2007	2007	2002	
Minimum (Spitze)	425.47	425.99	426.11	426.75 +	426.48	426.27	426.08	425.88	425.70	425.52	425.33	425.26 -	müM
Jahr	2012	2006	2006	2011	2011	2011	2011	2011	2011	2011	2011	2011	
Monatsamplitude (Max)	1.48 +	1.37	1.28	1.43	0.81	1.03	1.14	0.47	0.45 -	0.63	1.17	1.38	m
Jahr	2018	2021	2006	2006	2015	2016	2021	2003	2000	2006	2002	2023	
Periode	Mittel	428.22			Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40		



Grundwasserstand

Limnigraph Oensingfeld - Oensingen


SO 621/236/002

Koordinaten 2 621 965 / 1 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2022		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	428.29 -	428.64 -	428.77 -	428.88 +	428.73 +	428.53 +	428.24 +	427.93 +	427.58 +	427.31 +	427.08 +	426.90 +	1	
	2	428.30	428.64	428.79	428.87	428.73	428.52	428.23	427.92	427.57	427.30	427.08	426.89	2	
	3	428.32	428.65	428.80	428.86	428.73	428.51	428.23	427.91	427.56	427.29	427.07	426.89	3	
	4	428.33	428.65	428.81	428.86	428.72	428.50	428.22	427.90	427.55	427.29	427.06	426.88	4	
	5	428.33	428.64	428.82	428.85	428.71	428.49	428.21	427.89	427.54	427.28	427.05	426.88	5	
	müM	6	428.34	428.65	428.83	428.85	428.71	428.48	428.20	427.87	427.53	427.27	427.05	426.87	6
		7	428.35	428.65	428.84	428.85	428.70	428.48	428.19	427.86	427.52	427.27	427.04	426.87	7
		8	428.36	428.65	428.85	428.84	428.70	428.47	428.18	427.85	427.51	427.26	427.04	426.87	8
		9	428.37	428.65	428.85	428.83	428.69	428.46	428.18	427.84	427.50	427.25	427.03	426.86	9
		10	428.38	428.66	428.86	428.82	428.69	428.45	428.17	427.83	427.49	427.25	427.02	426.85	10
		11	428.39	428.66	428.87	428.82	428.68	428.44	428.16	427.82	427.48	427.24	427.01	426.85	11
		12	428.40	428.66	428.88	428.82	428.68	428.43	428.15	427.80	427.47	427.23	427.01	426.84	12
		13	428.41	428.67	428.88	428.82	428.67	428.42	428.14	427.79	427.46	427.22	427.00	426.84	13
		14	428.43	428.68	428.88	428.81	428.66	428.41	428.13	427.78	427.45	427.22	427.00	426.84	14
		15	428.45	428.68	428.89	428.80	428.66	428.40	428.11	427.77	427.44	427.21	426.99	426.83	15
	+ Maximum	16	428.46	428.68	428.90	428.80	428.65	428.39	428.10	427.76	427.43	427.20	426.99	426.82	16
		17	428.48	428.69	428.89	428.80	428.64	428.38	428.09	427.74	427.42	427.19	426.98	426.81	17
		18	428.49	428.69	428.89	428.80	428.64	428.37	428.08	427.73	427.41	427.18	426.97	426.81	18
		19	428.51	428.69	428.90	428.80	428.63	428.36	428.07	427.72	427.40	427.18	426.96	426.80	19
		20	428.53	428.70	428.90 +	428.79	428.62	428.35	428.06	427.71	427.39	427.17	426.96	426.80	20
		21	428.54	428.71	428.90 +	428.79	428.62	428.34	428.04	427.70	427.39	427.16	426.95	426.79	21
	- Minimum	22	428.55	428.71	428.90	428.78	428.61	428.33	428.03	427.69	427.38	427.15	426.94	426.79	22
		23	428.57	428.71	428.90	428.78	428.61	428.31	428.02	427.68	427.38	427.15	426.94	426.78	23
		24	428.58	428.72	428.90	428.77	428.60	428.30	428.01	427.67	427.37	427.14	426.93	426.78	24
		25	428.59	428.73	428.89	428.76	428.59	428.29	428.01	427.66	427.36	427.13	426.93	426.78	25
		26	428.60	428.74	428.89	428.76	428.58	428.29	428.00	427.65	427.35	427.12	426.92	426.78	26
	27	428.61	428.75	428.89	428.75	428.57	428.28	427.99	427.64	427.34	427.12	426.92	426.79	27	
	28	428.61	428.76 +	428.89	428.74	428.56	428.27	427.98	427.62	427.33	427.11	426.91	426.79	28	
	29	428.62		428.89	428.74	428.56	428.26	427.96	427.61	427.32	427.10	426.91	426.79	29	
	30	428.63		428.89	428.74 -	428.55	428.25 -	427.95	427.60	427.31 -	427.09	426.90 -	426.79	30	
	31	428.64 +		428.89		428.54 -		427.94 -	427.59 -		427.09 -		426.80	31	
Monatsmittel		428.47	428.68	428.87 +	428.81	428.65	428.39	428.10	427.76	427.44	427.20	426.99	426.83 -	müM	
Maximum (Spitze)		428.65	428.77	428.90 +	428.89	428.74	428.54	428.24	427.94	427.59	427.31	427.09	426.90 -	müM	
Datum		31.	28.	20. / 21.	1.	1.	1.	1.	1.	1.	1.	1.	1.		
Monatsamplitude		0.36 +	0.13	0.14	0.16	0.20	0.29	0.31	0.35	0.28	0.23	0.19	0.13 -	m	
Jahr	Mittel	428.01			Max (Spitze) 428.90 (20.3./21.3.)			Min (Spitze) 426.78 (24.12.)			Jahresamplitude (Spitze) 2.13				



Periode	1995 - 2022 (28 Jahre)												
Monatsmittel	427.93	428.24	428.56	428.75	428.76 +	428.67	428.51	428.33	428.12	427.91	427.74	427.67 -	müM
Maximum (Spitze)	430.53	430.82	431.37	431.66 +	431.58	431.24	431.00	430.55	430.44	430.40	430.12	430.01 -	müM
Jahr	2003	1995	1995	1995	1995	1995	1995	1995	2007	2007	2007	2002	
Minimum (Spitze)	425.47	425.99	426.11	426.75 +	426.48	426.27	426.08	425.88	425.70	425.52	425.33	425.26 -	müM
Jahr	2012	2006	2006	2011	2011	2011	2011	2011	2011	2011	2011	2011	
Monatsamplitude (Max)	1.48 +	1.37	1.28	1.43	0.81	1.03	1.14	0.47	0.45 -	0.63	1.17	1.12	m
Jahr	2018	2021	2006	2006	2015	2016	2021	2003	2000	2006	2002	2012	
Periode	Mittel	428.27			Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40		



Grundwasserstand

Limnigraph Oensingerfeld - Oensingen


SO 621/236/002

Koordinaten 2 621 965 / 1 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2021		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	426.33	426.63 -	427.98 -	428.08 +	427.98 +	427.92	427.97 -	429.11 -	429.33 +	429.16 +	428.87 +	428.52 +	1	
	2	426.33	426.69	428.00	428.08	427.97	427.91	427.98	429.14	429.33	429.16	428.86	428.51	2	
	3	426.33	426.76	428.01	428.08	427.97	427.91	427.99	429.16	429.33	429.15	428.85	428.49	3	
	4	426.33	426.84	428.02	428.08	427.97	427.91 -	428.01	429.18	429.32	429.14	428.84	428.48	4	
	5	426.33	426.92	428.03	428.08 +	427.96	427.91 -	428.03	429.21	429.32	429.14	428.82	428.47	5	
	müM	6	426.32	427.00	428.03	428.08	427.96	427.92	428.04	429.22	429.31	429.12	428.81	428.46	6
		7	426.32	427.08	428.04	428.07	427.95	427.92	428.06	429.24	429.31	429.12	428.80	428.45	7
		8	426.32	427.17	428.05	428.07	427.95	427.92	428.07	429.25	429.31	429.11	428.79	428.45	8
		9	426.32	427.24	428.06	428.07	427.95	427.93	428.09	429.26	429.30	429.10	428.78	428.43	9
		10	426.31 -	427.31	428.06	428.07	427.94	427.93	428.11	429.27	429.29	429.09	428.77	428.43	10
		11	426.32	427.38	428.07	428.07	427.94	427.93	428.12	429.28	429.29	429.08	428.75	428.41	11
		12	426.32	427.45	428.07	428.06	427.93	427.93	428.14	429.29	429.28	429.08	428.74	428.40	12
		13	426.31 -	427.50	428.07	428.06	427.93	427.93	428.16	429.30	429.28	429.06	428.73	428.39	13
		14	426.31 -	427.56	428.06	428.06	427.92	427.94	428.17	429.31	429.27	429.05	428.72	428.39	14
		15	426.32	427.62	428.07	428.05	427.92	427.94	428.20	429.31	429.27	429.05	428.71	428.38	15
	+ Maximum	16	426.33	427.67	428.07	428.05	427.92	427.94	428.22	429.32	429.26	429.04	428.70	428.37	16
		17	426.33	427.71	428.07	428.05	427.91	427.94	428.26	429.32	429.26	429.03	428.68	428.36	17
		18	426.34	427.75	428.07	428.04	427.91	427.93	428.32	429.33	429.25	429.02	428.67	428.36	18
		19	426.36	427.78	428.08	428.04	427.90	427.93	428.39	429.33	429.25	429.02	428.65	428.35	19
		20	426.37	427.81	428.07	428.04	427.90	427.93	428.47	429.34	429.24	429.01	428.65	428.34	20
		21	426.38	427.84	428.08	428.04	427.90	427.93	428.55	429.34	429.23	429.00	428.64	428.34	21
	- Minimum	22	426.39	427.86	428.08	428.03	427.90	427.93	428.62	429.34	429.23	428.98	428.62	428.33	22
		23	426.41	427.88	428.08	428.02	427.90 -	427.93	428.70	429.34	429.22	428.96	428.61	428.32	23
		24	426.42	427.91	428.08	428.02	427.90	427.93	428.77	429.34	429.22	428.95	428.60	428.32	24
		25	426.44	427.93	428.08	428.02	427.90	427.93	428.83	429.35	429.21	428.94	428.59	428.32	25
		26	426.45	427.94	428.08 +	428.02	427.91	427.94	428.88	429.35 +	429.20	428.93	428.58	428.31	26
	Monatsmittel	426.38 -	427.47	428.06	428.05	427.93	427.93	428.39	429.29 +	429.26	429.03	428.70	428.38	müM	
	Maximum (Spitze) Datum	426.61 - 31.	427.98 28.	428.09 26.	428.09 5.	427.99 1.	427.97 30.	429.10 31.	429.35 + 25. / 26.	429.34 1.	429.17 1.	428.88 1.	428.53 1.	müM	
	Monatsamplitude	0.30	1.37 +	0.11	0.11	0.10	0.06 -	1.14	0.25	0.17	0.29	0.36	0.25	m	
	Jahr	Mittel 428.24	Max (Spitze) 429.35 (25.8./26.8.)					Min (Spitze) 426.31 (15.1.)			Jahresamplitude (Spitze) 3.05				



Periode	1995 - 2021 (27 Jahre)												
Monatsmittel	427.91	428.23	428.55	428.75	428.76 +	428.68	428.53	428.35	428.14	427.93	427.77	427.71 -	müM
Maximum (Spitze) Jahr	430.53 2003	430.82 1995	431.37 1995	431.66 + 1995	431.58 1995	431.24 1995	431.00 1995	430.55 1995	430.44 2007	430.40 2007	430.12 2007	430.01 - 2002	müM
Minimum (Spitze) Jahr	425.47 2012	425.99 2006	426.11 2006	426.75 + 2011	426.48 2011	426.27 2011	426.08 2011	425.88 2011	425.70 2011	425.52 2011	425.33 2011	425.26 - 2011	müM
Monatsamplitude (Max) Jahr	1.48 + 2018	1.37 2021	1.28 2006	1.43 2006	0.81 2015	1.03 2016	1.14 2021	0.47 2003	0.45 - 2000	0.63 2006	1.17 2002	1.12 2012	m
Periode	Mittel 428.27	Max (Spitze) 431.66 (19.4.1995)					Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40			



Grundwasserstand

Limnigraph Oensingerfeld - Oensingen


SO 621/236/002

Koordinaten 2 621 965 / 1 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2020		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	426.44 -	426.85 -	427.17 -	428.10 -	428.11 +	427.96 +	427.75 +	427.44 +	427.14 +	426.87 +	426.65 +	426.49 +	1	
	2	426.47	426.85	427.19	428.11	428.11	427.96	427.74	427.43	427.13	426.86	426.64	426.49	2	
	3	426.49	426.86	427.21	428.12	428.10	427.95	427.73	427.42	427.12	426.85	426.64	426.48	3	
	4	426.51	426.86	427.23	428.12	428.10	427.95	427.72	427.41	427.11	426.84	426.63	426.47	4	
	5	426.54	426.87	427.26	428.13	428.10	427.94	427.71	427.40	427.11	426.84	426.63	426.47	5	
	müM	6	426.56	426.88	427.28	428.14	428.10	427.93	427.70	427.39	427.10	426.83	426.62	426.46	6
		7	426.58	426.88	427.30	428.14	428.09	427.92	427.69	427.38	427.09	426.82	426.62	426.46	7
		8	426.61	426.89	427.34	428.15	428.10	427.91	427.68	427.37	427.08	426.81	426.61	426.45	8
		9	426.63	426.90	427.37	428.15	428.10	427.91	427.67	427.36	427.07	426.80	426.61	426.44	9
		10	426.64	426.91	427.42	428.15	428.10	427.90	427.66	427.35	427.06	426.80	426.61	426.44	10
		11	426.67	426.91	427.46	428.16	428.09	427.90	427.65	427.34	427.05	426.79	426.61	426.43	11
		12	426.68	426.92	427.50	428.16	428.08	427.89	427.64	427.33	427.04	426.78	426.60	426.42	12
		13	426.70	426.93	427.54	428.16 +	428.08	427.88	427.63	427.32	427.03	426.78	426.59	426.42	13
		14	426.72	426.93	427.58	428.16	428.07	427.87	427.62	427.31	427.02	426.77	426.59	426.41	14
		15	426.73	426.94	427.63	428.16	428.07	427.87	427.61	427.30	427.01	426.76	426.58	426.41	15
	+ Maximum	16	426.74	426.95	427.67	428.16	428.06	427.86	427.60	427.29	427.00	426.75	426.58	426.40	16
		17	426.75	426.96	427.71	428.16	428.06	427.86	427.59	427.27	426.99	426.75	426.57	426.40	17
		18	426.76	426.97	427.75	428.16	428.05	427.85	427.58	427.27	426.98	426.74	426.57	426.39	18
		19	426.77	426.99	427.79	428.16	428.05	427.84	427.57	427.26	426.97	426.73	426.56	426.39	19
		20	426.78	427.00	427.82	428.16	428.04	427.83	427.57	427.25	426.96	426.72	426.55	426.38	20
		21	426.79	427.01	427.86	428.15	428.03	427.82	427.56	427.24	426.95	426.72	426.55	426.38	21
	- Minimum	22	426.80	427.03	427.88	428.14	428.03	427.82	427.55	427.23	426.94	426.71	426.54	426.37	22
		23	426.81	427.05	427.91	428.14	428.02	427.81	427.54	427.22	426.94	426.70	426.54	426.37	23
		24	426.81	427.07	427.94	428.13	428.01	427.80	427.53	427.21	426.92	426.69	426.53	426.36	24
		25	426.82	427.08	427.97	428.13	428.00	427.80	427.52	427.20	426.91	426.69	426.53	426.36	25
		26	426.82	427.10	427.99	428.12	428.00	427.79	427.51	427.19	426.91	426.68	426.52	426.36	26
		27	426.83	427.12	428.01	428.12	427.99	427.78	427.50	427.18	426.90	426.67	426.52	426.36	27
		28	426.84	427.13	428.03	428.12	427.99	427.77	427.49	427.18	426.89	426.67	426.51	426.35	28
		29	426.84	427.15 +	428.05	428.11	427.98	427.76	427.48	427.17	426.88	426.66	426.50	426.34	29
		30	426.85	427.15 +	428.07	428.12	427.98	427.75 -	427.47	427.15	426.88 -	426.65 -	426.50 -	426.34 -	30
		31	426.85 +	427.15 +	428.08 +	428.12	427.97 -	427.75 -	427.45 -	427.15 -	426.88 -	426.65 -	426.50 -	426.34 -	31
Monatsmittel		426.70	426.97	427.65	428.14 +	428.05	427.86	427.60	427.29	427.01	426.75	426.58	426.41 -	müM	
Maximum (Spitze)		426.85	427.16	428.09	428.17 +	428.12	427.97	427.75	427.45	427.15	426.87	426.65	426.50	müM	
Datum		31.	29.	31.	13.	1.	1.	1.	1.	1.	1.	1.	1.		
Monatsamplitude		0.42	0.31	0.93 +	0.08 -	0.16	0.22	0.31	0.31	0.28	0.23	0.16	0.17	m	
Jahr		Mittel 427.25		Max (Spitze) 428.17 (13.4.)			Min (Spitze) 426.34 (30.12./31.12.)			Jahresamplitude (Spitze) 1.83					



Periode	1995 - 2020 (26 Jahre)												
Monatsmittel	427.97	428.26	428.56	428.77	428.79 +	428.70	428.53	428.32	428.10	427.89	427.73	427.68 -	müM
Maximum (Spitze)	430.53	430.82	431.37	431.66 +	431.58	431.24	431.00	430.55	430.44	430.40	430.12	430.01 -	müM
Jahr	2003	1995	1995	1995	1995	1995	1995	1995	2007	2007	2007	2002	
Minimum (Spitze)	425.47	425.99	426.11	426.75 +	426.48	426.27	426.08	425.88	425.70	425.52	425.33	425.26 -	müM
Jahr	2012	2006	2006	2011	2011	2011	2011	2011	2011	2011	2011	2011	
Monatsamplitude (Max)	1.48 +	1.19	1.28	1.43	0.81	1.03	0.46	0.47	0.45 -	0.63	1.17	1.12	m
Jahr	2018	1995	2006	2006	2015	2016	2003	2003	2000	2006	2002	2012	
Periode		Mittel 428.28		Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40			



Grundwasserstand

Limnigraph Oensingerfeld - Oensingen


SO 621/236/002

Koordinaten 2 621 965 / 1 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2019	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	426.80	426.83 -	426.99 -	427.23 -	427.26 +	427.23 +	427.13 +	426.90 +	426.73 +	426.54 +	426.39 +	426.29	1
2	426.80	426.83 -	426.99	427.24	427.26	427.23	427.12	426.90	426.73	426.54	426.39	426.29	2
3	426.80	426.83	427.00	427.25	427.25	427.23 +	427.12	426.89	426.72	426.53	426.38	426.29	3
4	426.80	426.84	427.01	427.26	427.26	427.23 +	427.11	426.89	426.72	426.53	426.38	426.29	4
5	426.80	426.84	427.02	427.26	427.26	427.22	427.11	426.88	426.71	426.52	426.38	426.28	5
Tagesmittel													
6	426.80	426.85	427.03	427.27	427.26	427.22	427.10	426.88	426.71	426.51	426.37	426.28	6
7	426.80	426.85	427.03	427.28	427.26	427.22	427.09	426.87	426.70	426.51	426.37	426.28	7
8	426.80	426.85	427.04	427.29	427.26	427.21	427.09	426.87	426.69	426.50	426.36	426.28	8
9	426.79	426.85	427.04	427.29	427.26	427.21	427.09	426.86	426.69	426.50	426.36	426.27	9
10	426.79	426.85	427.05	427.30	427.25	427.22	427.08	426.85	426.68	426.49	426.36	426.27	10
11	426.79	426.85	427.05	427.30	427.25	427.22	427.07	426.85	426.68	426.49	426.36	426.27	11
12	426.79	426.85	427.07	427.30	427.25	427.21	427.06	426.84	426.67	426.48	426.35	426.27	12
13	426.79	426.86	427.07	427.31	427.25	427.21	427.06	426.84	426.67	426.48	426.35	426.27	13
14	426.79 -	426.86	427.07	427.31	427.25	427.21	427.05	426.83	426.66	426.47	426.35	426.27	14
15	426.79	426.87	427.08	427.32 +	427.25	427.20	427.04	426.83	426.65	426.47	426.34	426.27	15
müM													
16	426.80	426.87	427.09	427.32 +	427.25	427.20	427.04	426.82	426.65	426.46	426.34	426.28	16
17	426.80	426.87	427.10	427.31	427.24	427.20	427.03	426.82	426.64	426.46	426.34	426.28	17
18	426.80	426.88	427.10	427.31	427.24	427.20	427.02	426.81	426.63	426.45	426.33	426.29	18
19	426.80	426.89	427.11	427.30	427.24	427.20	427.01	426.81	426.62	426.45	426.33	426.29	19
20	426.80	426.90	427.12	427.30	427.24	427.19	427.00	426.80	426.61	426.44	426.33	426.30	20
21	426.81	426.92	427.13	427.30	427.23	427.19	426.99	426.80	426.61	426.44	426.32	426.30	21
22	426.81	426.92	427.14	427.30	427.23	427.19	426.98	426.79	426.60	426.43	426.32	426.30	22
23	426.81	426.93	427.15	427.30	427.23	427.18	426.98	426.79	426.59	426.43	426.32	426.31	23
+ Maximum													
24	426.81	426.94	427.16	427.29	427.23	427.18	426.97	426.78	426.59	426.43	426.31	426.32	24
25	426.81	426.95	427.17	427.29	427.23	427.17	426.96	426.78	426.58	426.42	426.31	426.33	25
- Minimum													
26	426.81	426.96	427.17	427.28	427.23	427.17	426.95	426.77	426.57	426.42	426.31	426.34	26
27	426.82	426.97	427.18	427.27	427.23	427.16	426.94	426.77	426.57	426.41	426.30	426.35	27
28	426.82	426.98 +	427.19	427.27	427.23	427.15	426.93	426.76	426.56	426.41	426.30	426.37	28
29	426.82		427.20	427.27	427.22	427.14	426.93	426.75	426.56	426.41	426.30	426.38	29
30	426.82		427.21	427.27	427.22 -	427.14 -	426.92	426.75	426.55 -	426.40	426.29 -	426.40	30
31	426.83 +		427.22 +	427.27	427.23		426.91 -	426.74 -	426.55 -	426.40 -		426.42 +	31
Monatsmittel	426.80	426.88	427.10	427.29 +	427.24	427.20	427.03	426.82	426.64	426.46	426.34	426.30 -	müM
Maximum (Spitze)	426.83	426.98	427.23	427.32 +	427.27	427.23	427.14	426.91	426.74	426.55	426.40 -	426.43	müM
Datum	31.	28.	31.	15.	1.	3. / 4.	1.	1.	1.	1.	1.	31.	
Monatsamplitude	0.05	0.16	0.25 +	0.10	0.05 -	0.10	0.24	0.17	0.19	0.16	0.11	0.17	m
Jahr	Mittel 426.84	Max (Spitze) 427.32 (15.4.)			Min (Spitze) 426.26 (14.12.)			Jahresamplitude (Spitze) 1.06					



Periode	1995 - 2019 (25 Jahre)												
Monatsmittel	428.02	428.31	428.60	428.80	428.82 +	428.74	428.57	428.36	428.15	427.94	427.78	427.73 -	müM
Maximum (Spitze)	430.53	430.82	431.37	431.66 +	431.58	431.24	431.00	430.55	430.44	430.40	430.12	430.01 -	müM
Jahr	2003	1995	1995	1995	1995	1995	1995	1995	2007	2007	2007	2002	
Minimum (Spitze)	425.47	425.99	426.11	426.75 +	426.48	426.27	426.08	425.88	425.70	425.52	425.33	425.26 -	müM
Jahr	2012	2006	2006	2011	2011	2011	2011	2011	2011	2011	2011	2011	
Monatsamplitude (Max)	1.48 +	1.19	1.28	1.43	0.81	1.03	0.46	0.47	0.45 -	0.63	1.17	1.12	m
Jahr	2018	1995	2006	2006	2015	2016	2003	2003	2000	2006	2002	2012	
Periode	Mittel 428.32	Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40					



Grundwasserstand

Limnigraph Oensingerfeld - Oensingen


SO 621/236/002

Koordinaten 2 621 965 / 1 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2018		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	426.77 -	428.27 -	428.94 -	428.99	428.92 +	428.74 +	428.52 +	428.26 +	427.92 +	427.58 +	427.24 +	426.93 +	1
	2	426.78	428.33	428.95	429.00	428.92	428.74	428.51	428.25	427.91	427.57	427.23	426.92	2
	3	426.80	428.39	428.95	429.00 +	428.91	428.73	428.50	428.24	427.90	427.55	427.22	426.91	3
	4	426.81	428.43	428.95	429.00	428.91	428.73	428.49	428.23	427.89	427.54	427.21	426.90	4
	5	426.83	428.48	428.96	428.99	428.90	428.72	428.48	428.21	427.88	427.54	427.20	426.89	5
	6	426.85	428.52	428.97	428.99	428.90	428.71	428.47	428.20	427.87	427.53	427.19	426.88	6
	7	426.89	428.56	428.97	429.00	428.89	428.71	428.47	428.19	427.85	427.51	427.18	426.88	7
	8	426.93	428.59	428.96	429.00	428.89	428.70	428.46	428.18	427.84	427.50	427.17	426.87	8
	9	426.99	428.62	428.97	429.00	428.88	428.69	428.46	428.17	427.83	427.49	427.16	426.86	9
	10	427.05	428.65	428.97	429.00	428.87	428.69	428.45	428.15	427.82	427.48	427.15	426.85	10
müM	11	427.10	428.68	428.98	429.00	428.86	428.68	428.45	428.14	427.80	427.47	427.14	426.85	11
	12	427.16	428.70	428.98	429.00	428.86	428.67	428.44	428.13	427.79	427.46	427.13	426.84	12
	13	427.22	428.73	428.97	428.99	428.86	428.66	428.43	428.12	427.78	427.45	427.12	426.84	13
	14	427.28	428.74	428.98	428.98	428.85	428.66	428.42	428.11	427.77	427.44	427.11	426.83	14
	15	427.33	428.76	428.99	428.99	428.85	428.65	428.41	428.10	427.75	427.43	427.10	426.83	15
	16	427.38	428.78	428.99	428.98	428.84	428.65	428.41	428.09	427.74	427.42	427.09	426.82	16
	17	427.42	428.80	428.99	428.98	428.83	428.64	428.40	428.08	427.74	427.41	427.08	426.81	17
	18	427.47	428.81	428.99	428.97	428.83	428.63	428.39	428.06	427.73	427.39	427.07	426.81	18
	19	427.50	428.83	428.99	428.97	428.82	428.62	428.38	428.05	427.71	427.38	427.06	426.80	19
	20	427.54	428.84	428.98	428.97	428.82	428.62	428.37	428.05	427.70	427.37	427.05	426.79	20
+ Maximum	21	427.57	428.86	428.98	428.96	428.82	428.61	428.36	428.03	427.69	427.36	427.04	426.79	21
	22	427.61	428.87	428.99	428.96	428.81	428.60	428.36	428.02	427.68	427.35	427.03	426.78	22
	23	427.64	428.88	429.00	428.96	428.80	428.59	428.35	428.01	427.67	427.34	427.02	426.77	23
	24	427.69	428.89	429.00 +	428.96	428.80	428.59	428.34	428.00	427.65	427.33	427.01	426.77	24
	25	427.75	428.90	428.99	428.95	428.79	428.58	428.33	427.99	427.64	427.32	427.00	426.77 -	25
	26	427.81	428.91	428.99	428.94	428.78	428.57	428.32	427.98	427.63	427.31	426.98	426.77	26
	27	427.89	428.92	428.99	428.95	428.78	428.56	428.31	427.97	427.62	427.30	426.97	426.78	27
	28	427.97	428.93 +	429.00	428.94	428.77	428.55	428.30	427.96	427.61	427.29	426.96	426.78	28
	29	428.05		428.99	428.94	428.76	428.54	428.29	427.95	427.60	427.28	426.95	426.78	29
	30	428.13		429.00	428.93 -	428.76	428.53 -	428.28	427.94	427.59 -	427.26	426.94 -	426.79	30
31	428.21 +		429.00 +		428.75 -		428.27 -	427.93 -		427.25 -		426.79	31	
Monatsmittel	427.37	428.70	428.98 +	428.98	428.84	428.65	428.40	428.09	427.75	427.42	427.09	426.83 -	müM	
Maximum (Spitze) Datum	428.24 31.	428.94 28.	429.01 + 30.	429.01 10.	428.93 1.	428.75 1.	428.53 1.	428.27 1.	427.92 1.	427.58 1.	427.25 1.	426.94 1.	müM	
Monatsamplitude	1.48 +	0.69	0.08 -	0.08	0.18	0.22	0.27	0.35	0.34	0.34	0.32	0.18	m	
Jahr	Mittel 428.09	Max (Spitze) 429.01 (30.3.)			Min (Spitze) 426.76 (24.12.)			Jahresamplitude (Spitze) 2.25						



Periode	1995 - 2018 (24 Jahre)												
Monatsmittel	428.07	428.37	428.66	428.86	428.89 +	428.80	428.63	428.42	428.21	428.00	427.84	427.79 -	müM
Maximum (Spitze) Jahr	430.53 2003	430.82 1995	431.37 1995	431.66 + 1995	431.58 1995	431.24 1995	431.00 1995	430.55 1995	430.44 2007	430.40 2007	430.12 2007	430.01 - 2002	müM
Minimum (Spitze) Jahr	425.47 2012	425.99 2006	426.11 2006	426.75 + 2011	426.48 2011	426.27 2011	426.08 2011	425.88 2011	425.70 2011	425.52 2011	425.33 2011	425.26 - 2011	müM
Monatsamplitude (Max) Jahr	1.48 + 2018	1.19 1995	1.28 2006	1.43 2006	0.81 2015	1.03 2016	0.46 2003	0.47 2003	0.45 - 2000	0.63 2006	1.17 2002	1.12 2012	m
Periode	Mittel 428.38	Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40					



Grundwasserstand

Limnigraph Oensingerfeld - Oensingen


SO 621/236/002

Koordinaten 2 621 965 / 1 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	428.58 +	428.22 +	428.05	428.36	428.28 +	428.12 +	427.91 +	427.69 +	427.42 +	427.15 +	426.89 +	426.68	1	
	2	428.57	428.21	428.05	428.36	428.27	428.12	427.90	427.68	427.41	427.15	426.88	426.67	2	
	3	428.56	428.20	428.05	428.36	428.26	428.11	427.90	427.67	427.40	427.14	426.87	426.66	3	
	4	428.55	428.19	428.05	428.36 +	428.26	428.10	427.89	427.66	427.39	427.14	426.86	426.66	4	
	5	428.53	428.18	428.04	428.36 +	428.25	428.10	427.88	427.65	427.38	427.14	426.85	426.65	5	
	müM	6	428.52	428.17	428.05	428.36	428.25	428.10	427.87	427.64	427.37	427.12	426.84	426.65	6
		7	428.51	428.16	428.04 -	428.36	428.24	428.09	427.86	427.64	427.36	427.11	426.83	426.65	7
		8	428.50	428.15	428.04	428.36	428.24	428.09	427.86	427.63	427.36	427.10	426.82	426.64	8
		9	428.49	428.15	428.05	428.36	428.24	428.08	427.85	427.62	427.35	427.10	426.81	426.63	9
		10	428.48	428.14	428.06	428.36	428.24	428.08	427.84	427.61	427.34	427.09	426.81	426.63	10
		11	428.47	428.13	428.08	428.35	428.23	428.07	427.84	427.60	427.33	427.08	426.80	426.62	11
		12	428.46	428.12	428.09	428.35	428.23	428.07	427.83	427.59	427.32	427.07	426.79	426.61 -	12
		13	428.45	428.12	428.10	428.35	428.22	428.06	427.83	427.59	427.32	427.06	426.78	426.62	13
		14	428.43	428.11	428.12	428.35	428.21	428.05	427.82	427.58	427.31	427.05	426.77	426.62	14
		15	428.42	428.11	428.14	428.35	428.21	428.05	427.81	427.57	427.30	427.04	426.77	426.62	15
	+ Maximum	16	428.40	428.11	428.16	428.34	428.21	428.04	427.81	427.57	427.29	427.03	426.76	426.62	16
		17	428.39	428.10	428.18	428.35	428.21	428.03	427.80	427.56	427.28	427.02	426.76	426.62	17
		18	428.38	428.10	428.19	428.34	428.20	428.02	427.79	427.55	427.27	427.01	426.75	426.62	18
		19	428.37	428.10	428.21	428.33	428.19	428.01	427.78	427.54	427.26	427.00	426.75	426.65	19
		20	428.36	428.09	428.23	428.32	428.19	428.01	427.78	427.53	427.25	426.99	426.74	426.66	20
		21	428.35	428.09	428.25	428.32	428.18	428.00	427.77	427.52	427.24	426.98	426.74	426.67	21
	- Minimum	22	428.34	428.09	428.26	428.32	428.18	427.99	427.76	427.51	427.23	426.97	426.73	426.68	22
		23	428.32	428.09	428.28	428.31	428.18	427.98	427.75	427.50	427.23	426.97	426.73	426.69	23
		24	428.31	428.08	428.29	428.31	428.17	427.97	427.74	427.49	427.22	426.96	426.72	426.70	24
		25	428.30	428.07	428.30	428.31	428.16	427.96	427.74	427.48	427.21	426.95	426.71	426.71	25
		26	428.29	428.07	428.31	428.30	428.16	427.95	427.73	427.47	427.20	426.94	426.71	426.72	26
		27	428.28	428.07	428.32	428.29	428.15	427.95	427.72	427.46	427.19	426.93	426.70	426.73	27
		28	428.27	428.06 -	428.32	428.29	428.15	427.94	427.71	427.45	427.18	426.92	426.70	426.74	28
		29	428.25		428.33	428.29 -	428.14	427.93	427.71	427.45	427.17	426.91	426.69	426.75	29
		30	428.25		428.34	428.29 -	428.14	427.92 -	427.70	427.44	427.16 -	426.90	426.68 -	426.75	30
		31	428.24 -		428.35 +		428.13 -		427.69 -	427.42 -		426.90 -		426.76 +	31
Monatsmittel		428.41 +	428.12	428.17	428.34	428.21	428.03	427.80	427.56	427.29	427.03	426.78	426.67 -	müM	
Maximum (Spitze) Datum		428.59 + 1.	428.23 1.	428.36 31.	428.37 5.	428.29 1.	428.13 1.	427.92 1.	427.69 1.	427.42 1.	427.16 1.	426.89 1.	426.77 31.	müM	
Monatsamplitude		0.36 +	0.18	0.32	0.09 -	0.16	0.21	0.23	0.28	0.27	0.27	0.22	0.16	m	
Jahr		Mittel 427.70		Max (Spitze) 428.59 (1.1.)			Min (Spitze) 426.61 (12.12.)			Jahresamplitude (Spitze) 1.98					



Periode	1995 - 2017 (23 Jahre)												
Monatsmittel	428.10	428.35	428.65	428.86	428.89 +	428.81	428.64	428.44	428.23	428.02	427.87	427.83 -	müM
Maximum (Spitze) Jahr	430.53 2003	430.82 1995	431.37 1995	431.66 + 1995	431.58 1995	431.24 1995	431.00 1995	430.55 1995	430.44 2007	430.40 2007	430.12 2007	430.01 - 2002	müM
Minimum (Spitze) Jahr	425.47 2012	425.99 2006	426.11 2006	426.75 + 2011	426.48 2011	426.27 2011	426.08 2011	425.88 2011	425.70 2011	425.52 2011	425.33 2011	425.26 - 2011	müM
Monatsamplitude (Max) Jahr	1.21 2012	1.19 1995	1.28 2006	1.43 + 2006	0.81 2015	1.03 2016	0.46 2003	0.47 2003	0.45 - 2000	0.63 2006	1.17 2002	1.12 2012	m
Periode	Mittel 428.39		Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40				



Grundwasserstand

Limnigraph Oensingerfeld - Oensingen


SO 621/236/002

Koordinaten 2 621 965 / 1 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2016		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	427.08	427.19 -	427.84 -	428.24 -	428.30 -	428.65 -	429.69 -	430.00	429.83 +	429.53 +	429.14 +	428.86 +	1	
	2	427.08	427.20	427.87	428.25	428.31	428.67	429.71	430.00	429.82	429.51	429.13	428.86	2	
	3	427.07	427.21	427.89	428.25	428.31	428.69	429.74	430.00 +	429.81	429.50	429.11	428.85	3	
	4	427.06	427.21	427.92	428.26	428.31	428.71	429.76	430.00 +	429.80	429.49	429.10	428.84	4	
	5	427.05	427.22	427.94	428.26	428.32	428.74	429.79	429.99	429.79	429.48	429.10	428.83	5	
	müM	6	427.04	427.24	427.95	428.26	428.32	428.76	429.80	429.99	429.78	429.47	429.08	428.82	6
		7	427.03	427.25	427.97	428.26	428.33	428.78	429.82	429.99	429.78	429.46	429.07	428.81	7
		8	427.02	427.27	427.98	428.27	428.33	428.81	429.84	429.99	429.77	429.44	429.06	428.80	8
		9	427.02	427.29	428.00	428.27	428.34	428.84	429.85	429.99	429.76	429.43	429.05	428.80	9
		10	427.01	427.30	428.01	428.27	428.34	428.87	429.87	429.99	429.75	429.42	429.03	428.79	10
		11	427.01	427.31	428.02	428.27	428.35	428.90	429.88	429.98	429.74	429.41	429.02	428.78	11
		12	427.00 -	427.33	428.03	428.27	428.35	428.93	429.89	429.97	429.73	429.40	429.01	428.77	12
		13	427.00	427.35	428.05	428.27	428.35	428.97	429.90	429.97	429.72	429.39	429.00	428.76	13
		14	427.02	427.37	428.06	428.27	428.35	429.00	429.91	429.96	429.71	429.38	428.99	428.75	14
		15	427.03	427.38	428.07	428.27	428.35	429.04	429.92	429.96	429.70	429.36	428.98	428.74	15
	+ Maximum	16	427.04	427.41	428.09	428.28	428.36	429.07	429.93	429.96	429.69	429.34	428.98	428.73	16
		17	427.06	427.44	428.10	428.27	428.38	429.10	429.94	429.95	429.68	429.33	428.97	428.72	17
		18	427.07	427.47	428.11	428.27	428.39	429.13	429.95	429.94	429.67	429.32	428.96	428.72	18
		19	427.09	427.49	428.12	428.27	428.40	429.17	429.96	429.94	429.66	429.31	428.95	428.71	19
		20	427.10	427.53	428.13	428.27	428.41	429.21	429.96	429.93	429.65	429.30	428.94	428.70	20
		21	427.11	427.56	428.14	428.28	428.43	429.26	429.97	429.92	429.64	429.28	428.94	428.69	21
	- Minimum	22	427.12	427.60	428.16	428.28	428.45	429.30	429.97	429.91	429.62	429.27	428.93	428.67	22
		23	427.13	427.63	428.17	428.29	428.46	429.36	429.98	429.90	429.61	429.26	428.92	428.66	23
		24	427.14	427.67	428.18	428.29	428.48	429.41	429.98	429.90	429.60	429.25	428.91	428.66	24
		25	427.15	427.70	428.18	428.29	428.50	429.46	429.99	429.89	429.59	429.23	428.91	428.65	25
		26	427.15	427.74	428.20	428.30	428.52	429.50	429.99	429.89	429.58	429.22	428.90	428.64	26
		27	427.16	427.77	428.21	428.30	428.54	429.55	430.00	429.88	429.57	429.20	428.89	428.62	27
	28	427.17	427.80	428.22	428.30	428.57	429.59	430.00	429.87	429.56	429.18	428.88	428.62	28	
	29	427.17	427.82 +	428.22	428.30	428.59	429.63	430.00	429.86	429.55	429.17	428.87	428.61	29	
	30	427.18		428.23	428.30 +	428.61	429.66 +	430.00 +	429.85	429.54 -	429.16	428.86 -	428.60	30	
	31	427.18 +		428.24 +		428.63 +		430.00 +	429.84 -		429.15 -		428.59 -	31	
Monatsmittel		427.08 -	427.44	428.08	428.27	428.41	429.09	429.90	429.94 +	429.69	429.34	428.99	428.73	müM	
Maximum (Spitze) Datum		427.19 - 31.	427.83 29.	428.25 31.	428.31 30.	428.64 31.	429.67 30.	430.01 31.	430.01 + 3. / 4.	429.84 1.	429.54 1.	429.14 1.	428.86 1.	müM	
Monatsamplitude		0.19	0.65	0.42	0.07 -	0.34	1.03 +	0.33	0.17	0.31	0.40	0.29	0.28	m	
Jahr	Mittel	428.75					Max (Spitze) 430.01 (3.8./4.8.)			Min (Spitze) 427.00 (13.1.)			Jahresamplitude (Spitze) 3.01		



Periode	1995 - 2016 (22 Jahre)												
Monatsmittel	428.09	428.36	428.67	428.88	428.92 +	428.84	428.68	428.48	428.27	428.07	427.92	427.88 -	müM
Maximum (Spitze) Jahr	430.53 2003	430.82 1995	431.37 1995	431.66 + 1995	431.58 1995	431.24 1995	431.00 1995	430.55 1995	430.44 2007	430.40 2007	430.12 2007	430.01 - 2002	müM
Minimum (Spitze) Jahr	425.47 2012	425.99 2006	426.11 2006	426.75 + 2011	426.48 2011	426.27 2011	426.08 2011	425.88 2011	425.70 2011	425.52 2011	425.33 2011	425.26 - 2011	müM
Monatsamplitude (Max) Jahr	1.21 2012	1.19 1995	1.28 2006	1.43 + 2006	0.81 2015	1.03 2016	0.46 2003	0.47 2003	0.45 - 2000	0.63 2006	1.17 2002	1.12 2012	m
Periode	Mittel	428.42					Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40



Grundwasserstand

Limnigraph Oensingerfeld - Oensingen


SO 621/236/002

Koordinaten 621 965 / 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2015		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	427.16	427.33 -	427.59 -	427.83 -	428.09 -	428.90 -	428.89 +	428.63 +	428.34 +	427.99 +	427.65 +	427.34 +	1	
	2	427.16	427.34	427.59	427.84	428.09	428.90	428.88	428.62	428.33	427.98	427.64	427.34	2	
	3	427.16	427.35	427.60	427.85	428.11	428.90	428.87	428.61	428.32	427.97	427.63	427.33	3	
	4	427.15	427.35	427.60	427.86	428.12	428.90	428.86	428.61	428.30	427.96	427.62	427.31	4	
	5	427.15	427.37	427.61	427.87	428.14	428.91	428.86	428.60	428.29	427.95	427.61	427.31	5	
	müM	6	427.15	427.37	427.62	427.88	428.16	428.91	428.85	428.59	428.27	427.94	427.60	427.30	6
		7	427.15 -	427.38	427.63	427.88	428.19	428.91	428.85	428.58	428.26	427.93	427.58	427.29	7
		8	427.15	427.39	427.64	427.89	428.22	428.91	428.84	428.57	428.25	427.92	427.57	427.28	8
		9	427.15	427.41	427.65	427.90	428.26	428.91	428.83	428.56	428.24	427.91	427.56	427.27	9
		10	427.16	427.42	427.66	427.91	428.30	428.91	428.82	428.55	428.23	427.90	427.55	427.26	10
		11	427.16	427.43	427.67	427.92	428.34	428.92	428.81	428.54	428.22	427.89	427.54	427.25	11
		12	427.17	427.44	427.68	427.93	428.39	428.92	428.80	428.53	428.20	427.88	427.53	427.24	12
		13	427.18	427.46	427.69	427.94	428.44	428.92	428.79	428.52	428.20	427.87	427.52	427.23	13
		14	427.18	427.47	427.70	427.95	428.48	428.92	428.79	428.52	428.18	427.86	427.51	427.23	14
		15	427.19	427.48	427.71	427.96	428.52	428.91	428.77	428.51	428.17	427.85	427.50	427.22	15
	+ Maximum	16	427.20	427.49	427.72	427.97	428.55	428.91	428.77	428.50	428.17	427.83	427.49	427.21	16
		17	427.20	427.49	427.73	427.98	428.60	428.91	428.76	428.49	428.15	427.82	427.48	427.20	17
		18	427.21	427.50	427.74	427.99	428.64	428.92	428.74	428.48	428.14	427.81	427.46	427.19	18
		19	427.22	427.52	427.75	428.00	428.67	428.92	428.74	428.47	428.12	427.80	427.45	427.18	19
		20	427.23	427.53	427.76	428.01	428.70	428.91	428.73	428.46	428.11	427.79	427.45	427.17	20
		21	427.24	427.54	427.77	428.02	428.72	428.92	428.72	428.45	428.11	427.78	427.43	427.16	21
	- Minimum	22	427.25	427.54	427.78	428.03	428.75	428.92 +	428.72	428.44	428.10	427.77	427.42	427.15	22
		23	427.25	427.56	427.79	428.04	428.77	428.92	428.71	428.43	428.08	427.76	427.41	427.14	23
		24	427.26	427.56	427.80	428.04	428.79	428.91	428.70	428.42	428.07	427.74	427.41	427.13	24
		25	427.27	427.56	427.80	428.05	428.81	428.91	428.69	428.41	428.06	427.73	427.40	427.12	25
		26	427.28	427.57	427.81	428.06	428.83	428.91	428.68	428.40	428.05	427.72	427.39	427.12	26
	Monatsmittel	427.21	427.46	427.71	427.96	428.52	428.91 +	428.77	428.49	428.17	427.83	427.50	427.21	müM	
	Maximum (Spitze) Datum	427.33 - 31.	427.59 28.	427.84 31.	428.09 30.	428.89 31.	428.93 + 22.	428.90 1.	428.64 1.	428.35 1.	428.00 1.	427.66 1.	427.35 1.	müM	
	Monatsamplitude	0.18	0.27	0.25	0.26	0.81 +	0.04 -	0.26	0.30	0.35	0.34	0.31	0.28	m	
	Jahr	Mittel 427.98	Max (Spitze) 428.93 (22.6.)					Min (Spitze) 427.07 (31.12.)			Jahresamplitude (Spitze) 1.86				



Periode	1995 - 2015 (21 Jahre)												
Monatsmittel	428.13	428.41	428.70	428.91	428.95 +	428.83	428.63	428.41	428.20	428.01	427.87	427.84 -	müM
Maximum (Spitze) Jahr	430.53 2003	430.82 1995	431.37 1995	431.66 + 1995	431.58 1995	431.24 1995	431.00 1995	430.55 1995	430.44 2007	430.40 2007	430.12 2007	430.01 - 2002	müM
Minimum (Spitze) Jahr	425.47 2012	425.99 2006	426.11 2006	426.75 + 2011	426.48 2011	426.27 2011	426.08 2011	425.88 2011	425.70 2011	425.52 2011	425.33 2011	425.26 - 2011	müM
Monatsamplitude (Max) Jahr	1.21 2012	1.19 1995	1.28 2006	1.43 + 2006	0.81 2015	0.48 2003	0.46 2003	0.47 2003	0.45 - 2000	0.63 2006	1.17 2002	1.12 2012	m
Periode	Mittel 428.41	Max (Spitze) 431.66 (19.4.1995)					Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40			



Grundwasserstand

Limnigraph Oensingerfeld - Oensingen


SO 621/236/002

Koordinaten 621 965 / 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	428.59	428.71	428.83 -	428.90 +	428.71 +	428.53 +	428.25 +	428.06 +	427.90 +	427.69 +	427.43 +	427.27 +	1	
	2	428.59	428.71 -	428.84	428.90	428.70	428.53	428.24	428.05	427.90	427.68	427.43	427.26	2	
	3	428.59 -	428.72	428.86	428.89	428.69	428.52	428.23	428.05	427.89	427.68	427.43	427.26	3	
	4	428.60	428.72	428.86	428.88	428.69	428.51	428.23	428.05	427.88	427.67	427.42	427.26	4	
	5	428.59	428.73	428.86	428.87	428.69	428.50	428.22	428.04	427.88	427.66	427.40	427.26	5	
	müM	6	428.59	428.73	428.86	428.86	428.69	428.49	428.21	428.04	427.87	427.65	427.40	427.25	6
		7	428.59	428.73	428.87	428.86	428.68	428.48	428.20	428.04	427.87	427.64	427.39	427.25	7
		8	428.59	428.73	428.88	428.85	428.68	428.47	428.19	428.04	427.86	427.63	427.38	427.25	8
		9	428.60	428.73	428.89	428.84	428.67	428.46	428.19	428.03	427.85	427.62	427.37	427.25	9
		10	428.60	428.74	428.90	428.84	428.67	428.45	428.18	428.03	427.85	427.61	427.37	427.25	10
		11	428.60	428.73	428.90	428.83	428.66	428.44	428.17	428.02	427.84	427.60	427.36	427.24	11
		12	428.60	428.73	428.90	428.83	428.66	428.43	428.16	428.02	427.83	427.60	427.35	427.24	12
		13	428.62	428.73	428.91	428.82	428.65	428.42	428.16	428.01	427.82	427.59	427.34	427.24	13
		14	428.62	428.73	428.91	428.81	428.64	428.41	428.15	428.01	427.82	427.58	427.34	427.23	14
		15	428.62	428.73	428.92	428.80	428.64	428.40	428.15	428.00	427.81	427.57	427.33	427.23	15
	+ Maximum	16	428.63	428.73	428.92	428.80	428.64	428.40	428.14	427.99	427.81	427.56	427.32	427.23	16
		17	428.64	428.73	428.92	428.79	428.63	428.39	428.14	427.99	427.80	427.55	427.32	427.22	17
		18	428.65	428.74	428.93	428.78	428.63	428.37	428.13	427.99	427.79	427.54	427.31	427.22	18
		19	428.65	428.74	428.92	428.78	428.62	428.36	428.12	427.98	427.79	427.54	427.30	427.21	19
		20	428.65	428.75	428.93	428.77	428.61	428.35	428.12	427.98	427.78	427.53	427.30	427.21	20
		21	428.66	428.75	428.93	428.77	428.61	428.34	428.11	427.97	427.77	427.52	427.30	427.20	21
	- Minimum	22	428.66	428.75	428.93 +	428.76	428.60	428.33	428.10	427.96	427.76	427.51	427.29	427.20	22
		23	428.67	428.76	428.93	428.75	428.59	428.32	428.10	427.96	427.76	427.50	427.29	427.20	23
		24	428.67	428.77	428.92	428.75	428.58	428.32	428.09	427.95	427.75	427.50	427.28	427.19	24
		25	428.67	428.78	428.93	428.74	428.58	428.31	428.09	427.95	427.74	427.49	427.28	427.19	25
		26	428.69	428.79	428.92	428.73	428.57	428.30	428.08	427.94	427.73	427.48	427.28	427.19	26
		27	428.69	428.80	428.92	428.73	428.57	428.29	428.08	427.93	427.73	427.47	427.28	427.19	27
	28	428.70	428.82 +	428.91	428.72	428.56	428.28	428.08	427.93	427.72	427.47	427.27	427.18	28	
	29	428.70		428.91	428.72	428.55	428.27	428.07	427.92	427.71	427.46	427.27	427.17	29	
	30	428.70		428.90	428.71 -	428.54	428.26 -	428.07	427.91	427.70 -	427.45	427.27 -	427.17	30	
	31	428.70 +		428.90		428.54 -		428.06 -	427.91 -	427.70 -	427.44 -	427.27 -	427.16 -	31	
Monatsmittel		428.64	428.74	428.90 +	428.80	428.63	428.40	428.15	427.99	427.81	427.56	427.34	427.22 -	müM	
Maximum (Spitze) Datum		428.71 30.	428.83 28.	428.93 + 22.	428.90 1.	428.71 1.	428.54 1.	428.26 1.	428.06 1.	427.90 1.	427.70 1.	427.44 1.	427.27 - 1.	müM	
Monatsamplitude		0.13	0.12	0.11 -	0.20	0.18	0.28 +	0.20	0.16	0.21	0.26	0.18	0.11	m	
Jahr	Mittel	428.18			Max (Spitze) 428.93 (22.3.)			Min (Spitze) 427.16 (31.12.)			Jahresamplitude (Spitze) 1.77				



Periode	1995 - 2014 (20 Jahre)												
Monatsmittel	428.18	428.46	428.75	428.96	428.97 +	428.83	428.62	428.40	428.20	428.02	427.89	427.88 -	müM
Maximum (Spitze) Jahr	430.53 2003	430.82 1995	431.37 1995	431.66 + 1995	431.58 1995	431.24 1995	431.00 1995	430.55 1995	430.44 2007	430.40 2007	430.12 2007	430.01 - 2002	müM
Minimum (Spitze) Jahr	425.47 2012	425.99 2006	426.11 2006	426.75 + 2011	426.48 2011	426.27 2011	426.08 2011	425.88 2011	425.70 2011	425.52 2011	425.33 2011	425.26 - 2011	müM
Monatsamplitude (Max) Jahr	1.21 2012	1.19 1995	1.28 2006	1.43 + 2006	0.45 2000	0.48 2003	0.46 2003	0.47 2003	0.45 - 2000	0.63 2006	1.17 2002	1.12 2012	m
Periode	Mittel	428.43			Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40		



Grundwasserstand

Limnigraph Oensingfeld - Oensingen


SO 621/236/002

Koordinaten 621 965 / 236 320


OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2013		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	427.53 -	428.44	428.91 -	429.05	429.15 -	429.27	429.44	429.29 +	429.09 +	428.85 +	428.57	428.65	1	
	2	427.59	428.43	428.91	429.04	429.17	429.27 -	429.44 +	429.29	429.08	428.83	428.57	428.66	2	
	3	427.66	428.43 -	428.93	429.04	429.18	429.28	429.44	429.28	429.07	428.82	428.56	428.66	3	
	4	427.73	428.44	428.94	429.04	429.19	429.29	429.43	429.28	429.07	428.81	428.56	428.66	4	
	5	427.79	428.46	428.95	429.04	429.21	429.29	429.43	429.28	429.06	428.80	428.55	428.66 +	5	
	müM	6	427.85	428.47	428.97	429.02	429.22	429.29	429.43	429.28	429.05	428.79	428.54	428.66	6
		7	427.91	428.48	428.97	429.02	429.24	429.30	429.42	429.28	429.04	428.78	428.53	428.65	7
		8	427.96	428.49	428.98	429.03	429.25	429.30	429.42	429.27	429.03	428.77	428.53	428.65	8
		9	428.01	428.51	428.98	429.03	429.26	429.31	429.42	429.26	429.02	428.77	428.53	428.65	9
		10	428.05	428.53	428.99	429.02	429.26	429.32	429.42	429.26	429.01	428.76	428.53	428.65	10
		11	428.08	428.56	429.01	429.02	429.27	429.32	429.42	429.25	429.00	428.75	428.52 -	428.64	11
		12	428.12	428.57	429.02	429.01	429.28	429.33	429.41	429.25	428.99	428.74	428.53	428.64	12
		13	428.15	428.59	429.02	429.00 -	429.28	429.34	429.40	429.24	428.98	428.73	428.53	428.64	13
		14	428.18	428.62	429.02	429.01	429.30	429.35	429.40	429.23	428.98	428.72	428.54	428.63	14
		15	428.22	428.64	429.01	429.01	429.31	429.36	429.39	429.23	428.97	428.72	428.55	428.63	15
	+ Maximum	16	428.24	428.67	429.02	429.01	429.31 +	429.37	429.38	429.22	428.97	428.70	428.56	428.62	16
		17	428.26	428.69	429.04	429.02	429.31	429.38	429.38	429.22	428.96	428.69	428.57	428.62	17
		18	428.29	428.72	429.04	429.02	429.31	429.39	429.37	429.21	428.95	428.68	428.59	428.62	18
		19	428.31	428.74	429.04	429.02	429.30	429.39	429.36	429.20	428.94	428.68	428.60	428.62	19
		20	428.33	428.77	429.03	429.03	429.30	429.40	429.36	429.19	428.93	428.67	428.61	428.60	20
		21	428.34	428.79	429.03	429.04	429.31	429.40	429.35	429.18	428.91	428.66	428.62	428.60	21
	- Minimum	22	428.35	428.81	429.04	429.05	429.30	429.41	429.35	429.18	428.91	428.66	428.62	428.60	22
		23	428.36	428.83	429.04	429.05	429.31	429.41	429.34	429.17	428.90	428.64	428.62	428.60	23
		24	428.37	428.84	429.04	429.06	429.30	429.41	429.34	429.16	428.90	428.63	428.63	428.61	24
		25	428.38	428.85	429.04	429.07	429.30	429.42	429.33	429.15	428.89	428.63	428.63	428.61	25
		26	428.39	428.87	429.04	429.09	429.29	429.42	429.32	429.15	428.89	428.62	428.63	428.59	26
	27	428.40	428.88	429.04	429.10	429.30	429.42	429.32	429.14	428.88	428.61	428.64	428.59	27	
	28	428.40	428.89 +	429.04	429.11	429.30	429.43	429.31	429.13	428.87	428.60	428.64	428.59	28	
	29	428.41		429.04	429.12	429.29	429.43	429.29	429.12	428.86	428.59	428.65	428.57 -	29	
	30	428.41 +		429.04 +	429.14 +	429.29	429.43 +	429.29 -	429.11	428.86 -	428.58	428.65 +	428.58	30	
	31	428.42 +		429.04 +		429.28		429.29 -	429.10 -		428.57 -		428.58	31	
Monatsmittel		428.14 -	428.64	429.01	429.04	429.27	429.36	429.38 +	429.21	428.97	428.71	428.58	428.62	müM	
Maximum (Spitze) Datum		428.42 - 31.	428.90 28.	429.05 30.	429.15 30.	429.32 16.	429.43 30.	429.44 + 3.	429.29 1.	429.09 1.	428.85 1.	428.66 30.	428.66 5.	müM	
Monatsamplitude		0.92 +	0.48	0.15	0.15	0.17	0.16	0.16	0.20	0.24	0.28	0.15	0.10 -	m	
Jahr	Mittel	428.91			Max (Spitze) 429.44 (3.7.)			Min (Spitze) 427.50 (1.1.)			Jahresamplitude (Spitze) 1.94				



Periode	1995 - 2013 (19 Jahre)												
Monatsmittel	428.16	428.44	428.74	428.96	428.99 +	428.85	428.64	428.43	428.23	428.04	427.92	427.91 -	müM
Maximum (Spitze) Jahr	430.53 2003	430.82 1995	431.37 1995	431.66 + 1995	431.58 1995	431.24 1995	431.00 1995	430.55 1995	430.44 2007	430.40 2007	430.12 2007	430.01 - 2002	müM
Minimum (Spitze) Jahr	425.47 2012	425.99 2006	426.11 2006	426.75 + 2011	426.48 2011	426.27 2011	426.08 2011	425.88 2011	425.70 2011	425.52 2011	425.33 2011	425.26 - 2011	müM
Monatsamplitude (Max) Jahr	1.21 2012	1.19 1995	1.28 2006	1.43 + 2006	0.45 2000	0.48 2003	0.46 2003	0.47 2003	0.45 - 2000	0.63 2006	1.17 2002	1.12 2012	m
Periode	Mittel	428.44			Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40		



Grundwasserstand

Limnigraph Oensingerfeld - Oensingen


SO 621/236/002

Koordinaten 621 965 / 236 320

OK Terrain 453.5 müM

Abstichpunkt 454.12 müM

2012	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	425.48 -	426.69 -	427.12 -	427.25	427.25	427.19 +	427.07 +	426.97 +	426.78 +	426.60 +	426.43 +	426.39 -	1
2	425.49	426.71	427.13	427.26	427.25	427.18	427.07	426.96	426.78	426.60	426.42	426.40	2
3	425.52	426.72	427.14	427.26	427.25	427.18	427.07	426.96	426.78	426.59	426.41	426.41	3
4	425.54	426.75	427.15	427.26	427.25 +	427.17	427.07	426.95	426.77	426.58	426.41	426.42	4
5	425.58	426.77	427.15	427.25	427.25	427.17	427.07	426.95	426.77	426.57	426.40	426.43	5
Tagesmittel													
6	425.60	426.79	427.15	427.26	427.25	427.17	427.06	426.94	426.76	426.57	426.39	426.43	6
7	425.65	426.82	427.16	427.26	427.24	427.17	427.06	426.93	426.76	426.56	426.38	426.46	7
8	425.70	426.83	427.16	427.25	427.25	427.16	427.06	426.93	426.75	426.55	426.38	426.46	8
9	425.75	426.85	427.17	427.26	427.24	427.15	427.06	426.92	426.75	426.55	426.38	426.48	9
10	425.80	426.87	427.17	427.26 +	427.24	427.16	427.06	426.92	426.74	426.54	426.38	426.50	10
11	425.86	426.89	427.18	427.26	427.24	427.16	427.05	426.92	426.74	426.54	426.37	426.51	11
12	425.93	426.91	427.19	427.26	427.23	427.15	427.05	426.91	426.73	426.52	426.37	426.53	12
13	425.99	426.93	427.19	427.26	427.24	427.14	427.05	426.91	426.72	426.52	426.36 -	426.55	13
14	426.05	426.95	427.20	427.26	427.25	427.14	427.05	426.90	426.72	426.52	426.37	426.56	14
15	426.10	426.96	427.20	427.26	427.24	427.14	427.04	426.89	426.71	426.51	426.37	426.57	15
müM													
16	426.16	426.97	427.21	427.25 -	427.23	427.13	427.04	426.88	426.70	426.51	426.37	426.59	16
17	426.20	426.99	427.22	427.26	427.24	427.13	427.03	426.88	426.70	426.51	426.37	426.61	17
18	426.25	427.01	427.22	427.26	427.24	427.13	427.04	426.87	426.69	426.50	426.37	426.62	18
19	426.30	427.02	427.22	427.26	427.24	427.13	427.03	426.87	426.68	426.49	426.37	426.65	19
20	426.34	427.03	427.22	427.25	427.24	427.12	427.03	426.86	426.68	426.49	426.37	426.69	20
21	426.38	427.04	427.23	427.25	427.24	427.12	427.02	426.85	426.67	426.49	426.37	426.73	21
22	426.42	427.05	427.23	427.25	427.23	427.11	427.01	426.85	426.66	426.48	426.37	426.79	22
23	426.45	427.06	427.23	427.26	427.22	427.11	427.01	426.84	426.66	426.47	426.37	426.85	23
+ Maximum													
24	426.48	427.07	427.24	427.26	427.21	427.10	427.01	426.83	426.66	426.47	426.37	426.93	24
25	426.51	427.08	427.24	427.26	427.21	427.10	427.01	426.83	426.65	426.47	426.38	427.00	25
- Minimum													
26	426.54	427.09	427.24	427.25	427.21	427.10	427.00	426.82	426.64	426.46	426.38	427.08	26
27	426.56	427.10	427.24	427.25	427.21	427.10	426.99	426.81	426.63	426.45	426.38	427.16	27
28	426.59	427.11	427.25	427.26	427.21	427.09	426.99	426.81	426.62	426.44	426.39	427.23	28
29	426.61	427.12 +	427.25	427.25	427.20	427.09	426.98	426.80	426.62	426.44	426.38	427.31	29
30	426.64	427.25	427.25	427.25	427.20	427.08 -	426.97	426.80	426.61 -	426.44	426.38	427.38	30
31	426.66 +		427.26 +		427.19 -		426.97 -	426.79 -		426.44 -		427.46 +	31
Monatsmittel	426.10 -	426.94	427.20	427.26 +	427.23	427.14	427.03	426.88	426.70	426.51	426.38	426.72	müM
Maximum (Spitze)	426.67	427.12	427.26	427.27	427.26	427.19	427.08	426.97	426.79	426.61	426.44 -	427.50 +	müM
Datum	31.	29.	31.	10.	4.	1.	2.	1.	1.	1.	1.	31.	
Monatsamplitude	1.21 +	0.45	0.14	0.03 -	0.07	0.11	0.11	0.18	0.19	0.18	0.08	1.12	m
Jahr	Mittel 426.84	Max (Spitze) 427.50 (31.12.)			Min (Spitze) 425.47 (1.1.)			Jahresamplitude (Spitze) 2.03					



Periode	1995 - 2012											(18 Jahre)	
Monatsmittel	428.16	428.43	428.73	428.96	428.97 +	428.82	428.60	428.38	428.18	428.00	427.88	427.87 -	müM
Maximum (Spitze)	430.53	430.82	431.37	431.66 +	431.58	431.24	431.00	430.55	430.44	430.40	430.12	430.01 -	müM
Jahr	2003	1995	1995	1995	1995	1995	1995	1995	2007	2007	2007	2002	
Minimum (Spitze)	425.47	425.99	426.11	426.75 +	426.48	426.27	426.08	425.88	425.70	425.52	425.33	425.26 -	müM
Jahr	2012	2006	2006	2011	2011	2011	2011	2011	2011	2011	2011	2011	
Monatsamplitude (Max)	1.21	1.19	1.28	1.43 +	0.45	0.48	0.46	0.47	0.45 -	0.63	1.17	1.12	m
Jahr	2012	1995	2006	2006	2000	2003	2003	2003	2003	2000	2002	2012	
Periode	Mittel 428.42	Max (Spitze) 431.66 (19.4.1995)			Min (Spitze) 425.26 (12.12.2011)			Periodenamplitude (Spitze) 6.40					

