

Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 2 612 640 / 1 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2023		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	458.18	458.08 +	458.04	458.15	458.13	458.08 +	458.06	458.07 +	458.06 -	458.07	458.11 -	458.57	1
	2	458.16	458.08 +	458.04	458.15	458.13	458.08	458.07	458.06	458.06	458.07	458.16	458.54	2
	3	458.15	458.07	458.04	458.16 +	458.12	458.08	458.06	458.06	458.06	458.07	458.15	458.34	3
	4	458.14	458.07	458.04	458.15	458.11	458.08	458.06	458.06	458.06	458.07	458.21	458.26	4
	5	458.24	458.07	458.04	458.14	458.10	458.08	458.06	458.06	458.06	458.07	458.21	458.24	5
	6	458.13	458.07	458.04	458.13	458.10	458.08	458.06	458.06	458.06	458.07	458.16	458.24	6
	7	458.13	458.07	458.04	458.13	458.19	458.07	458.06 -	458.06	458.06	458.07	458.17	458.23	7
	8	458.14	458.07	458.03 -	458.12	458.20 +	458.07	458.08	458.07 +	458.06	458.07	458.15	458.23	8
	9	458.25 +	458.06	458.05	458.11	458.16	458.07	458.06	458.07 +	458.06	458.06	458.13	458.33	9
	10	458.24	458.06	458.06	458.11	458.18	458.07	458.06	458.06	458.06	458.06	458.13	458.41	10
müM	11	458.21	458.06	458.09	458.11	458.17	458.07	458.06	458.06	458.06	458.06	458.13	458.51	11
	12	458.19	458.06	458.09	458.11	458.15	458.07	458.07	458.06	458.07	458.06 -	458.24	458.73 +	12
	13	458.17	458.06	458.09	458.12	458.13	458.07	458.13 +	458.06	458.08	458.06 -	458.23	458.73	13
	14	458.17	458.05	458.17 +	458.11	458.12	458.06	458.08	458.06	458.08 +	458.08	458.54	458.59	14
	15	458.18	458.05	458.17	458.11	458.13	458.06	458.07	458.06	458.06	458.07	458.57 +	458.42	15
	16	458.17	458.05	458.15	458.11	458.12	458.06	458.07	458.06	458.08	458.07	458.35	458.32	16
	17	458.16	458.05	458.13	458.12	458.12	458.06	458.07	458.06	458.08	458.07	458.25	458.28	17
	18	458.15	458.05	458.12	458.11	458.11	458.06	458.07	458.05	458.07	458.07	458.20	458.25	18
	19	458.14	458.05	458.11	458.11	458.11	458.06	458.07	458.05	458.07	458.07	458.18	458.24	19
	20	458.14	458.04	458.11	458.11	458.10	458.06	458.06	458.05	458.08	458.09	458.18	458.23	20
+ Maximum	21	458.13	458.05	458.10	458.11	458.10	458.07	458.06	458.05	458.07	458.08	458.16	458.21	21
	22	458.13	458.04	458.10	458.10	458.10	458.07	458.06	458.05	458.08	458.07	458.15	458.23	22
	23	458.12	458.04	458.09	458.10	458.11	458.07	458.06	458.05	458.08 +	458.07	458.14	458.23	23
	24	458.11	458.04	458.09	458.10	458.10	458.06	458.06	458.05	458.08	458.11	458.13	458.22	24
	25	458.11	458.05	458.10	458.10	458.10	458.06	458.06	458.05	458.08	458.09	458.12	458.21	25
- Minimum	26	458.11	458.04	458.12	458.10	458.09	458.06	458.07	458.05	458.08	458.10	458.11	458.20	26
	27	458.10	458.04	458.15	458.10 -	458.09	458.06	458.07	458.05	458.08	458.17 +	458.11	458.19	27
	28	458.09	458.04 -	458.14	458.10	458.09	458.06	458.06	458.05 -	458.08	458.12	458.14	458.16	28
	29	458.09		458.13	458.14	458.09	458.05 -	458.07	458.05	458.08	458.10	458.14	458.15	29
	30	458.09		458.13	458.10	458.08	458.07	458.07	458.06	458.07	458.13	458.23	458.14 -	30
	31	458.08 -		458.13		458.08 -		458.07	458.06		458.13		458.19	31
Monatsmittel	458.15	458.06 -	458.09	458.12	458.12	458.07	458.07	458.06	458.07	458.08	458.20	458.32 +	müM	
Maximum (Spitze)	458.25	458.08	458.17	458.16	458.20	458.08	458.13	458.07 -	458.08	458.17	458.57	458.73	müM	
Datum	9.	1. / 2.	14.	3.	8.	1.	13.	div	14. / 23.	27.	15.	12.		
Monatsamplitude	0.17	0.04	0.14	0.06	0.11	0.04	0.07	0.02 -	0.02	0.11	0.46	0.59 +	m	
Jahr	Mittel 458.12	Max (Spitze) 458.73 (12.12.)				Min (Spitze) 458.03 (8.3.)				Jahresamplitude (Spitze) 0.70				



Periode	1973 - 2023 (ohne: 1997, 2004) (49 Jahre)												
Monatsmittel	458.09	458.09	458.09	458.08	458.08	458.07	458.04	458.00	457.99 -	458.03	458.06	458.10 +	müM
Maximum (Spitze)	458.71	458.79	458.63	458.80	458.69	458.57 -	458.73	458.76	458.73	458.99 +	458.57	458.82	müM
Jahr	2018	1977	1978	1977	1977	1990	2021	2007	1987	1983	2023	1981	
Minimum (Spitze)	457.79	457.72	457.80	457.85 +	457.75	457.68	456.45	456.22	456.19 -	456.26	457.68	457.82	müM
Jahr	2005	1990	1993	1975	1993	1993	2020	2020	2020	2020	1983	1985	
Monatsamplitude (Max)	0.66	0.68	0.64	0.69	0.59	0.66	1.69	1.55	1.80	2.06 +	0.51 -	0.68	m
Jahr	2018	1990	1978	1977	1977	1990	2020	2020	2020	2020	1983	1981	
Periode	Mittel 458.06	Max (Spitze) 458.99 (8.10.1983)				+ Min (Spitze) 456.19 (22.9.2020)				Periodenamplitude (Spitze) 2.80			



Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 2 612 640 / 1 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2022	Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1 458.18	458.09 -	458.09	458.11	458.09	458.05	458.30 +	458.05	458.03 -	458.11	458.07 -	458.09	1	
	2 458.16	458.09 -	458.09	458.10	458.08	458.05	458.19	458.05	458.03 -	458.11	458.07 -	458.09	2	
	3 458.14	458.09 -	458.09	458.09	458.08	458.05	458.13	458.04	458.04	458.10	458.09	458.09	3	
	4 458.13	458.09 -	458.09	458.09	458.08	458.05	458.18	458.04	458.03 -	458.09	458.11	458.08	4	
	5 458.21	458.09 -	458.08	458.09	458.10	458.07	458.22	458.04	458.03 -	458.08	458.09	458.08	5	
	6 458.18	458.09 -	458.08	458.08	458.08	458.05	458.16	458.04	458.05	458.07	458.09	458.08	6	
	7 458.16	458.11 +	458.08	458.08	458.11 +	458.07	458.12	458.04	458.04	458.07	458.08	458.08	7	
	8 458.14	458.10	458.08	458.12	458.10	458.06	458.10	458.04	458.12	458.06	458.08	458.08	8	
	9 458.23 +	458.10	458.08	458.12	458.10	458.08	458.05	458.09	458.03	458.05	458.06	458.10	9	
	10 458.23 +	458.09 -	458.08	458.11	458.08	458.08	458.05	458.09	458.03	458.05	458.06	458.10	10	
müM	11 458.20	458.11	458.08	458.10	458.07	458.05	458.08	458.03	458.04	458.06	458.09	458.08	11	
	12 458.17	458.10	458.07 -	458.09	458.07	458.05	458.08	458.03	458.03 -	458.05 -	458.09	458.08	12	
	13 458.15	458.10	458.07 -	458.09	458.07	458.04	458.07	458.03	458.03 -	458.05 -	458.08	458.08	13	
	14 458.14	458.10	458.07 -	458.09	458.07	458.04	458.07	458.03	458.03 -	458.06	458.08	458.09	14	
	15 458.13	458.10	458.08	458.08	458.07	458.05	458.06	458.03	458.10	458.06	458.08	458.15	15	
	16 458.12	458.11	458.07 -	458.08	458.06	458.05	458.06	458.03	458.08	458.05 -	458.10	458.17	16	
	17 458.11	458.13 +	458.07 -	458.08	458.06	458.04	458.06	458.04	458.05	458.05 -	458.12	458.16	17	
	18 458.11	458.13 +	458.07 -	458.08	458.06	458.04	458.06	458.06	458.04	458.05 -	458.18 +	458.13	18	
	19 458.11	458.12 +	458.07 -	458.08	458.06	458.04	458.06	458.04	458.04	458.05 -	458.15	458.12	19	
	20 458.11	458.11	458.07 -	458.07 -	458.06	458.03 -	458.08	458.07 +	458.03 -	458.05 -	458.13	458.12	20	
+ Maximum	21 458.10	458.11	458.07 -	458.07 -	458.06	458.03 -	458.08	458.06	458.03	458.05 -	458.12	458.12	21	
	22 458.10	458.12	458.07 -	458.07 -	458.06	458.08	458.05 -	458.04	458.03 -	458.11	458.12	458.12	22	
	23 458.10	458.11	458.07 -	458.07 -	458.06	458.39	458.11	458.03	458.03 -	458.09	458.12	458.26	23	
	24 458.09	458.11	458.07 -	458.08	458.06	458.37	458.07	458.03	458.05	458.21 +	458.12	458.30 +	24	
	25 458.09	458.11	458.07 -	458.15	458.06	458.16	458.06	458.03	458.08	458.19	458.12	458.25	25	
	- Minimum	26 458.09	458.10	458.07 -	458.18 +	458.05 -	458.12	458.06	458.03	458.06	458.13	458.11	458.19	26
		27 458.09	458.10	458.07 -	458.15	458.05 -	458.10	458.05 -	458.03	458.05	458.11	458.10	458.17	27
		28 458.09	458.09	458.07 -	458.11	458.05 -	458.09	458.05 -	458.03	458.20	458.09	458.10	458.15	28
		29 458.08 -		458.07 -	458.10	458.05 -	458.09	458.07	458.02 -	458.21 +	458.08	458.10	458.15	29
		30 458.08 -		458.07 -	458.09	458.05 -	458.47 +	458.06	458.04	458.17	458.07	458.09	458.26	30
31 458.09			458.10 +		458.05 -		458.05 -	458.04		458.07		458.21	31	
Monatsmittel	458.13	458.10	458.08	458.10	458.07	458.10	458.10	458.04 -	458.06	458.08	458.10	458.14 +	müM	
Maximum (Spitze) Datum	458.23 9. / 10.	458.13 17. / 18.	458.10 31.	458.18 26.	458.11 7.	458.47 + 30.	458.30 1.	458.07 - 20.	458.21 29.	458.21 24.	458.18 18.	458.30 24.	müM	
Monatsamplitude	0.15	0.04	0.03 -	0.11	0.06	0.44 +	0.25	0.05	0.18	0.16	0.11	0.22	m	
Jahr	Mittel 458.09	Max (Spitze) 458.47 (30.6.)			Min (Spitze) 458.02 (29.8.)			Jahresamplitude (Spitze) 0.45						



Periode	1973 - 2022 (ohne: 1997, 2004) (48 Jahre)												
Monatsmittel	458.09	458.10 +	458.09	458.08	458.07	458.07	458.04	458.00	457.98 -	458.02	458.06	458.09	müM
Maximum (Spitze) Jahr	458.71 2018	458.79 1977	458.63 1978	458.80 1977	458.69 1977	458.57 1990	458.73 2021	458.76 2007	458.73 1987	458.99 + 1983	458.50 - 2002	458.82 1981	müM
Minimum (Spitze) Jahr	457.79 2005	457.72 1990	457.80 1993	457.85 + 1975	457.75 1993	457.68 1993	456.45 2020	456.22 2020	456.19 - 2020	456.26 2020	457.68 1983	457.82 1985	müM
Monatsamplitude (Max) Jahr	0.66 2018	0.68 1990	0.64 1978	0.69 1977	0.59 1977	0.66 1990	1.69 2020	1.55 2020	1.80 2020	2.06 + 2020	0.51 - 1983	0.68 1981	m
Periode	Mittel 458.06	Max (Spitze) 458.99 (8.10.1983)			Min (Spitze) +456.19 (22.9.2020)			Periodenamplitude (Spitze) 2.80					



Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 2 612 640 / 1 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2021	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	458.15	458.30	458.10	458.08	458.12	458.11	458.31	458.25	458.09	458.07	458.08 +	458.06	1
2	458.15	458.30	458.10	458.08	458.12	458.11	458.31	458.25	458.09	458.07	458.08 +	458.06	2
3	458.15	458.34 +	458.09	458.08	458.14	458.10 -	458.20	458.20	458.09	458.07	458.07	458.06 -	3
4	458.14	458.33	458.09	458.08	458.11	458.15	458.18	458.19	458.09	458.07	458.07	458.18	4
5	458.13	458.26	458.10	458.08	458.11	458.22	458.17	458.20	458.09	458.08	458.07	458.17	5
Tagesmittel													
6	458.12	458.22	458.09	458.08	458.17	458.17	458.18	458.18	458.08	458.08	458.06	458.13	6
7	458.11	458.20	458.09	458.08	458.17	458.14	458.18	458.35 +	458.08	458.08 +	458.06	458.11	7
8	458.11	458.18	458.09	458.08	458.13	458.17	458.27	458.34	458.08	458.07	458.06	458.18	8
9	458.10	458.17	458.09	458.08	458.12	458.17	458.47	458.21	458.08	458.07	458.06	458.18	9
10	458.10	458.16	458.09	458.08	458.11	458.14	458.28	458.18	458.08	458.07	458.06	458.15	10
11	458.10	458.16	458.10	458.08	458.12	458.13	458.24	458.17	458.08	458.07	458.06	458.13	11
12	458.09 -	458.15	458.10	458.11 +	458.13	458.12	458.21	458.15	458.08	458.07	458.06	458.13	12
13	458.12	458.15	458.11	458.09	458.11	458.12	458.21 +	458.14	458.07	458.06	458.06	458.12	13
14	458.47	458.14	458.11	458.09	458.10 -	458.12	458.53	458.14	458.07	458.06	458.06	458.11	14
15	458.50	458.13	458.14 +	458.08	458.12	458.11	458.58	458.13	458.07	458.06	458.06	458.10	15
müM													
16	458.30	458.13	458.14 +	458.08	458.16	458.12	458.48	458.13	458.19 +	458.06	458.06	458.09	16
17	458.23	458.13	458.14 +	458.08	458.16	458.11	458.39	458.13	458.17	458.06	458.06	458.10	17
18	458.19	458.13	458.14	458.08	458.15	458.11	458.31	458.12	458.10	458.06	458.05	458.10	18
19	458.17	458.13	458.14	458.08	458.21	458.11	458.26	458.12	458.18	458.06	458.05	458.09	19
20	458.16	458.12	458.11	458.08	458.20	458.11	458.22	458.11	458.15	458.06	458.06	458.09	20
21	458.15	458.12	458.10	458.08	458.22	458.13	458.20	458.11	458.11	458.07	458.06	458.09	21
22	458.18	458.11	458.09	458.09	458.28 +	458.14	458.18	458.12	458.10	458.06	458.05	458.08	22
23	458.24	458.11	458.09	458.09	458.21	458.26	458.17	458.11	458.09	458.06 -	458.05	458.08	23
+ Maximum													
24	458.22	458.11	458.09	458.09	458.18	458.37	458.20	458.11	458.09	458.06	458.06	458.08	24
25	458.20	458.11	458.09	458.09	458.17	458.43	458.19	458.11	458.08	458.06	458.05	458.08	25
- Minimum													
26	458.17	458.10	458.09	458.09	458.15	458.24	458.20	458.10	458.09	458.06 -	458.06	458.17	26
27	458.15	458.10	458.10	458.08	458.14	458.17	458.16	458.10	458.08	458.06 -	458.06	458.16	27
28	458.50	458.10 -	458.09	458.08	458.13	458.38	458.21	458.10	458.08	458.06	458.05	458.21	28
29	458.60 +		458.08 -	458.08 -	458.12	458.41	458.17	458.10	458.07	458.06	458.05 -	458.33 +	29
30	458.44		458.08 -	458.10	458.12	458.51 +	458.15 -	458.10	458.07 -	458.06	458.05	458.33	30
31	458.40		458.08 -		458.11		458.16	458.09 -		458.07		458.23	31
Monatsmittel	458.22	458.17	458.10	458.08	458.15	458.19	458.27 +	458.15	458.10	458.07	458.06 -	458.13	müM
Maximum (Spitze)	458.60	458.34	458.14	458.11	458.28	458.51	458.73 +	458.35	458.19	458.08	458.08 -	458.33	müM
Datum	29.	3.	div	12.	22.	30.	13.	7.	16.	7.	1.	29.	
Monatsamplitude	0.51	0.24	0.06	0.04	0.17	0.40	0.58 +	0.26	0.11	0.03 -	0.03	0.28	m
Jahr	Mittel 458.14		Max (Spitze) 458.73 (13.7.)				Min (Spitze) 458.05 (29.11.)			Jahresamplitude (Spitze) 0.68			



Periode	1973 - 2021 (ohne: 1997, 2004) (47 Jahre)												
Monatsmittel	458.08	458.10 +	458.09	458.08	458.07	458.07	458.04	458.00	457.98 -	458.02	458.06	458.09	müM
Maximum (Spitze)	458.71	458.79	458.63	458.80	458.69	458.57	458.73	458.76	458.73	458.99 +	458.50 -	458.82	müM
Jahr	2018	1977	1978	1977	1977	1990	2021	2007	1987	1983	2002	1981	
Minimum (Spitze)	457.79	457.72	457.80	457.85 +	457.75	457.68	456.45	456.22	456.19 -	456.26	457.68	457.82	müM
Jahr	2005	1990	1993	1975	1993	1993	2020	2020	2020	2020	1983	1985	
Monatsamplitude (Max)	0.66	0.68	0.64	0.69	0.59	0.66	1.69	1.55	1.80	2.06 +	0.51 -	0.68	m
Jahr	2018	1990	1978	1977	1977	1990	2020	2020	2020	2020	1983	1981	
Periode	Mittel 458.06		Max (Spitze) 458.99 (8.10.1983)				Min (Spitze) 456.19 (22.9.2020)			Periodenamplitude (Spitze) 2.80 +			



Aug/Sept Pumpversuch

Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 2 612 640 / 1 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2020		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1		458.14	458.13	458.34	458.10	458.10	458.07	458.09	457.48	456.29	456.39	458.12	458.09	1
2		458.13	458.13	458.27	458.10	458.14	458.07 -	458.10	457.77 +	456.27	456.35	458.12	458.09	2
3		458.12	458.15	458.25	458.09	458.13	458.07	458.08	457.44	456.26	456.39	458.12	458.09	3
4		458.12	458.15	458.22	458.09	458.11	458.08	458.08	456.63	456.25	456.36	458.13	458.09	4
5		458.11	458.15	458.35 +	458.09	458.16 +	458.08	458.08	456.52	456.26	456.32	458.13 +	458.09	5
Tagesmittel														
6		458.11	458.14	458.35 +	458.09	458.16	458.08	458.08	456.46	456.24	456.30	458.13	458.14	6
7		458.10	458.13	458.26	458.09	458.12	458.12	458.08	456.42	456.23	456.29	458.12	458.15	7
8		458.10	458.12	458.21	458.09	458.11	458.09	458.08	456.40	456.22	456.28	458.12	458.14	8
9		458.10	458.11	458.19	458.08	458.10	458.09	458.07	456.60	456.22	456.27	458.11	458.11	9
10		458.09	458.11 -	458.21	458.08	458.10	458.09	458.07	456.69	456.23	456.27	458.11	458.12	10
11		458.09	458.12	458.21	458.08	458.12	458.09	458.15 +	456.40	456.23	456.26	458.10	458.11	11
12		458.09	458.13	458.20	458.08	458.11	458.08	458.09	456.36	456.22	456.27	458.10	458.11	12
13		458.09	458.16	458.18	458.08	458.11	458.11	458.08	456.37	456.22	456.26 -	458.10	458.13	13
14		458.08	458.18	458.16	458.08	458.12	458.10	458.07	456.31	456.21	456.26 -	458.10	458.13	14
15		458.08	458.17	458.15	458.08	458.11	458.08	458.07	456.28	456.21	457.66	458.10	458.13	15
müM														
16		458.08	458.15	458.15	458.08	458.10	458.08	458.07	456.27	456.21	457.99	458.13	458.11	16
17		458.08	458.13	458.14	458.08 -	458.10	458.22 +	458.08	456.34	456.21	458.06	458.12	458.11	17
18		458.09	458.13	458.13	458.08	458.09	458.16	458.08	456.34	456.21	458.08	458.11	458.11	18
19		458.08	458.13	458.13	458.08	458.09	458.13	458.07	456.31	456.19	458.09	458.10	458.10	19
20		458.08	458.13	458.13	458.09	458.09	458.12	458.07	456.27	456.24	458.08	458.10	458.10	20
21		458.08	458.12	458.12	458.08	458.08	458.10	458.07	456.27	456.19	458.09	458.10	458.10	21
22		458.08	458.12	458.12	458.08	458.08	458.10	458.07	456.26	456.19 -	458.09	458.10	458.08 -	22
23		458.08	458.11	458.11	458.08	458.10	458.09	456.99	456.24	456.21	458.28	458.09	458.09	23
+ Maximum														
24		458.07	458.11	458.11	458.08	458.09	458.09	456.73	456.23	456.20	458.28	458.09	458.13	24
25		458.07	458.13	458.11	458.08	458.08	458.08	456.64	456.24	457.67	458.19	458.09	458.13	25
- Minimum														
26		458.07 -	458.16	458.11	458.09	458.08	458.08	456.58	456.23	457.96	458.32 +	458.09	458.13	26
27		458.07	458.22	458.10	458.09	458.08	458.09	456.53	456.22 -	457.99 +	458.28	458.09	458.12	27
28		458.10	458.23 +	458.10	458.12	458.08	458.08	456.24	456.72	456.24	458.13	458.08	458.13	28
29		458.16 +	458.20	458.10	458.12 +	458.08	458.16	456.48	456.24	456.51	458.16	458.08 -	458.13	29
30		458.16	458.10	458.10	458.10	458.08	458.11	456.45 -	456.32	456.44	458.16	458.08	458.15	30
31		458.14	458.10 -	458.10	458.07 -	458.07	458.11	456.47	456.31	456.44	458.13	458.08	458.15 +	31
Monatsmittel		458.10	458.14	458.17 +	458.09	458.10	458.10	457.65	456.47	456.42 -	457.30	458.11	458.12	müM
Maximum (Spitze)		458.16	458.23	458.35 +	458.12	458.16	458.22	458.15	457.77 -	457.99	458.32	458.13	458.15	müM
Datum		29.	28.	5. / 6.	29.	5.	17.	11.	2.	27.	26.	5.	31.	
Monatsamplitude		0.09	0.12	0.25	0.04 -	0.09	0.15	1.69	1.55	1.80	2.06 +	0.05	0.07	m
Jahr		Mittel 457.73			Max (Spitze) 458.35 (5.3./6.3.)			Min (Spitze) 456.19 (22.9.)			Jahresamplitude (Spitze) 2.16			



Periode		1973 - 2020 (ohne: 1997, 2004)											(46 Jahre)	
Monatsmittel		458.08	458.09 +	458.09 +	458.08	458.07	458.06	458.04	457.99	457.98 -	458.02	458.06	458.09 +	müM
Maximum (Spitze)		458.71	458.79	458.63	458.80	458.69	458.57	458.61	458.76	458.73	458.99 +	458.50 -	458.82	müM
Jahr		2018	1977	1978	1977	1977	1990	2016	2007	1987	1983	2002	1981	
Minimum (Spitze)		457.79	457.72	457.80	457.85 +	457.75	457.68	456.45	456.22	456.19 -	456.26	457.68	457.82	müM
Jahr		2005	1990	1993	1975	1993	1993	2020	2020	2020	2020	1983	1985	
Monatsamplitude (Max)		0.66	0.68	0.64	0.69	0.59	0.66	1.69	1.55	1.80	2.06 +	0.51 -	0.68	m
Jahr		2018	1990	1978	1977	1977	1990	2020	2020	2020	2020	1983	1981	
Periode		Mittel 458.05			Max (Spitze) 458.99 (8.10.1983)			Min (Spitze) 456.19 (22.9.2020)			Periodenamplitude (Spitze) 2.80			



Aug/Sept Pumpversuch

Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 2 612 640 / 1 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2019	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	458.06	458.05	458.04	458.06	458.05	458.09	458.04	458.04	458.06 +	458.03 -	458.07	458.15	1
2	458.05	458.06	458.05	458.06	458.05	458.10	458.02	458.04	458.06	458.04	458.08	458.15	2
3	458.05	458.07	458.05	458.05	458.05	458.09	458.02	458.04	458.06	458.04	458.10	458.15	3
4	458.05	458.09 +	458.05	458.08	458.05 -	458.07	458.04	458.03	458.06	458.04	458.11	458.15	4
5	458.05	458.06	458.04	458.10	458.06	458.07	458.04	458.03 -	458.06	458.04	458.11	458.14	5
Tagesmittel													
6	458.05	458.07	458.05	458.11 +	458.06	458.06	458.05	458.04	458.05	458.04	458.11	458.15	6
7	458.05	458.06	458.04 -	458.09	458.05	458.07	458.05 +	458.05	458.05	458.05	458.11	458.15	7
8	458.05	458.06	458.05	458.08	458.06	458.07	458.05	458.05	458.05	458.05	458.10	458.15	8
9	458.05	458.06	458.04	458.07	458.11	458.07	458.03	458.04	458.04	458.10	458.10	458.15	9
10	458.04	458.06	458.06	458.07	458.11	458.09	458.02	458.07	458.04	458.11	458.09	458.14	10
11	458.04 -	458.09	458.06	458.06	458.08	458.11	458.02	458.06	458.04	458.07	458.08	458.15	11
12	458.04	458.09	458.05	458.06	458.09	458.10	458.02	458.06	458.04	458.06	458.08	458.16	12
13	458.10	458.08	458.06	458.06	458.09	458.09	458.02	458.05	458.04	458.06	458.08	458.16	13
14	458.14 +	458.07	458.07	458.06	458.09	458.08	458.03	458.05	458.04	458.06	458.08	458.17	14
15	458.11	458.07	458.17 +	458.05	458.09	458.08	458.05 +	458.05	458.04	458.06	458.06	458.17	15
müM													
16	458.09	458.06	458.14	458.05	458.08	458.11 +	458.02	458.04	458.04	458.07	458.07	458.17	16
17	458.08	458.06	458.12	458.05	458.09	458.09	458.02	458.04	458.03	458.07	458.06	458.13	17
18	458.08	458.06	458.11	458.05 -	458.11	458.08	458.02	458.04	458.03	458.06	458.06	458.13 -	18
19	458.07	458.06	458.09	458.05 -	458.10	458.07	458.02	458.07	458.03	458.15 +	458.06	458.13	19
20	458.07	458.06	458.09	458.05 -	458.21	458.07	458.02	458.11	458.03	458.13	458.07	458.13	20
21	458.06	458.05	458.07	458.05 -	458.23 +	458.07	458.02	458.13	458.03	458.11	458.06	458.14	21
22	458.06	458.05	458.07	458.05 -	458.18	458.07	458.03	458.15 +	458.03 -	458.13	458.05	458.16	22
23	458.06	458.05	458.06	458.05 -	458.14	458.07	458.01	458.13	458.05	458.11	458.04	458.17	23
+ Maximum													
24	458.05	458.05	458.07	458.05 -	458.13	458.07	458.01	458.10	458.04	458.09	458.04	458.19	24
25	458.05	458.05	458.07	458.05 -	458.13	458.06	458.00 -	458.11	458.04	458.08	458.02	458.19	25
- Minimum													
26	458.05	458.05	458.06	458.05 -	458.13	458.06	458.00	458.10	458.04	458.07	458.02 -	458.17	26
27	458.05	458.05	458.06	458.05	458.12	458.06	458.02	458.09	458.04	458.07	458.02	458.21 +	27
28	458.05	458.04 -	458.06	458.06	458.12	458.05	458.05	458.09	458.04	458.07	458.07	458.21 +	28
29	458.05		458.06	458.05 -	458.13	458.03	458.05	458.09	458.04	458.08	458.12	458.17	29
30	458.05		458.06	458.05 -	458.12	458.02 -	458.04	458.08	458.03	458.07	458.15 +	458.15	30
31	458.05		458.06	458.05 -	458.12	458.02	458.04	458.07	458.03	458.07	458.13	458.13	31
Monatsmittel	458.06	458.06	458.07	458.06	458.10	458.07	458.03 -	458.07	458.04	458.07	458.08	458.16 +	müM
Maximum (Spitze)	458.16	458.10	458.18	458.12	458.31 +	458.16	458.07 -	458.16	458.07 -	458.18	458.17	458.24	müM
Datum	13. / 14.	11.	15.	5. / 6.	20.	11.	15. / 28.	22.	23.	19.	30.	27.	
Monatsamplitude	0.12	0.06	0.14	0.08	0.27 +	0.14	0.08	0.14	0.05 -	0.15	0.16	0.13	m
Jahr	Mittel 458.07	Max (Spitze) 458.31 (20.5.)				Min (Spitze) 458.00 (25.7.)				Jahresamplitude (Spitze) 0.32			



Periode	1973 - 2019 (ohne: 1997, 2004)											(45 Jahre)	
Monatsmittel	458.08	458.09 +	458.08	458.08	458.07	458.06	458.04	458.03	458.02 -	458.04	458.06	458.09 +	müM
Maximum (Spitze)	458.71	458.79	458.63	458.80	458.69	458.57	458.61	458.76	458.73	458.99 +	458.50 -	458.82	müM
Jahr	2018	1977	1978	1977	1977	1990	2016	2007	1987	1983	2002	1981	
Minimum (Spitze)	457.79	457.72	457.80	457.85 +	457.75	457.68	457.68	457.75	457.50 -	457.65	457.68	457.82	müM
Jahr	2005	1990	1993	1975	1993	1976	1976	1976	1975	1974	1983	1985	
Monatsamplitude (Max)	0.68	0.68	0.64	0.69	0.59	0.66	0.56	0.68	0.75	1.13 +	0.51 -	0.68	m
Jahr	2018	1990	1978	1977	1977	1990	1990	2007	1987	1983	1983	1981	
Periode	Mittel 458.06	+Max (Spitze) 458.99 (8.10.1983)				Min (Spitze) 457.50 (15.9.1975)				Periodenamplitude (Spitze) 1.49			



Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 2 612 640 / 1 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2018	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	458.17	458.22 +	458.08	458.13 +	458.05	458.10	458.02	457.99	458.01 +	458.00	457.99	457.99 -	1
	2	458.18	458.17	458.08	458.12	458.05	458.08	458.02	457.98	458.01 +	458.00	458.00	458.06	2
	3	458.24	458.14	458.07 -	458.12	458.05	458.07	458.03	457.96	458.00	458.00	458.00	458.08	3
	4	458.38	458.13	458.08	458.11	458.05	458.07	458.05	457.95	457.99	457.99	458.00	458.08	4
	5	458.34	458.12	458.09	458.11	458.05	458.07	458.08	457.96	457.98	457.99	457.94	458.06	5
Tagesmittel	6	458.24	458.11	458.09	458.10	458.05	458.06	458.08 +	457.94	457.93 -	457.99	457.93	458.04	6
	7	458.19	458.10	458.11	458.10	458.05	458.05	458.06	457.94 -	457.95	457.99	457.97	458.02	7
	8	458.17	458.10	458.11	458.09	458.05	458.06	458.05	457.95	457.98	457.98	457.96	458.02	8
	9	458.15	458.10	458.11	458.09	458.05	458.06	458.04	457.95	457.99	457.97	457.98	458.06	9
	10	458.13	458.10	458.10	458.09	458.06	458.06	458.03	457.95	457.98	457.98	457.98	458.05	10
Tagesmittel	11	458.09	458.09	458.10	458.09	458.06	458.07	458.02	457.95	457.93	457.98	458.00	458.03	11
	12	458.06	458.09	458.11	458.08	458.05	458.09	458.02	457.96	457.93	457.97	457.99	458.03	12
	13	458.05	458.08	458.12	458.08	458.06	458.12 +	458.02	457.96	457.97	457.98	458.00	458.00	13
	14	458.04 -	458.08 -	458.11	458.08	458.07	458.11	458.02	457.97	458.00	457.99	457.97	458.01	14
	15	458.04	458.11	458.11	458.08	458.08	458.10	458.02	457.98	458.00	457.98	457.97	458.02	15
müM	16	458.06	458.11	458.11	458.08	458.07	458.09	458.02	457.99	458.00	457.97	458.00	458.02	16
	17	458.09	458.14	458.12	458.07	458.07	458.08	458.02	457.98	457.99	457.97	458.01 +	458.02	17
	18	458.14	458.15	458.13	458.07	458.06	458.08	458.02	457.98	457.97	457.96	457.99	458.02	18
	19	458.20	458.13	458.12	458.07	458.05	458.06	458.02	458.00	457.96	457.96	457.95	458.03	19
	20	458.26	458.12	458.11	458.07	458.05	458.05	458.02	457.99	457.98	457.97	457.94	458.05	20
Tagesmittel	21	458.41	458.11	458.10	458.07	458.05	458.05	458.03	457.97	457.98	457.99	457.92 -	458.07	21
	22	458.63 +	458.11	458.09	458.06	458.04	458.06	458.03	457.98	457.98	457.98	457.97	458.09	22
	23	458.47	458.10	458.09	458.06	458.05	458.05	458.03	457.99	457.99	457.96 -	457.99	458.10	23
	24	458.28	458.09	458.09	458.06	458.05	458.05	458.02	458.00	458.00	457.96	457.99	458.14 +	24
	25	458.22	458.09	458.08	458.06	458.05	458.04	458.01	458.00	457.99	457.99	458.00	458.13	25
- Minimum	26	458.19	458.08	458.08	458.06	458.04	458.03	458.00	458.01 +	457.98	458.01	457.99	458.10	26
	27	458.16	458.08	458.08	458.06	458.04	458.03	457.99	458.00	457.97	458.03 +	457.98	458.09	27
	28	458.15	458.08	458.10	458.06	458.04 -	458.02 -	458.01	457.99	457.96	458.02	457.99	458.08	28
	29	458.14	458.13	458.13	458.06 -	458.07	458.02 -	458.01	458.00	457.97	458.00	457.99	458.07	29
	30	458.13	458.13	458.13	458.06	458.16	458.02	458.00	458.00	458.01	458.00	457.98	458.06	30
31	458.16	458.14 +	458.14 +	458.18 +	458.18 +	458.18 +	457.99 -	458.01	458.01	458.01	458.01	458.06	31	
Monatsmittel	458.20 +	458.11	458.10	458.08	458.06	458.06	458.02	457.98 -	457.98	457.99	457.98	458.05	müM	
Maximum (Spitze) Datum	458.71 + 22.	458.23 1.	458.14 31.	458.14 1.	458.23 31.	458.12 13.	458.09 5.	458.01 - div	458.01 - div	458.03 27.	458.01 - div	458.16 24.	müM	
Monatsamplitude	0.68 +	0.15	0.07 -	0.09	0.19	0.10	0.11	0.07	0.11	0.09	0.10	0.17	m	
Jahr	Mittel 458.05	Max (Spitze) 458.71 (22.1.)					Min (Spitze) 457.90 (11.9.)			Jahresamplitude (Spitze) 0.81				



Periode	1973 - 2018 (ohne: 1997, 2004) (44 Jahre)												
Monatsmittel	458.08	458.09 +	458.08	458.08	458.07	458.06	458.05	458.03	458.01 -	458.04	458.06	458.09 +	müM
Maximum (Spitze) Jahr	458.71 2018	458.79 1977	458.63 1978	458.80 1977	458.69 1977	458.57 1990	458.61 2016	458.76 2007	458.73 1987	458.99 + 1983	458.50 - 2002	458.82 1981	müM
Minimum (Spitze) Jahr	457.79 2005	457.72 1990	457.80 1993	457.85 + 1975	457.75 1993	457.68 1993	457.68 1976	457.75 1976	457.50 - 1975	457.65 1974	457.68 1983	457.82 1985	müM
Monatsamplitude (Max) Jahr	0.68 2018	0.68 1990	0.64 1978	0.69 1977	0.59 1977	0.66 1990	0.56 1990	0.68 2007	0.75 1987	1.13 + 1983	0.51 - 1983	0.68 1981	m
Periode	Mittel 458.06	Max (Spitze) +458.99 (8.10.1983)					Min (Spitze) 457.50 (15.9.1975)			Periodenamplitude (Spitze) 1.49			



Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 2 612 640 / 1 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	458.05	458.18 +	458.13	458.05	458.08	458.06	458.05	458.04	458.04 +	458.02	458.01	458.04	1
	2	458.05	458.12	458.15	458.06	458.07	458.05	458.06	458.04	458.04	458.02	458.02	458.04	2
	3	458.05	458.11	458.13	458.06	458.06	458.05	458.06	458.04	458.04	458.02	458.00	458.04	3
	4	458.05	458.10	458.10	458.06	458.06	458.09 +	458.05	458.03	458.04	458.03	458.02	458.04	4
	5	458.04	458.09	458.11	458.05	458.07	458.08	458.04	458.03	458.03	458.02	458.04	458.04	5
Tagesmittel	6	458.03	458.11	458.20 +	458.05	458.08	458.07	458.03	458.03	458.03	458.02	458.05	458.03	6
	7	458.04	458.10	458.19	458.05	458.09	458.07	458.03 -	458.03	458.02	458.02	458.03	458.03	7
	8	458.04	458.12	458.16	458.05	458.07	458.11 +	458.07	458.04	458.05	458.02	458.02	458.03 -	8
	9	458.04	458.11	458.14	458.05	458.10	458.07	458.06	458.05	458.02	458.03 +	458.01	458.06	9
	10	458.03	458.10	458.13	458.05	458.09	458.07	458.07	458.04	458.07 +	458.02	458.03	457.99 -	10
Tagesmittel	11	458.03	458.10	458.11	458.04 -	458.08	458.06	458.07 +	458.07	458.02	458.02	458.02	458.27	11
	12	458.02	458.08	458.11	458.05	458.07	458.06	458.05	458.06	458.02	458.01	458.09 +	458.23	12
	13	458.04	458.08	458.09	458.05	458.07	458.06	458.04	458.05	458.02	458.01	458.08	458.17	13
	14	458.07	458.07	458.09	458.05	458.07	458.05	458.04	458.05	458.02 -	458.02	458.06	458.28	14
	15	458.09	458.07	458.09	458.05	458.07	458.05	458.04	458.05	458.02 -	458.02	458.06	458.38 +	15
müM	16	458.10	458.06	458.08	458.05	458.06	458.05	458.04	458.06	458.02 -	458.02	458.05	458.24	16
	17	458.07	458.06	458.07	458.05	458.06	458.05	458.04	458.04	458.03	458.02	458.05	458.16	17
	18	458.06	458.06	458.08	458.05	458.06	458.05	458.04	458.04	458.04	458.01	458.04	458.13	18
	19	458.05	458.06	458.08	458.06	458.07	458.05	458.03	458.04	458.04	458.01	458.04	458.11	19
	20	458.05	458.06	458.07	458.05	458.06	458.03	458.03	458.04	458.03	458.02	458.04	458.09	20
Tagesmittel	21	458.04	458.05	458.06	458.05	458.06	458.02	458.03	458.03	458.03	458.02	458.04	458.09	21
	22	458.04	458.05	458.07	458.05	458.06	458.01 -	458.04	458.03	458.02	458.03	458.03	458.09	22
	23	458.03	458.05	458.06	458.05	458.05	458.02	458.04	458.03	458.02	458.03	458.03	458.09	23
	24	458.00	458.05	458.06	458.05	458.05	458.02	458.05	458.03	458.02	458.02	458.03	458.09	24
	25	457.98 -	458.04 -	458.06	458.06	458.05	458.03	458.06	458.03	458.02	458.02	458.05	458.09	25
- Minimum	26	457.99	458.05	458.06	458.08	458.05	458.04	458.05	458.03	458.02	458.02	458.07	458.08	26
	27	457.99	458.06	458.06	458.08	458.05	458.04	458.05	458.03	458.02	458.02	458.06	458.09	27
	28	458.02	458.12	458.06	458.09 +	458.05	458.06	458.07	458.03	458.02	458.02	458.05	458.08	28
	29	458.03	458.06	458.06	458.09	458.05	458.07	458.05	458.02 -	458.02	458.03	458.05	458.09	29
	30	458.04	458.05 -	458.05 -	458.08	458.04 -	458.06	458.05	458.02 -	458.02	458.02	458.05	458.16	30
31	458.11 +	458.05 -	458.05 -	458.05	458.05	458.05	458.05	458.03	458.03	457.99 -	458.05	458.19	31	
Monatsmittel	458.04	458.08	458.10	458.06	458.06	458.05	458.05	458.04	458.03	458.02 -	458.04	458.12 +	müM	
Maximum (Spitze)	458.15	458.18	458.23	458.10	458.11	458.10	458.07	458.08	458.04	458.03 -	458.11	458.42 +	müM	
Datum	31.	1.	7.	28.	8.	4.	11. / 28.	10.	1.	9.	12.	15.		
Monatsamplitude	0.17	0.14	0.19	0.05	0.07	0.09	0.05	0.07	0.03 -	0.05	0.12	0.39 +	m	
Jahr	Mittel 458.06	Max (Spitze) 458.42 (15.12.)					Min (Spitze) 457.98 (25.1.)			Jahresamplitude (Spitze) 0.44				



Periode	1973 - 2017 (ohne: 1997, 2004)											(43 Jahre)	
Monatsmittel	458.08	458.09 +	458.08	458.08	458.07	458.06	458.05	458.03	458.02 -	458.04	458.06	458.09 +	müM
Maximum (Spitze)	458.70	458.79	458.63	458.80	458.69	458.57	458.61	458.76	458.73	458.99 +	458.50 -	458.82	müM
Jahr	1980	1977	1978	1977	1977	1990	2016	2007	1987	1983	2002	1981	
Minimum (Spitze)	457.79	457.72	457.80	457.85 +	457.75	457.68	457.68	457.75	457.50 -	457.65	457.68	457.82	müM
Jahr	2005	1990	1993	1975	1993	1976	1976	1976	1975	1974	1983	1985	
Monatsamplitude (Max)	0.60	0.68	0.64	0.69	0.59	0.66	0.56	0.68	0.75	1.13 +	0.51 -	0.68	m
Jahr	1980	1990	1978	1977	1977	1990	1990	2007	1987	1983	1983	1981	
Periode	Mittel 458.06	Max (Spitze) 458.99 (8.10.1983)					Min (Spitze) 457.50 (15.9.1975)			Periodenamplitude (Spitze) 1.49			



Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 2 612 640 / 1 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2016		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	458.04 -	458.16	458.10	458.06 -	458.14	458.21	458.41	458.13	458.07	458.08	458.09	458.10 +	1	
	2	458.05	458.13	458.11	458.06 -	458.13	458.19	458.36	458.12	458.07	458.08	458.09	458.09	2	
	3	458.08	458.12	458.12	458.06 -	458.12	458.19	458.30	458.14	458.08	458.08	458.08 -	458.09	3	
	4	458.10	458.13	458.16	458.06 -	458.11	458.19	458.23	458.17 +	458.10	458.08	458.15	458.09	4	
	5	458.09	458.13	458.20 +	458.07	458.10	458.19	458.20	458.17	458.11 +	458.08	458.22	458.09	5	
	6	458.10	458.13	458.18	458.08	458.10	458.17 -	458.17	458.14	458.09	458.07	458.20	458.09	6	
	7	458.15	458.12	458.15	458.07	458.09	458.22	458.16	458.13	458.07	458.07	458.16	458.08	7	
	8	458.27	458.13	458.14	458.07	458.09 -	458.27	458.16	458.12	458.06	458.07	458.14	458.08	8	
	9	458.37	458.15	458.13	458.07	458.09 -	458.24	458.15	458.12	458.05 -	458.06 -	458.15	458.08	9	
	10	458.41 +	458.15	458.12	458.07	458.09	458.20	458.16	458.12	458.06	458.07	458.24	458.07	10	
müM	11	458.39	458.13	458.11	458.06 -	458.14	458.18	458.39	458.12	458.06	458.07	458.28 +	458.07	11	
	12	458.34	458.16	458.11	458.11	458.26	458.19	458.61 +	458.11	458.06	458.08	458.21	458.07	12	
	13	458.30	458.23	458.10	458.15	458.34	458.25	458.49	458.11	458.06	458.08	458.16	458.07	13	
	14	458.23	458.27 +	458.09	458.14	458.32	458.26	458.34	458.11	458.06	458.08	458.14	458.07	14	
	15	458.16	458.27 +	458.09	458.13	458.26	458.28	458.27	458.11	458.06	458.08	458.13	458.06	15	
	16	458.12	458.18	458.08	458.19	458.19	458.40	458.22	458.12	458.07	458.08	458.13	458.06	16	
	17	458.11	458.15	458.08	458.25 +	458.16	458.41	458.20	458.12	458.08	458.09	458.15	458.06	17	
	18	458.10	458.14	458.08	458.25 +	458.15	458.31	458.18	458.12	458.09	458.09	458.21	458.06	18	
	19	458.09	458.13	458.08	458.22	458.13	458.27	458.16	458.12	458.08	458.08	458.24	458.06	19	
	20	458.08	458.12	458.08	458.17	458.11	458.23	458.16	458.12	458.07	458.07	458.21	458.06	20	
+ Maximum	21	458.08	458.12	458.08	458.14	458.11	458.20	458.16	458.12	458.07	458.07	458.17	458.06	21	
	22	458.08	458.11	458.07	458.14	458.18	458.18	458.17	458.11	458.07	458.08	458.15	458.06	22	
	23	458.08	458.10	458.07	458.14	458.25	458.17 -	458.18	458.11	458.06	458.08	458.13	458.06	23	
	24	458.08	458.12	458.07	458.14	458.24	458.24	458.16	458.10	458.06	458.11	458.12	458.06	24	
	25	458.08	458.14	458.07	458.13	458.20	458.31	458.14	458.10	458.06	458.20	458.11	458.06	25	
	- Minimum	26	458.08	458.14	458.07	458.13	458.17	458.26	458.14	458.10	458.06	458.22 +	458.11	458.06	26
		27	458.06	458.12	458.07	458.12	458.15	458.21	458.13	458.10	458.06	458.16	458.10	458.06	27
		28	458.05	458.11	458.07	458.11	458.29	458.18	458.13	458.10	458.07	458.12	458.10	458.06	28
		29	458.06	458.10 -	458.07	458.10	458.43 +	458.32	458.12 -	458.09	458.07	458.11	458.10	458.05	29
		30	458.13		458.06 -	458.12	458.35	458.46 +	458.13	458.08	458.07	458.10	458.10	458.05	30
31		458.18		458.06 -		458.25		458.14	458.07 -		458.10		458.05 -	31	
Monatsmittel		458.14	458.14	458.10	458.12	458.18	458.24 +	458.22	458.11	458.07	458.09	458.15	458.07 -	müM	
Maximum (Spitze)		458.44	458.27	458.20	458.25	458.43	458.49	458.61 +	458.18	458.11	458.26	458.30	458.10	müM	
Datum		10.	13.	4. / 5.	17.	28.	16.	11. / 12.	4.	4.	25.	10.	1.		
Monatsamplitude		0.41	0.18	0.14	0.19	0.35	0.33	0.49 +	0.11	0.06	0.20	0.22	0.06 -	m	
Jahr	Mittel 458.14	Max (Spitze) 458.61 (11.7./12.7.)					Min (Spitze) 458.03 (1.1.)			Jahresamplitude (Spitze) 0.58					



Periode	1973 - 2016 (ohne: 1997, 2004) (42 Jahre)												
Monatsmittel	458.08	458.09 +	458.08	458.08	458.07	458.06	458.05	458.03	458.02 -	458.04	458.06	458.09 +	müM
Maximum (Spitze)	458.70	458.79	458.63	458.80	458.69	458.57	458.61	458.76	458.73	458.99 +	458.50 -	458.82	müM
Jahr	1980	1977	1978	1977	1977	1990	2016	2007	1987	1983	2002	1981	
Minimum (Spitze)	457.79	457.72	457.80	457.85 +	457.75	457.68	457.68	457.75	457.50 -	457.65	457.68	457.82	müM
Jahr	2005	1990	1993	1975	1993	1976	1976	1976	1975	1974	1983	1985	
Monatsamplitude (Max)	0.60	0.68	0.64	0.69	0.59	0.66	0.56	0.68	0.75	1.13 +	0.51 -	0.68	m
Jahr	1980	1990	1978	1977	1977	1990	1990	2007	1987	1983	1983	1981	
Periode	Mittel 458.06	Max (Spitze) 458.99 (8.10.1983)					+ Min (Spitze) 457.50 (15.9.1975)			Periodenamplitude (Spitze) 1.49			



Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 612 640 / 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2015		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	458.09 -	458.17 +	458.15	458.12	458.57 +	458.08	458.05 +	458.04	458.02	458.02	458.02	457.96 -	1	
	2	458.09 -	458.16	458.25 +	458.12	458.57 +	458.07 -	458.03	458.04	458.02	458.02	458.03	457.99	2	
	3	458.17	458.15	458.21	458.13	458.54	458.07 -	458.03	458.04	458.02	458.02	458.02	457.99	3	
	4	458.30 +	458.13	458.18	458.24 +	458.45	458.07 -	458.03	458.04	458.02	458.03	458.03	457.99	4	
	5	458.22	458.12	458.15	458.24 +	458.34	458.07 -	458.03	458.03	458.02	458.03	458.03	458.00	457.91	5
	6	458.16	458.12	458.13	458.16	458.51	458.10	458.03	458.03	458.02	458.02	458.05 +	458.01	458.02	6
	7	458.13	458.12	458.13	458.13	458.32	458.12	458.03	458.02	458.02	458.02	458.05 +	458.01	458.02	7
	8	458.12	458.12	458.13	458.12	458.23	458.08	458.03	458.02	458.02	458.02	458.04	458.03	458.00	8
	9	458.11	458.12	458.13	458.11	458.21	458.07 -	458.03	458.03	458.02	458.03	458.03	458.03	458.01	9
	10	458.12	458.11	458.12	458.11	458.18	458.07 -	458.03	458.03	458.01 -	458.03	458.02	458.02	457.98	10
müM	11	458.13	458.11	458.11	458.10	458.16	458.07 -	458.02	458.00 -	458.01 -	458.03	458.02	457.99	11	
	12	458.12	458.11	458.11	458.10	458.15	458.07 -	458.03	458.00 -	458.01 -	458.03	457.99 -	458.02	12	
	13	458.11	458.10 -	458.11	458.09	458.13	458.10	458.03	458.02	458.02	458.03	458.01	458.03 +	13	
	14	458.09 -	458.11	458.11	458.09	458.12	458.13	458.02	458.03	458.03	458.03	458.01	458.03 +	14	
	15	458.09 -	458.11	458.11	458.08 -	458.16	458.17 +	458.02	458.03	458.02	458.01	458.02	458.00	458.00	15
	16	458.11	458.11	458.11	458.08 -	458.15	458.13	457.97 -	458.05	458.02	458.02	458.02	458.00	458.00	16
	17	458.20	458.11	458.11	458.09	458.13	458.11	458.01	458.04	458.06 +	458.03	457.99 -	457.99	17	
	18	458.20	458.10 -	458.09	458.11	458.12	458.10	458.02	458.04	458.05	458.03	458.03	458.01	458.00	18
	19	458.17	458.10 -	458.08	458.09	458.11	458.10	458.03	458.03	458.04	458.04	458.04	458.01	458.02	19
	20	458.15	458.11	458.08	458.09	458.11	458.09	458.04	458.04	458.03	458.03	458.03	458.07	458.02	20
+ Maximum	21	458.14	458.11	458.08	458.08 -	458.11	458.08	458.02	458.03	458.03	458.00 -	458.12 +	458.03 +	21	
	22	458.14	458.12	458.08	458.08 -	458.11	458.08	458.02	458.03	458.03	458.02	458.07	458.03 +	22	
	23	458.12	458.14	458.08	458.08 -	458.11	458.10	458.02	458.03	458.03	458.03	458.05	458.03 +	23	
	24	458.12	458.14	458.08	458.08 -	458.10	458.08	458.03	458.06 +	458.03	458.02	458.05	458.02	24	
	25	458.12	458.13	458.08	458.08 -	458.10	458.08	458.04	458.06 +	458.03	458.03	458.05	458.02	25	
- Minimum	26	458.12	458.11	458.08	458.08 -	458.10	458.07 -	458.04	458.04	458.03	458.03	458.04	458.02	26	
	27	458.12	458.12	458.08	458.08 -	458.10	458.07 -	458.04	458.04	458.03	458.02	458.03	458.02	27	
	28	458.11	458.12	458.07 -	458.12	458.09	458.07 -	458.04	458.03	458.03	458.02	458.04	458.03 +	28	
	29	458.19		458.08	458.09	458.08 -	458.07 -	458.04	458.02	458.03	458.03	458.03	458.02	29	
	30	458.26		458.16	458.08 -	458.07 -	458.07 -	458.04	458.02	458.03	458.03	458.03	458.02	30	
	31	458.22		458.15	458.08 -	458.08 -		458.04	458.02	458.02	458.04	458.03	458.03 +	31	
Monatsmittel	458.15	458.12	458.12	458.11	458.20 +	458.09	458.03	458.03	458.03	458.03	458.03	458.01 -	müM		
Maximum (Spitze) Datum	458.30 4.	458.17 1.	458.25 2.	458.24 4. / 5.	458.57 1. / 2.	458.17 15.	458.05 1.	458.06 24. / 25.	458.06 17.	458.05 6. / 7.	458.12 21.	458.03 div	müM		
Monatsamplitude	0.21	0.07	0.18	0.16	0.49 +	0.10	0.08	0.06	0.05 -	0.05 -	0.13	0.07	m		
Jahr	Mittel 458.08	Max (Spitze) 458.57 (1.5./2.5.)				Min (Spitze) 457.96 (1.12.)			Jahresamplitude (Spitze) 0.61						



Periode	1973 - 2015 (ohne: 1997, 2004) (41 Jahre)												
Monatsmittel	458.08	458.09 +	458.08	458.08	458.07	458.06	458.04	458.02	458.01 -	458.04	458.06	458.09 +	müM
Maximum (Spitze) Jahr	458.70 1980	458.79 1977	458.63 1978	458.80 1977	458.69 1977	458.57 1990	458.49 - 1990	458.76 2007	458.73 1987	458.99 + 1983	458.50 2002	458.82 1981	müM
Minimum (Spitze) Jahr	457.79 2005	457.72 1990	457.80 1993	457.85 + 1975	457.75 1993	457.68 1993	457.68 1976	457.75 1976	457.50 - 1975	457.65 1974	457.68 1983	457.82 1985	müM
Monatsamplitude (Max) Jahr	0.60 1980	0.68 1990	+ 0.64 1978	0.69 1977	0.59 1977	0.66 1990	0.56 1990	0.68 2007	0.75 1987	1.13 + 1983	0.51 - 1983	0.68 +1981	m
Periode	Mittel 458.06	Max (Spitze) 458.99 (8.10.1983)				Min (Spitze) + 457.50 (15.9.1975)			Periodenamplitude (Spitze) 1.49				



Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 612 640 / 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	458.14	458.10	458.15 +	458.07	458.12	458.08	458.04 -	458.17 +	458.09 +	458.06	458.06 -	458.11	1	
	2	458.13	458.10	458.14	458.07	458.15	458.09 +	458.08	458.17 +	458.09 +	458.06	458.06 -	458.10	2	
	3	458.13	458.10	458.14	458.07	458.17 +	458.09 +	458.06	458.14	458.09 +	458.06	458.07	458.09	3	
	4	458.21 +	458.10	458.13	458.07	458.15	458.09 +	458.06	458.13	458.08	458.05 -	458.07	458.10	4	
	5	458.20	458.08 -	458.13	458.07	458.13	458.09 +	458.08	458.13	458.08	458.06	458.20	458.09	5	
Tagesmittel	6	458.16	458.09	458.12	458.07	458.10	458.08	458.13	458.12	458.08	458.07	458.23	458.09	6	
	7	458.15	458.13	458.12	458.07	458.11	458.07	458.19	458.12	458.08	458.10	458.17	458.09	7	
	8	458.14	458.12	458.12	458.09	458.11	458.06	458.32 +	458.12	458.08	458.14 +	458.13	458.09	8	
	9	458.13	458.13	458.11	458.07	458.09	458.06	458.29	458.12	458.08	458.09	458.11	458.08	9	
	10	458.12	458.13	458.11	458.07	458.10	458.07	458.26	458.15	458.08	458.07	458.10	458.08	10	
	11	458.12	458.12	458.11	458.07	458.11	458.07	458.27	458.14	458.07	458.10	458.10	458.08	11	
	12	458.11	458.12	458.11	458.07	458.11	458.05	458.23	458.14	458.07	458.10	458.09	458.08	12	
	13	458.11	458.22	458.10	458.07	458.11	458.05	458.17	458.13	458.07	458.09	458.12	458.08	13	
	14	458.13	458.24	458.09	458.07	458.15	458.05	458.16	458.12	458.07	458.07	458.10	458.07 -	14	
	15	458.12	458.24	458.08	458.07	458.13	458.06	458.14	458.14	458.07	458.08	458.24	458.08	15	
müM	16	458.15	458.36 +	458.08	458.07	458.13	458.05	458.12	458.14	458.07	458.08	458.32 +	458.08	16	
	17	458.21 +	458.26	458.08	458.06 -	458.11	458.04	458.10	458.13	458.06 -	458.08	458.25	458.10	17	
	18	458.18	458.20	458.08	458.07	458.11	458.04	458.10	458.12	458.06 -	458.08	458.24	458.12 +	18	
	19	458.15	458.18	458.08	458.07	458.11	458.05	458.10	458.12	458.06 -	458.08	458.19	458.12 +	19	
	20	458.14	458.16	458.07 -	458.07	458.10	458.05	458.25	458.11	458.06 -	458.08	458.16	458.11	20	
+ Maximum	21	458.12	458.15	458.08	458.07	458.09	458.03 -	458.25	458.11	458.07	458.12	458.14	458.10	21	
	22	458.12	458.14	458.08	458.06 -	458.08 -	458.04	458.25	458.10	458.09 +	458.13	458.13	458.10	22	
	23	458.11	458.14	458.10	458.06 -	458.11	458.05	458.24	458.10	458.07	458.12	458.12	458.10	23	
	24	458.12	458.14	458.12	458.06 -	458.11	458.08	458.18	458.11	458.06 -	458.10	458.12	458.09	24	
	25	458.11	458.13	458.12	458.06 -	458.10	458.07	458.15	458.10	458.07	458.09	458.11	458.09	25	
	- Minimum	26	458.11	458.14	458.10	458.08	458.09	458.05	458.16	458.11	458.06 -	458.09	458.11	458.09	26
		27	458.13	458.15	458.10	458.13	458.11	458.05	458.15	458.11	458.06 -	458.08	458.11	458.09	27
		28	458.12	458.15	458.09	458.15 +	458.11	458.05	458.14	458.10	458.06 -	458.08	458.11	458.10	28
		29	458.12	458.15	458.08	458.15 +	458.09	458.06	458.16	458.08 -	458.07	458.07	458.10	458.10	29
		30	458.11	458.15	458.08	458.11	458.09	458.06	458.19	458.08	458.06 -	458.07	458.11	458.10	30
		31	458.10 -	458.15	458.08	458.07	458.09	458.09	458.21	458.09	458.07	458.07	458.11	458.10	31
Monatsmittel	458.14	458.15	458.10	458.08	458.11	458.06 -	458.17 +	458.12	458.07	458.09	458.14	458.09	müM		
Maximum (Spitze) Datum	458.21 4. / 17.	458.36 + 16.	458.15 1.	458.15 28. / 29.	458.17 3.	458.09 - div	458.32 8.	458.17 1. / 2.	458.09 - div	458.14 8.	458.32 16.	458.12 18. / 19.	müM		
Monatsamplitude	0.11	0.28 +	0.08	0.09	0.09	0.06	0.28 +	0.09	0.03 -	0.09	0.26	0.05	m		
Jahr	Mittel 458.11	Max (Spitze) 458.36 (16.2.)			Min (Spitze) 458.03 (21.6.)			Jahresamplitude (Spitze) 0.33							



Periode	1973 - 2014 (ohne: 1997, 2004) (40 Jahre)												
Monatsmittel	458.08	458.09 +	458.08	458.08	458.07	458.06	458.04	458.02	458.01 -	458.04	458.06	458.09 +	müM
Maximum (Spitze) Jahr	458.70 1980	458.79 1977	458.63 1978	458.80 1977	458.69 1977	458.57 1990	458.49 - 1990	458.76 2007	458.73 1987	458.99 + 1983	458.50 2002	458.82 1981	müM
Minimum (Spitze) Jahr	457.79 2005	457.72 1990	457.80 1993	457.85 + 1975	457.75 1993	457.68 1993	457.68 1976	457.75 1976	457.50 - 1975	457.65 1974	457.68 1983	457.82 1985	müM
Monatsamplitude (Max) Jahr	0.60 1980	0.68 1990	0.64 1978	0.69 1977	0.59 1977	0.66 1990	0.56 1990	0.68 2007	0.75 1987	1.13 + 1983	0.51 - 1983	0.68 1981	m
Periode	Mittel 458.06	Max (Spitze) 458.99 (8.10.1983)			Min (Spitze) 457.50 (15.9.1975)			Periodenamplitude (Spitze) 1.49					



Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 612 640 / 222 830


OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2013		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez			
Tagesmittel	1	458.17	458.27	458.08	458.20	458.12	458.53 +	458.07	458.09	458.05	458.06 -	458.13	458.10	1		
	2	458.16	458.36 +	458.08	458.16	458.12	458.41	458.07	458.04	458.05	458.06 -	458.12	458.10	2		
	3	458.15	458.29	458.08	458.13	458.11	458.26	458.10	458.05	458.05	458.06 -	458.36 +	458.10	3		
	4	458.14	458.20	458.08	458.10	458.10	458.18	458.10	458.05	458.04	458.06 -	458.27	458.10	4		
	5	458.14	458.23	458.08	458.10	458.10	458.15	458.08	458.04	458.04	458.06 -	458.26	458.10	5		
	Tagesmittel	6	458.13	458.23	458.09	458.09 -	458.10	458.12	458.07	458.03 -	458.03 -	458.07	458.29	458.10	6	
		7	458.13	458.20	458.09	458.09 -	458.09	458.11	458.07	458.03 -	458.04	458.06 -	458.25	458.10	7	
		8	458.13	458.17	458.09	458.09 -	458.09	458.09	458.06	458.06	458.12	458.06 -	458.21	458.09	8	
		9	458.12	458.14	458.09	458.10	458.09	458.09	458.06	458.09	458.12	458.06 -	458.25	458.09	9	
		10	458.13	458.13	458.08	458.10	458.15	458.14	458.06	458.04	458.08	458.12	458.22	458.09	10	
		11	458.15	458.12	458.08	458.16	458.13	458.13	458.06	458.05	458.06	458.10	458.20	458.09	11	
		12	458.15	458.12	458.08	458.38	458.11	458.10	458.05	458.06	458.06	458.12	458.18	458.08	12	
		13	458.14	458.11	458.07 -	458.19	458.10	458.09	458.05	458.05	458.06	458.14	458.16	458.07	13	
		14	458.13	458.11	458.07 -	458.17	458.09	458.08	458.05	458.04	458.06	458.11	458.14	458.08	14	
		15	458.12	458.11	458.07 -	458.14	458.10	458.09	458.05	458.05	458.07	458.10	458.14	458.08	15	
	müM	16	458.12	458.11	458.07 -	458.12	458.09	458.09	458.05	458.05	458.09	458.22	458.12	458.08	16	
		17	458.11	458.11	458.07 -	458.10	458.09	458.08	458.04	458.04	458.09	458.15	458.12	458.08	17	
		18	458.11	458.10	458.08	458.10	458.08	458.07	458.05	458.04	458.13 +	458.12	458.11 -	457.99 -	18	
		19	458.10	458.10	458.09	458.38	458.08	458.07	458.08	458.04	458.13 +	458.11	458.11 -	458.06	19	
		20	458.10	458.09	458.08	458.46 +	458.08	458.06 -	458.08	458.04	458.10	458.10	458.11 -	458.11	20	
	+ Maximum	21	458.10	458.10	458.08	458.36	458.08	458.08	458.05	458.04	458.08	458.10	458.12	458.12	21	
		22	458.09 -	458.10	458.08	458.25	458.09	458.08	458.05	458.04	458.08	458.10	458.13	458.12	22	
		23	458.09 -	458.10	458.08	458.20	458.08	458.07	458.05	458.03 -	458.07	458.11	458.17	458.12	23	
		24	458.09 -	458.09	458.07 -	458.17	458.07 -	458.08	458.05	458.06	458.07	458.11	458.17	458.12	24	
		25	458.09 -	458.09	458.07 -	458.15	458.08	458.08	458.05	458.07	458.05	458.09	458.15	458.18	25	
		- Minimum	26	458.09 -	458.09	458.07 -	458.14	458.08	458.07	458.04	458.06	458.05	458.08	458.14	458.40 +	26
			27	458.09 -	458.08 -	458.07 -	458.15	458.08	458.07	458.03 -	458.15 +	458.06	458.25 +	458.12	458.35	27
			28	458.09 -	458.08 -	458.13	458.15	458.10	458.07	458.07	458.15 +	458.06	458.19	458.12	458.23	28
			29	458.13		458.14	458.13	458.16	458.08	458.28 +	458.07	458.06	458.23	458.11 -	458.22	29
			30	458.19 +		458.28 +	458.12	458.10	458.07	458.21	458.07	458.06	458.20	458.11 -	458.17	30
			31	458.19 +		458.27		458.30 +		458.10	458.05		458.15		458.15	31
Monatsmittel	458.13	458.14	458.10	458.17 +	458.11	458.12	458.07	458.06 -	458.07	458.12	458.17	458.13	müM			
Maximum (Spitze) Datum	458.19 30. / 31.	458.36 2.	458.28 30.	458.46 20.	458.30 31.	458.53 + 1.	458.28 29.	458.15 27. / 28.	458.13 - 18. / 19.	458.25 27.	458.36 3.	458.40 26.	müM			
Monatsamplitude	0.10 -	0.28	0.21	0.37	0.23	0.47 +	0.25	0.12	0.10 -	0.19	0.25	0.41	m			
Jahr	Mittel 458.11	Max (Spitze) 458.53 (1.6.)					Min (Spitze) 457.99 (18.12.)			Jahresamplitude (Spitze) 0.54						



Periode	1973 - 2013 (ohne: 1997, 2004) (39 Jahre)												
Monatsmittel	458.07	458.09 +	458.08	458.08	458.06	458.06	458.04	458.02	458.01 -	458.03	458.06	458.09 +	müM
Maximum (Spitze) Jahr	458.70 1980	458.79 1977	458.63 1978	458.80 1977	458.69 1977	458.57 1990	458.49 - 1990	458.76 2007	458.73 1987	458.99 + 1983	458.50 2002	458.82 1981	müM
Minimum (Spitze) Jahr	457.79 2005	457.72 1990	457.80 1993	457.85 + 1975	457.75 1993	457.68 1993	457.68 1976	457.75 1976	457.50 - 1975	457.65 1974	457.68 1983	457.82 1985	müM
Monatsamplitude (Max) Jahr	0.60 1980	0.68 1990	0.64 1978	0.69 1977	0.59 1977	0.66 1990	0.56 1990	0.68 2007	0.75 1987	1.13 + 1983	0.51 - 1983	0.68 1981	m
Periode	Mittel 458.06	Max (Spitze) 458.99 (8.10.1983)					Min (Spitze) 457.50 (15.9.1975)			+ Periodenamplitude (Spitze) 1.49			



Grundwasserstand

PW Erlenmoos - Recherswil


SO 612/222/001

Koordinaten 612 640 / 222 830

OK Terrain 464.8 müM

Abstichpunkt 461.6 müM

2012	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	458.30	458.13 +	458.09 +	458.07 -	458.09	458.05 -	458.19	458.08	458.12	458.09	458.12	458.14	1
2	458.26	458.12	458.09 +	458.08	458.10	458.06	458.20 +	458.08	458.10	458.08 -	458.12	458.14	2
3	458.24	458.11	458.09 +	458.09	458.11	458.07	458.16	458.09	458.08	458.08 -	458.18	458.19	3
4	458.34	458.11	458.09 +	458.09	458.10	458.07	458.15	458.11	458.07	458.08	458.28	458.24	4
5	458.39 +	458.11	458.09 +	458.09	458.08	458.06	458.17	458.11 +	458.07	458.08 -	458.26	458.22	5
Tagesmittel													
6	458.28	458.10	458.09	458.08	458.08	458.07	458.17	458.10	458.07	458.08 -	458.19	458.20	6
7	458.20	458.09	458.08	458.08	458.08	458.10	458.15	458.09	458.07	458.08	458.16	458.18	7
8	458.19	458.09	458.08	458.07 -	458.08	458.12	458.13	458.08	458.07	458.13	458.14	458.16	8
9	458.18	458.09	458.08	458.09	458.08	458.09	458.11	458.08	458.07	458.21	458.23	458.15	9
10	458.16	458.09	458.08	458.12	458.09	458.11	458.10	458.07	458.06 -	458.23 +	458.39	458.14	10
11	458.15	458.09	458.08	458.13	458.10	458.15 +	458.10	458.07	458.08	458.19	458.40 +	458.13	11
12	458.15	458.09	458.08	458.13	458.10	458.14	458.11	458.07	458.09	458.16	458.28	458.11	12
13	458.14	458.09	458.07 -	458.11	458.09	458.12	458.11	458.07	458.08	458.14	458.19	458.10 -	13
14	458.14	458.08	458.07 -	458.14	458.08	458.10	458.10	458.08	458.07	458.13	458.17	458.24	14
15	458.13	458.08	458.07 -	458.19 +	458.07	458.09	458.10	458.08	458.06 -	458.11	458.16	458.42	15
müM													
16	458.12	458.08	458.07 -	458.18	458.06	458.08	458.09	458.08	458.06 -	458.10	458.15	458.47	16
17	458.12	458.08	458.08	458.16	458.06	458.08	458.09	458.07	458.06 -	458.10	458.14	458.48 +	17
18	458.11 -	458.08	458.09	458.15	458.06	458.07	458.09	458.07	458.07	458.09	458.12	458.48 +	18
19	458.14	458.06	458.09 +	458.14	458.06	458.08	458.09	458.06	458.08	458.09	458.11	458.39	19
20	458.18	458.05 -	458.09	458.14	458.09	458.08	458.09	458.06	458.07	458.09	458.16	458.27	20
21	458.17	458.06	458.08	458.15	458.12 +	458.07	458.09	458.06	458.09	458.09	458.15	458.27	21
22	458.16	458.07	458.08	458.15	458.11	458.07	458.09	458.07	458.11	458.08	458.09	458.37	22
23	458.15	458.08	458.07 -	458.14	458.09	458.06	458.08 -	458.08	458.10	458.08	458.08	458.39	23
+ Maximum													
24	458.15	458.09	458.07 -	458.14	458.08	458.07	458.08 -	458.08	458.09	458.08	458.07 -	458.29	24
25	458.14	458.11	458.07 -	458.12	458.08	458.07	458.08 -	458.08	458.08	458.08	458.08	458.29	25
- Minimum													
26	458.14	458.11	458.07 -	458.10	458.08	458.07	458.08 -	458.04	458.09	458.11	458.12	458.31	26
27	458.18	458.11	458.07 -	458.09	458.08	458.05	458.09	458.02 -	458.09	458.13	458.17	458.29	27
28	458.19	458.10	458.07 -	458.09	458.07	458.06	458.09	458.03	458.11	458.12	458.23	458.27	28
29	458.17	458.10	458.07 -	458.08	458.03	458.10	458.09	458.06	458.13 +	458.12	458.26	458.23	29
30	458.15	458.07	458.07 -	458.09	458.02 -	458.15	458.08 -	458.08	458.11	458.12	458.20	458.20	30
31	458.14	458.07 -	458.07 -	458.05	458.05	458.08	458.08 -	458.10	458.12	458.12	458.19	458.19	31
Monatsmittel	458.18	458.09	458.08	458.11	458.08	458.08	458.11	458.07 -	458.08	458.11	458.18	458.25 +	müM
Maximum (Spitze)	458.44	458.13	458.09 -	458.20	458.12	458.16	458.21	458.12	458.13	458.23	458.45	458.49 +	müM
Datum	4.	1.	div	15.	20.	30.	1.	4. / 31.	28.	9.	10.	17.	
Monatsamplitude	0.33	0.09	0.02 -	0.13	0.13	0.12	0.13	0.11	0.07	0.16	0.38	0.39 +	m
Jahr	Mittel 458.12	Max (Spitze) 458.49 (17.12.)				Min (Spitze) 457.99 (29.5.)			Jahresamplitude (Spitze) 0.50				



Periode	1973 - 2012 (ohne: 1997, 2004) (38 Jahre)												
Monatsmittel	458.07	458.09 +	458.08	458.08	458.06	458.05	458.04	458.02	458.01 -	458.03	458.05	458.09 +	müM
Maximum (Spitze)	458.70	458.79	458.63	458.80	458.69	458.57	458.49 -	458.76	458.73	458.99 +	458.50	458.82	müM
Jahr	1980	1977	1978	1977	1977	1990	1990	2007	1987	1983	2002	1981	
Minimum (Spitze)	457.79	457.72	457.80	457.85 +	457.75	457.68	457.68	457.75	457.50 -	457.65	457.68	457.82	müM
Jahr	2005	1990	1993	1975	1993	1976	1976	1976	1975	1974	1983	1985	
Monatsamplitude (Max)	0.60	0.68	0.64	0.69	0.59	0.66	0.56	0.68	0.75	1.13 +	0.51 -	0.68	m
Jahr	1980	1990	1978	1977	1977	1990	1990	2007	1987	1983	1983	1981	
Periode	Mittel 458.06	Max (Spitze) 458.99 (8.10.1983)				Min (Spitze) 457.50 (15.9.1975)			Periodenamplitude (Spitze) 1.49				

