

Grundwasserstand

Limnigraph RKO - Recherswil


SO 611/222/001

Koordinaten 2 611 483 / 1 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.865 müM

2023		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	461.23	461.20	461.16	461.22	461.22	461.14 +	461.05	461.05	461.05 +	460.97	460.99 -	461.38	1
	2	461.23	461.21	461.14	461.23 +	461.23	461.14	461.05	461.07	461.04	460.97	461.00	461.36	2
	3	461.23	461.21 +	461.14 -	461.22	461.22	461.13	461.04	461.06	461.04	460.96	461.02	461.32	3
	4	461.23	461.21 +	461.14	461.22	461.21	461.13	461.01	461.06	461.03	460.96	461.02	461.30	4
	5	461.23	461.21 +	461.15	461.21	461.21	461.14	461.01 -	461.05	461.01	460.95	461.07	461.29 -	5
Tagesmittel	6	461.23	461.21	461.15	461.21	461.21	461.12	461.01	461.06	461.00	460.95	461.05	461.30	6
	7	461.22	461.21	461.15	461.21	461.21	461.11	461.01	461.07	460.98	460.94	461.05	461.31	7
	8	461.22	461.21	461.15	461.21	461.24	461.10	461.02	461.06	460.96	460.94	461.04	461.31	8
	9	461.28 +	461.19	461.16	461.21	461.24	461.10	461.05	461.04	460.95	460.94	461.03	461.33	9
	10	461.27	461.19	461.16	461.21	461.26 +	461.10	461.04	461.03	460.94	460.93	461.03	461.39	10
Tagesmittel	11	461.24	461.19	461.19	461.21	461.24	461.11	461.03	461.03	460.94	460.93	461.04	461.40	11
	12	461.24	461.19	461.19	461.21	461.23	461.09	461.06	461.03	460.93 -	460.92 -	461.07	461.48	12
	13	461.24	461.19	461.19	461.21	461.22	461.07	461.12 +	461.04	460.95	460.93	461.12	461.53 +	13
	14	461.25	461.19	461.24 +	461.21	461.21	461.06	461.09	461.04	460.96	460.94	461.24	461.48	14
	15	461.25	461.19	461.22	461.21	461.22	461.05	461.07	461.03	460.94	460.94	461.33 +	461.44	15
müM	16	461.25	461.18	461.21	461.21	461.22	461.05	461.06	461.02	460.94	460.94	461.25	461.42	16
	17	461.25	461.18	461.21	461.22	461.22	461.05	461.05	460.99	460.94	460.94	461.22	461.40	17
	18	461.25	461.18	461.20	461.22	461.22	461.05	461.04	461.01	460.95	460.94	461.22	461.40	18
	19	461.22	461.18	461.19	461.21	461.21	461.05	461.03	461.01	460.98	460.94	461.23	461.39	19
	20	461.24	461.18	461.18	461.21	461.21	461.05	461.01	461.00	460.97	460.97	461.22	461.38	20
Tagesmittel	21	461.25	461.17	461.18	461.21	461.21	461.06	461.02	460.98	460.96	460.96	461.22	461.38	21
	22	461.25	461.17	461.18	461.21	461.21	461.07	461.02	460.97	460.96	460.96	461.22	461.38	22
	23	461.24	461.17	461.18	461.21	461.19	461.07	461.02	460.96 -	460.96	460.95	461.21	461.39	23
	24	461.22	461.17	461.18	461.21	461.19	461.06	461.02	460.97	460.97	460.95	461.21	461.38	24
	25	461.23	461.17	461.19	461.21	461.20	461.06	461.03	460.98	460.97	460.95	461.21	461.37	25
+ Maximum	26	461.23	461.16	461.19	461.21	461.18	461.04	461.05	461.00	460.97	460.96	461.21	461.36	26
	27	461.24	461.16	461.22	461.20 -	461.18	461.03	461.06	461.04	460.96	461.01 +	461.20	461.35	27
	28	461.23	461.15 -	461.21	461.20 -	461.16	461.03	461.04	461.07	460.96	461.00	461.21	461.35	28
	29	461.23	461.21	461.21	461.22	461.17	461.01 -	461.05	461.09 +	460.97	460.99	461.20	461.35	29
	30	461.23	461.20	461.20	461.20 -	461.16	461.03	461.06	461.08	460.96	460.99	461.21	461.35	30
- Minimum	31	461.21 -	461.20	461.20	461.14 -	461.14 -	461.03	461.05	461.06	461.06	460.99	461.35	461.35	31
	Monatsmittel	461.24	461.19	461.18	461.21	461.21	461.08	461.04	461.03	460.97	460.95 -	461.14	461.38 +	müM
	Maximum (Spitze) Datum	461.29 9.	461.22 2.	461.25 29.	461.23 2.	461.26 10.	461.15 1.	461.13 13.	461.10 29. / 30.	461.06 1.	461.04 - 27.	461.37 15.	461.56 + 12.	müM
	Monatsamplitude	0.08	0.07	0.12	0.04 -	0.13	0.16	0.15	0.15	0.14	0.12	0.40 +	0.28	m
	Jahr	Mittel 461.13	Max (Spitze) 461.56 (12.12.)				Min (Spitze) 460.91 (17.10.) (div)			Jahresamplitude (Spitze) 0.64				



Periode	1983 - 2023											(41 Jahre)	
Monatsmittel	461.19	461.20 +	461.20 +	461.18	461.17	461.14	461.11	461.07	461.05 -	461.06	461.10	461.14	müM
Maximum (Spitze) Jahr	461.61 2018	461.50 1984	461.50 2001	461.68 2006	461.52 2015	461.62 2016	461.69 2016	461.72 + 2007	461.41 - 2007	461.48 2006	461.48 2002	461.57 2012	müM
Minimum (Spitze) Jahr	460.77 - 2004	460.90 1990	461.00 + 2005	460.99 1997	460.94 2011	460.92 2003	460.88 2003	460.83 2003	460.82 2003	460.85 2003	460.82 2003	460.79 2003	müM
Monatsamplitude (Max) Jahr	0.45 2004	0.44 1990	0.41 2001	0.36 2006	0.33 - 2015	0.48 1990	0.38 2016	0.52 + 2007	0.37 1984	0.34 2004	0.40 2023	0.48 1995	m
Periode	Mittel 461.13	Max (Spitze) 461.72 (29.8.2007)				Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95				



Grundwasserstand

Limnigraph RKO - Recherswil


SO 611/222/001

Koordinaten 2 611 483 / 1 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.865 müM

2022		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez		
Tagesmittel	1	461.24	461.17	461.15	461.15	461.12	461.01	461.16	461.06 +	460.94	460.95	461.02	461.10	1	
	2	461.24	461.16	461.15	461.15	461.12	460.99	461.15	461.05	460.94	460.96	461.02	461.10	2	
	3	461.23	461.14	461.15	461.15	461.11	460.98	461.15	461.03	460.94	460.96	461.00	461.11	3	
	4	461.23	461.14	461.14	461.14	461.14	461.09	460.97 -	461.15	461.01	460.95	460.95	461.00	4	
	5	461.24	461.14 -	461.13	461.13	461.12	460.98	461.18 +	460.99	460.94	460.93	461.01	461.12	5	
	müM	6	461.25	461.15	461.14	461.14	461.13	460.98	461.16	461.00	460.94	460.93	461.01	461.12	6
		7	461.24	461.17	461.14	461.13	461.12	460.98	461.14	461.02	460.94	460.93	461.01	461.10	7
		8	461.24	461.16	461.13	461.16	461.13 +	460.98	461.13	461.01	460.95	460.93	460.99 -	461.07	8
		9	461.28	461.16	461.13	461.17	461.12	460.98	461.12	460.99	460.96	460.93	460.99 -	461.06	9
		10	461.30 +	461.15	461.13	461.17	461.12	461.01	461.11	460.98	460.94	460.93	461.01	461.05	10
		11	461.28	461.15	461.15	461.16	461.12	461.03	461.09	460.98	460.93	460.93	461.01	461.06	11
		12	461.26	461.15	461.16	461.16	461.11	461.04	461.09	460.97	460.93	460.93	461.00	461.04 -	12
		13	461.23	461.14	461.16 +	461.15	461.12	461.03	461.09	460.97	460.92	460.92	461.01	461.05	13
		14	461.24	461.14	461.16	461.15	461.11	461.02	461.08	460.98	460.92	460.93	461.01	461.07	14
		15	461.24	461.14	461.16	461.15	461.08	461.02	461.06	460.98	460.93	460.94	461.01	461.09	15
	+ Maximum	16	461.24	461.14	461.14	461.15	461.07	461.04	461.06	460.98	460.95	460.95	461.02	461.13	16
		17	461.24	461.17	461.13	461.15	461.06	461.03	461.06	460.97	460.93	460.93	461.03	461.13	17
		18	461.23	461.17	461.14	461.14	461.05	461.02	461.04	460.98	460.92	460.92	461.07	461.14	18
		19	461.21	461.17	461.15	461.13	461.05	461.02	461.04	460.99	460.92	460.92 -	461.08	461.12	19
		20	461.19	461.17	461.16	461.10	461.04	461.00	461.04	461.04	460.91	460.92 -	461.09	461.11	20
		21	461.19	461.17	461.15	461.08	461.03	461.00	461.06	461.01	460.91	460.92 -	461.10	461.11	21
		22	461.21	461.19 +	461.15	461.06 -	461.05	461.02	461.06	460.99	460.91	460.93	461.10	461.12	22
		23	461.21	461.18	461.15	461.09	461.04	461.08	461.09	460.97	460.91 -	460.93	461.10	461.15	23
		24	461.19	461.17	461.13	461.13	461.07	461.16 +	461.08	460.95	460.92	460.96	461.09	461.21	24
		25	461.19	461.16	461.13	461.19	461.06	461.13	461.07	460.95	460.92	461.00	461.10	461.21	25
	- Minimum	26	461.18	461.15	461.14	461.21 +	461.06	461.12	461.06	460.95	460.91	460.99	461.10	461.19	26
		27	461.18	461.15	461.14	461.18	461.04	461.12	461.05	460.95	460.91	460.98	461.12 +	461.20	27
		28	461.18	461.15	461.14	461.15	461.06	461.11	461.03 -	460.96	460.93	460.99	461.11	461.20	28
		29	461.17 -		461.13	461.13	461.04	461.09	461.06	460.94	461.01 +	460.98	461.11	461.20	29
		30	461.18		461.13 -	461.11	461.04	461.09	461.08	460.94 -	460.99	461.01	461.11	461.24	30
		31	461.18		461.14		461.02 -		461.07	460.94		461.02 +		461.24 +	31
Monatsmittel		461.22 +	461.16	461.14	461.14	461.08	461.03	461.09	460.98	460.93 -	460.95	461.05	461.13	müM	
Maximum (Spitze) Datum		461.31 + 10.	461.21 17.	461.16 div	461.23 26.	461.15 5.	461.23 23.	461.19 5.	461.07 1.	461.04 29.	461.02 - 28.	461.13 28.	461.24 30. / 31.	müM	
Monatsamplitude		0.15	0.08	0.05 -	0.19	0.16	0.27 +	0.19	0.15	0.14	0.12	0.16	0.22	m	
Jahr		Mittel 461.08	Max (Spitze) 461.31 (10.1.)				Min (Spitze) 460.89 (23.9.)				Jahresamplitude (Spitze) 0.42				



Periode	1983 - 2022 (40 Jahre)												
Monatsmittel	461.19	461.20 +	461.20 +	461.18	461.17	461.14	461.11	461.07	461.05 -	461.06	461.10	461.14	müM
Maximum (Spitze) Jahr	461.61 2018	461.50 1984	461.50 2001	461.68 2006	461.52 2015	461.62 2016	461.69 2016	461.72 + 2007	461.41 - 2007	461.48 2006	461.48 2002	461.57 2012	müM
Minimum (Spitze) Jahr	460.77 - 2004	460.90 1990	461.00 + 2005	460.99 1997	460.94 2011	460.92 2003	460.88 2003	460.83 2003	460.82 2003	460.85 2003	460.82 2003	460.79 2003	müM
Monatsamplitude (Max) Jahr	0.45 2004	0.44 1990	0.41 2001	0.36 2006	0.33 2015	0.48 1990	0.38 2016	0.52 + 2007	0.37 1984	0.34 2004	0.29 - 2002	0.48 1995	m
Periode	Mittel 461.13	Max (Spitze) 461.72 (29.8.2007)				Min (Spitze) 460.77 (4.1.2004)				Periodenamplitude (Spitze) 0.95			



Grundwasserstand

Limnigraph RKO - Rechterswil


SO 611/222/001

Koordinaten 2 611 483 / 1 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.865 müM

2021		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	461.21	461.38	461.28 +	461.20 +	461.15 -	461.19	461.34	461.36	461.27	461.12	461.09 +	461.02	1	
	2	461.23	461.38	461.28	461.20	461.17	461.20	461.31	461.35	461.26	461.12	461.06	461.02 -	2	
	3	461.22	461.38	461.27	461.20	461.18	461.20	461.30	461.33	461.26	461.13	461.06	461.02	3	
	4	461.20	461.40 +	461.27	461.20	461.15	461.19	461.30	461.34	461.26	461.14 +	461.06	461.06	4	
	5	461.21	461.37	461.27	461.20	461.15	461.26	461.29	461.35	461.26	461.13	461.06	461.09	5	
	müM	6	461.19	461.36	461.26	461.20	461.17	461.25	461.28 -	461.33	461.25	461.14	461.06	461.06	6
		7	461.18	461.35	461.26	461.19	461.19	461.23	461.29	461.35	461.26	461.13	461.07	461.06	7
		8	461.20	461.34	461.26	461.19	461.17	461.22	461.30	461.38 +	461.25	461.13	461.08	461.08	8
		9	461.19	461.33	461.26	461.19	461.16	461.22	461.40	461.35	461.26	461.12	461.06	461.11	9
		10	461.19	461.33	461.25	461.19	461.15	461.21	461.34	461.34	461.26	461.13	461.05	461.10	10
		11	461.18	461.33	461.25	461.19	461.17	461.21	461.33	461.32	461.25	461.12	461.04	461.10	11
		12	461.14	461.32	461.25	461.19	461.19	461.20	461.32	461.31	461.24	461.11	461.05	461.11	12
		13	461.13 -	461.31	461.25	461.19	461.18	461.20	461.49	461.31	461.24	461.10	461.04	461.11	13
		14	461.25	461.30	461.25	461.18	461.17	461.18	461.45	461.31	461.22	461.10	461.05	461.10	14
		15	461.33	461.30	461.26	461.18	461.16	461.17	461.51 +	461.31	461.21	461.11	461.04	461.12	15
	+ Maximum	16	461.28	461.30	461.26	461.18	461.18	461.16	461.46	461.31	461.27	461.11	461.04	461.15	16
		17	461.25	461.29	461.25	461.18	461.21	461.15	461.44	461.30	461.27 +	461.10	461.03	461.16	17
		18	461.23	461.29	461.25	461.18	461.20	461.14	461.41	461.30	461.21	461.10	461.03	461.16	18
		19	461.24	461.28 -	461.25	461.18	461.21	461.14	461.38	461.29	461.23	461.09	461.03	461.16	19
		20	461.22	461.30	461.24	461.17	461.25	461.14 -	461.38	461.28	461.23	461.08	461.02	461.15	20
		21	461.21	461.31	461.24	461.15	461.23	461.17	461.38	461.27	461.20	461.07	461.03	461.15	21
	- Minimum	22	461.22	461.30	461.24	461.13	461.28 +	461.19	461.37	461.26 -	461.17	461.07	461.03	461.17	22
		23	461.26	461.30	461.23	461.12	461.24	461.18	461.36	461.27	461.16	461.07	461.02	461.17	23
		24	461.26	461.30	461.23	461.11	461.24	461.23	461.37	461.27	461.16	461.09	461.02	461.16	24
		25	461.26	461.30	461.23	461.13	461.22	461.24	461.38	461.27	461.15	461.06 -	461.02	461.17	25
		26	461.24	461.29	461.23	461.11	461.21	461.22	461.37	461.27	461.15	461.06	461.02	461.19	26
		27	461.24	461.29	461.23	461.11	461.22	461.21	461.37	461.27	461.15	461.07	461.02	461.21	27
	Monatsmittel	461.24	461.32	461.25	461.17	461.20	461.21	461.36 +	461.31	461.22	461.10	461.04 -	461.13	müM	
	Maximum (Spitze)	461.47	461.41	461.29	461.21	461.29	461.45	461.59 +	461.41	461.35	461.15	461.10 -	461.30	müM	
	Datum	29.	4.	1.	1.	22.	30.	13.	7.	16.	7.	1.	29.		
	Monatsamplitude	0.36 +	0.14	0.09 -	0.12	0.16	0.33	0.32	0.17	0.24	0.11	0.11	0.30	m	
Jahr	Mittel 461.21	Max (Spitze) 461.59 (13.7.)					Min (Spitze) 460.99 (23.11.)			Jahresamplitude (Spitze) 0.59					



Periode	1983 - 2021 (39 Jahre)												
Monatsmittel	461.19	461.20 +	461.20 +	461.18	461.17	461.15	461.12	461.07	461.05 -	461.06	461.10	461.14	müM
Maximum (Spitze)	461.61	461.50	461.50	461.68	461.52	461.62	461.69	461.72 +	461.41 -	461.48	461.48	461.57	müM
Jahr	2018	1984	2001	2006	2015	2016	2016	2007	2007	2006	2002	2012	
Minimum (Spitze)	460.77 -	460.90	461.00 +	460.99	460.94	460.92	460.88	460.83	460.82	460.85	460.82	460.79	müM
Jahr	2004	1990	2005	1997	2011	2003	2003	2003	2003	2003	2003	2003	
Monatsamplitude (Max)	0.45	0.44	0.41	0.36	0.33	0.48	0.38	0.52 +	0.37	0.34	0.29 -	0.48	m
Jahr	2004	1990	2001	2006	2015	1990	2016	2007	1984	2004	2002	1995	
Periode	Mittel 461.13	Max (Spitze) 461.72 (29.8.2007)					Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95			



Grundwasserstand

Limnigraph RKO - Recherswil

SO 611/222/001


Koordinaten 2 611 483 / 1 222 617

OK Terrain 462.0 müM


Abstichpunkt 462.865 müM

2020		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	461.37 +	461.28	461.42	461.23 +	461.15	461.03	461.03 +	460.97	461.07 +	461.01	461.18	461.14	1	
	2	461.37	461.28	461.40	461.23	461.17 +	461.02	461.02	461.02	461.05	461.00 -	461.18	461.13	2	
	3	461.36	461.29	461.39	461.22	461.17	461.02	461.02	461.05	461.04	461.06	461.17	461.12	3	
	4	461.35	461.29	461.38	461.22	461.15	461.04	461.01	461.05	461.04	461.07	461.18	461.13	4	
	5	461.34	461.28	461.40	461.22	461.17 +	461.06	461.00	461.02	461.04	461.07	461.18	461.14	5	
	müM	6	461.33	461.27	461.45 +	461.21	461.15	461.05	460.99	460.99	461.04	461.06	461.20 +	461.16	6
		7	461.34	461.26	461.41	461.21	461.14	461.07	460.99	460.97	461.03	461.06	461.18	461.18	7
		8	461.34	461.26	461.39	461.21	461.13	461.07	460.97	460.96	461.02	461.05	461.19	461.16	8
		9	461.34	461.26	461.39	461.20	461.13	461.06	460.96	460.95 -	461.01	461.05	461.20	461.16	9
		10	461.34	461.25 -	461.39	461.19	461.12	461.06	460.96	460.97	461.00	461.07	461.18	461.14	10
		11	461.34	461.26	461.41	461.19	461.13	461.05	461.00	460.96	461.01	461.07	461.18	461.16	11
		12	461.33	461.27	461.40	461.19	461.13	461.05	461.00	460.96	461.01	461.07	461.17	461.15	12
		13	461.33	461.28	461.39	461.19	461.13	461.04	460.99	460.98	461.01	461.07	461.15	461.16	13
		14	461.33	461.32	461.38	461.19	461.14	461.06	460.97	460.98	461.00	461.07	461.16	461.18	14
		15	461.32	461.31	461.38	461.18	461.13	461.04	460.97	460.96	460.99	461.07	461.17	461.14	15
	+ Maximum	16	461.32	461.31	461.37	461.18	461.12	461.04	460.98	460.95	460.99	461.07	461.20	461.13	16
		17	461.31	461.30	461.36	461.16	461.11	461.06	460.98	461.05	460.99	461.07	461.18	461.11 -	17
		18	461.32	461.29	461.36	461.15	461.11	461.05	460.98	461.02	460.97	461.08	461.17	461.12	18
		19	461.32	461.30	461.35	461.15	461.10	461.05	460.96	461.00	460.96	461.06	461.17	461.14	19
		20	461.31	461.30	461.35	461.16	461.08	461.05	460.95	460.98	460.97	461.07	461.17	461.15	20
		21	461.31	461.29	461.35	461.16	461.08	461.05	460.94	460.98	460.96	461.06	461.18	461.15	21
	- Minimum	22	461.30	461.29	461.35	461.16	461.07	461.03	460.94	460.98	460.94 -	461.05	461.18	461.14	22
		23	461.29	461.29	461.34	461.15	461.06	461.03	460.95	460.97	460.97	461.11	461.15	461.12	23
		24	461.28	461.29	461.34	461.14	461.07	461.01 -	460.96	460.96	460.97	461.17	461.17	461.17	24
		25	461.28	461.29	461.31	461.13 -	461.06	461.05	460.97	460.97	460.97	461.15	461.15	461.18	25
		26	461.29	461.31	461.29	461.13	461.05	461.06	460.97	460.96	460.97	461.18	461.13	461.18	26
		27	461.28	461.32	461.27	461.14	461.05	461.07	460.96	460.97	461.00	461.20 +	461.14	461.19	27
		28	461.27 -	461.36 +	461.27	461.15	461.04 -	461.07	460.94	461.00	461.00	461.17	461.14	461.18	28
		29	461.31	461.35	461.25	461.16	461.04	461.10 +	460.93	461.04	461.00	461.16	461.15	461.19	29
		30	461.30		461.24	461.15	461.04	461.06	460.93	461.07	461.01	461.17	461.13 -	461.22 +	30
		31	461.28		461.24 -	461.15	461.04	461.06	460.93 -	461.10 +	461.17	461.17	461.21	461.21	31

Monatsmittel	461.32	461.29	461.36 +	461.18	461.10	461.05	460.97 -	460.99	461.00	461.09	461.17	461.16	müM
Maximum (Spitze) Datum	461.37 1.	461.37 27. / 28.	461.47 + 6.	461.24 1.	461.19 5.	461.12 29.	461.05 - 1.	461.11 31.	461.09 1.	461.22 26.	461.21 16.	461.23 30.	müM
Monatsamplitude	0.11	0.13	0.24 +	0.12	0.18	0.13	0.13	0.17	0.16	0.23	0.11 -	0.13	m
Jahr	Mittel 461.14		Max (Spitze) 461.47 (6.3.)			Min (Spitze) 460.92 (31.7.)			Jahresamplitude (Spitze) 0.55				



Periode	1983 - 2020 (38 Jahre)												
Monatsmittel	461.19	461.19	461.20 +	461.18	461.17	461.15	461.11	461.07	461.05 -	461.06	461.10	461.14	müM
Maximum (Spitze) Jahr	461.61 2018	461.50 1984	461.50 2001	461.68 2006	461.52 2015	461.62 2016	461.69 2016	461.72 + 2007	461.41 - 2007	461.48 2006	461.48 2002	461.57 2012	müM
Minimum (Spitze) Jahr	460.77 - 2004	460.90 1990	461.00 + 2005	460.99 1997	460.94 2011	460.92 2003	460.88 2003	460.83 2003	460.82 2003	460.85 2003	460.82 2003	460.79 2003	müM
Monatsamplitude (Max) Jahr	0.45 2004	0.44 1990	0.41 2001	0.36 2006	0.33 2015	0.48 1990	0.38 2016	0.52 + 2007	0.37 1984	0.34 2004	0.29 - 2002	0.48 1995	m
Periode	Mittel 461.13		Max (Spitze) 461.72 (29.8.2007)			Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95				



Grundwasserstand

Limnigraph RKO - Recherswil


SO 611/222/001

Koordinaten 2 611 483 / 1 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.865 müM

2019		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	461.00	461.05 -	461.12	461.11	461.06 -	461.18	461.02	461.07	461.06	461.01 -	461.10 -	461.29	1
	2	461.01	461.08	461.13	461.09	461.08	461.17	461.07	461.06	461.07 +	461.02	461.12	461.29	2
	3	461.01	461.10	461.13	461.08	461.07	461.17	461.05	461.06	461.06	461.03	461.13	461.28 -	3
	4	461.00	461.10	461.13	461.10	461.08	461.17	461.02	461.06	461.07	461.03	461.15	461.29	4
	5	461.08	461.10	461.13	461.13 +	461.09	461.15	461.00 -	461.04 -	461.05	461.03	461.15	461.29	5
Tagesmittel	6	460.99 -	461.09	461.12	461.12	461.08	461.17	461.04	461.05	461.05	461.04	461.16	461.29	6
	7	461.00	461.08	461.12	461.11	461.09	461.17	461.07	461.07	461.04	461.05	461.16	461.30	7
	8	461.01	461.08	461.12	461.10	461.09	461.17	461.07	461.07	461.06	461.03	461.14	461.31	8
	9	461.01	461.07	461.12	461.09	461.12	461.16	461.08	461.06	461.06	461.05	461.14	461.30	9
	10	461.01	461.08	461.13	461.09	461.13	461.17	461.09	461.09	461.04	461.07	461.15	461.31	10
Tagesmittel	11	461.01	461.10	461.13	461.09	461.12	461.21 +	461.10 +	461.10	461.03	461.05	461.15	461.30	11
	12	461.01	461.13	461.13	461.08	461.12	461.18	461.08	461.11	461.02	461.05	461.15	461.31	12
	13	461.06	461.12	461.13	461.07	461.12	461.16	461.09	461.10	461.01	461.06	461.14	461.32	13
	14	461.11 +	461.13	461.14	461.07	461.15	461.14	461.07	461.10	461.00	461.05	461.13	461.36	14
	15	461.08	461.13	461.23 +	461.07	461.16	461.14	461.08	461.09	461.01	461.05	461.13	461.36	15
müM	16	461.05	461.13 +	461.21	461.07	461.17	461.17	461.09	461.09	461.00	461.05	461.13	461.36	16
	17	461.03	461.13	461.19	461.07	461.16	461.16	461.07	461.09	460.98	461.04	461.13	461.32	17
	18	461.03	461.12	461.19	461.07	461.17	461.15	461.07	461.08	460.96	461.04	461.14	461.32	18
	19	461.02	461.13	461.18	461.07	461.18	461.14	461.05	461.10	460.96 -	461.11	461.13	461.33	19
	20	461.02	461.12	461.16	461.06	461.22	461.13	461.05	461.13	460.96	461.12	461.15	461.33	20
Tagesmittel	21	461.00	461.12	461.16	461.05	461.25 +	461.14	461.05	461.14 +	460.96	461.11	461.14	461.34	21
	22	461.00	461.11	461.16	461.06	461.21	461.14	461.04	461.12	460.96	461.13 +	461.13	461.37	22
	23	461.03	461.11	461.16	461.06	461.21	461.14	461.04	461.11	460.99	461.11	461.12	461.39	23
	24	461.02	461.13	461.16	461.05	461.20	461.12	461.01	461.11	461.00	461.11	461.12	461.40	24
	25	461.02	461.12	461.16	461.05	461.20	461.11	461.02	461.10	461.01	461.09	461.12	461.40	25
- Minimum	26	461.05	461.13	461.16	461.05	461.20	461.09	461.02	461.09	461.01	461.09	461.12	461.38	26
	27	461.04	461.13	461.16	461.06	461.20	461.05	461.02	461.06	461.01	461.10	461.12	461.41 +	27
	28	461.04	461.13	461.14	461.04	461.20	461.04 -	461.05	461.06	461.02	461.10	461.18	461.41	28
	29	461.06	461.13	461.13	461.03 -	461.20	461.05	461.06	461.05	461.03	461.11	461.24	461.39	29
	30	461.04	461.10	461.11 -	461.05	461.19	461.05	461.06	461.05	461.03	461.10	461.29 +	461.36	30
31	461.04	461.11	461.11	461.19	461.19	461.19	461.07	461.04	461.04	461.10	461.10	461.37	31	
Monatsmittel		461.03	461.11	461.15	461.08	461.15	461.14	461.06	461.08	461.02 -	461.07	461.14	461.34 +	müM
Maximum (Spitze)		461.12	461.14	461.23	461.13	461.27	461.23	461.11	461.17	461.09 -	461.16	461.31	461.44 +	müM
Datum		13.	16.	15.	6.	20.	11.	11.	21.	2.	19.	30.	27.	
Monatsamplitude		0.15	0.12 -	0.14	0.12	0.23	0.22	0.13	0.14	0.15	0.17	0.23 +	0.17	m
Jahr	Mittel	461.11					Max (Spitze) 461.44 (27.12.)			Min (Spitze) 460.94 (20.9.)			Jahresamplitude (Spitze) 0.50	



Periode	1983 - 2019 (37 Jahre)													
Monatsmittel	461.18	461.19 +	461.19 +	461.18	461.17	461.15	461.11	461.07	461.05 -	461.06	461.10	461.14	müM	
Maximum (Spitze)	461.61	461.50	461.50	461.68	461.52	461.62	461.69	461.72 +	461.41 -	461.48	461.48	461.57	müM	
Jahr	2018	1984	2001	2006	2015	2016	2016	2007	2007	2006	2002	2012		
Minimum (Spitze)	460.77 -	460.90	461.00 +	460.99	460.94	460.92	460.88	460.83	460.82	460.85	460.82	460.79	müM	
Jahr	2004	1990	2005	1997	2011	2003	2003	2003	2003	2003	2003	2003		
Monatsamplitude (Max)	0.45	0.44	0.41	0.35	0.33	0.48	0.38	0.52 +	0.37	0.34	0.29 -	0.48	m	
Jahr	2004	1990	2001	2006	2015	1990	2016	2007	1984	2004	2002	1995		
Periode	Mittel	461.13					Max (Spitze) 461.72 (29.8.2007)			Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95	



Grundwasserstand

Limnigraph RKO - Rechterswil


SO 611/222/001

Koordinaten 2 611 483 / 1 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.865 müM

2018		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez			
Tagesmittel	1	461.20 -	461.39 +	461.27	461.29 +	461.20	461.17	461.09	461.02	461.02	460.97	460.98 +	460.92 -	1		
	2	461.22	461.38	461.26	461.29	461.20	461.16	461.08	461.02	461.03 +	460.98	460.97	460.94	2		
	3	461.23	461.36	461.26	461.28	461.20	461.15	461.10	461.00	461.02	460.98	460.96	460.99	3		
	4	461.30	461.35	461.26	461.28	461.20	461.15	461.11	461.00	461.01	460.97	460.97	461.04	4		
	5	461.35	461.34	461.27	461.28	461.19	461.14	461.13	461.00	461.00	460.98	460.97	461.02	5		
	Tagesmittel	6	461.30	461.33	461.26	461.28	461.19	461.13	461.16 +	461.00 -	460.99	460.97	460.94	460.98	6	
		7	461.28	461.33	461.27	461.27	461.19	461.14	461.16	461.01	460.99	460.98	460.96	460.96	7	
		8	461.27	461.32	461.28	461.26	461.18	461.14	461.14	461.02	460.99	460.99 +	460.97	460.96	8	
		9	461.26	461.30	461.28	461.27	461.18	461.14	461.13	461.02	460.99	460.97	460.97	460.96	9	
		10	461.25	461.29	461.28	461.27	461.19	461.14	461.12	461.01	460.98	460.98	460.96	461.00	10	
		11	461.22	461.29	461.27	461.26	461.19	461.14	461.11	461.00	460.97	460.97	460.95	460.99	11	
		12	461.21	461.28	461.28	461.26	461.19	461.15	461.10	461.01	460.96 -	460.97	460.94	460.97	12	
		13	461.21	461.27	461.29	461.26	461.19	461.21 +	461.10	461.01	460.97	460.97	460.94	460.95	13	
		14	461.21	461.27 -	461.28	461.25	461.19	461.19	461.09	461.02	460.97	460.97	460.94	460.94	14	
		15	461.20	461.27	461.28	461.25	461.19	461.17	461.10	461.02	460.99	460.97	460.94	460.94	15	
	müM	16	461.20 -	461.30	461.28	461.25	461.20 +	461.16	461.08	461.00	460.99	460.96	460.95	460.94	16	
		17	461.21	461.32	461.27	461.25	461.19	461.16	461.09	461.01	461.00	460.95	460.94	460.95	17	
		18	461.25	461.34	461.29	461.24	461.18	461.16	461.09	461.04 +	460.99	460.94	460.93	460.95	18	
		19	461.30	461.32	461.29	461.24	461.17	461.14	461.08	461.03	460.99	460.94	460.93	460.95	19	
		20	461.28	461.31	461.28	461.24	461.18	461.14	461.08	461.02	460.98	460.94	460.93	460.94	20	
	+ Maximum	21	461.36	461.30	461.27	461.22	461.17	461.13	461.10	461.01	460.98	460.94	460.93	460.94	21	
		22	461.51 +	461.30	461.27	461.22	461.17	461.13	461.10	461.01	460.97	460.94	460.93	460.96	22	
		23	461.48	461.30	461.27	461.22	461.16	461.13	461.09	461.00	460.98	460.93 -	460.94	460.97	23	
		24	461.41	461.29	461.27	461.22	461.16	461.12	461.08	461.02	460.98	460.94	460.94	461.04	24	
		25	461.38	461.29	461.26	461.21	461.15	461.12	461.07	461.02	460.98	460.94	460.94	461.05 +	25	
		- Minimum	26	461.37	461.28	461.26	461.21	461.14	461.10	461.05	461.03	460.97	460.96	460.94	461.03	26
			27	461.36	461.28	461.26 -	461.21	461.13	461.09 -	461.05	461.01	460.98	460.96	460.93	461.01	27
			28	461.35	461.27	461.26	461.20	461.15	461.10	461.06	461.01	460.96	460.98	460.93	461.00	28
			29	461.35	461.29	461.29	461.20 -	461.13	461.10	461.05	461.01	460.96	460.98	460.92 -	460.99	29
			30	461.34	461.29	461.29	461.20 -	461.12 -	461.10	461.03	461.01	460.96 -	460.97	460.92 -	460.99	30
			31	461.34	461.30 +	461.28	461.20	461.18	461.10	461.02 -	461.02	460.98	460.98	460.92 -	460.99	31
Monatsmittel	461.30	461.31 +	461.27	461.25	461.18	461.14	461.09	461.01	460.99	460.96	460.95 -	460.98	müM			
Maximum (Spitze) Datum	461.61 + 22.	461.42 1.	461.30 31.	461.30 1.	461.21 15. / 17.	461.23 13.	461.18 6. / 7.	461.05 18.	461.05 3.	461.01 28.	461.00 1.	461.08 24.	müM			
Monatsamplitude	0.44 +	0.16	0.06 -	0.12	0.12	0.16	0.18	0.08	0.11	0.09	0.09	0.17	m			
Jahr	Mittel 461.12	Max (Spitze) 461.61 (22.1.)				Min (Spitze) 460.91 (1.12.)			Jahresamplitude (Spitze) 0.70							



Periode	1983 - 2018												(36 Jahre)
Monatsmittel	461.19	461.19	461.20 +	461.19	461.17	461.15	461.11	461.07	461.05 -	461.06	461.10	461.13	müM
Maximum (Spitze) Jahr	461.61 2018	461.50 1984	461.50 2001	461.68 2006	461.52 2015	461.62 2016	461.69 2016	461.72 + 2007	461.41 - 2007	461.48 2006	461.48 2002	461.57 2012	müM
Minimum (Spitze) Jahr	460.77 - 2004	460.90 1990	461.00 + 2005	460.99 1997	460.94 2011	460.92 2003	460.88 2003	460.83 2003	460.82 2003	460.85 2003	460.82 2003	460.79 2003	müM
Monatsamplitude (Max) Jahr	0.45 2004	0.44 1990	0.41 2001	0.35 2006	0.33 2015	0.48 1990	0.38 2016	0.52 + 2007	0.37 1984	0.34 2004	0.29 - 2002	0.48 1995	m
Periode	Mittel 461.13	Max (Spitze) 461.72 (29.8.2007)				Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95				



Grundwasserstand

Limnigraph RKO - Recherswil


SO 611/222/001

Koordinaten 2 611 483 / 1 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.865 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	461.12 +	461.17 +	461.18 -	461.20	461.19	461.16	461.12	461.05 +	461.01	460.99	460.98	460.96	1	
	2	461.12	461.15	461.21	461.20 +	461.18	461.15	461.13 +	461.05 +	461.02	460.99	460.98	460.95	2	
	3	461.11	461.13	461.21	461.20 +	461.17	461.14	461.12	461.03	461.02	460.99	460.96	460.95	3	
	4	461.11	461.13	461.19	461.19	461.17	461.16	461.10	461.02	461.02 +	460.99	460.96	460.95	4	
	5	461.10	461.13	461.18	461.20	461.17	461.16	461.09	461.01	461.00	461.00	460.98	460.95	5	
	müM	6	461.09	461.15	461.24	461.19	461.17	461.16	461.07	461.01	461.00	461.00	460.99	460.94	6
		7	461.09	461.16	461.26 +	461.19	461.20	461.17 +	461.06	461.01	460.98	461.00	460.97	460.94 -	7
		8	461.09	461.17	461.23	461.18	461.21 +	461.17 +	461.05	461.02	460.97	461.00	460.96	460.94 -	8
		9	461.08	461.17	461.24	461.19	461.20	461.16	461.08	461.02	460.98	461.01 +	460.94	460.94	9
		10	461.08	461.16	461.24	461.19	461.20	461.15	461.09	461.04	460.98	461.00	460.93 -	460.95	10
		11	461.07	461.16	461.23	461.18	461.19	461.15	461.10	461.05	460.98	460.98	460.94	461.04	11
		12	461.08	461.16	461.23	461.18	461.18	461.15	461.08	461.04	460.97	460.98	461.01	461.11	12
		13	461.07	461.15	461.22	461.18	461.18	461.14	461.07	461.05	460.96	460.98	461.05 +	461.08	13
		14	461.06	461.15	461.23	461.18	461.18	461.15	461.07	461.04	460.96	460.98	461.03	461.11	14
		15	461.07	461.15	461.24	461.18	461.18	461.14	461.07	461.03	460.96	460.99	461.01	461.23 +	15
	+ Maximum	16	461.07	461.15	461.24	461.18	461.18	461.15	461.07	461.04	460.96	460.99	460.99	461.17	16
		17	461.09	461.16	461.22	461.18	461.17	461.14	461.07	461.03	460.96	460.98	460.98	461.15	17
		18	461.09	461.15	461.23	461.18	461.17	461.14	461.05	461.03	460.97	460.98	460.98	461.14	18
		19	461.07	461.15	461.23	461.18	461.18	461.13	461.04	461.04	460.97	460.98	460.99	461.13	19
		20	461.08	461.15	461.22	461.18	461.18	461.11	461.03 -	461.04	460.97	460.97	460.99	461.12	20
		21	461.07	461.14	461.21	461.18	461.18	461.11	461.04	461.03	460.96	460.97 -	460.98	461.12	21
	- Minimum	22	461.07	461.13	461.23	461.17	461.18	461.09 -	461.05	461.02	460.95	460.98	460.97	461.12	22
		23	461.06	461.12 -	461.23	461.17	461.15	461.09 -	461.07	461.03	460.95 -	460.99	460.96	461.12	23
		24	461.06	461.13	461.23	461.16	461.15	461.09 -	461.08	461.02	460.97	460.99	460.95	461.12	24
		25	461.04	461.12	461.22	461.16 -	461.16	461.09	461.08	461.02	460.97	460.98	460.96	461.12	25
		26	461.04	461.12	461.22	461.19	461.16	461.11	461.07	461.02	460.97	460.98	460.99	461.12	26
	Monatsmittel	461.07	461.15	461.22 +	461.18	461.17	461.14	461.07	461.03	460.98	460.98	460.98 -	461.07	müM	
	Maximum (Spitze) Datum	461.13 1. / 31.	461.19 28.	461.28 + 7.	461.21 1.	461.21 8.	461.17 4.	461.13 3.	461.06 2.	461.03 4.	461.02 10.	461.06 12.	461.26 15.	müM	
	Monatsamplitude	0.12	0.09	0.12	0.07 -	0.11	0.11	0.11	0.09	0.09	0.07 -	0.15	0.34 +	m	
	Jahr	Mittel 461.09	Max (Spitze) 461.28 (7.3.)					Min (Spitze) 460.92 (11.11.)			Jahresamplitude (Spitze) 0.36				



Periode	1983 - 2017 (35 Jahre)												
Monatsmittel	461.19 +	461.19 +	461.19 +	461.18	461.17	461.15	461.11	461.07	461.05 -	461.07	461.10	461.13	müM
Maximum (Spitze) Jahr	461.49 1995	461.50 1984	461.50 2001	461.68 2006	461.52 2015	461.62 2016	461.69 2016	461.72 + 2007	461.41 - 2007	461.48 2006	461.48 2002	461.57 2012	müM
Minimum (Spitze) Jahr	460.77 - 2004	460.90 1990	461.00 + 2005	460.99 1997	460.94 2011	460.92 2003	460.88 2003	460.83 2003	460.82 2003	460.85 2003	460.82 2003	460.79 2003	müM
Monatsamplitude (Max) Jahr	0.45 2004	0.44 1990	0.41 2001	0.35 2006	0.33 2015	0.48 1990	0.38 2016	0.52 + 2007	0.37 1984	0.34 2004	0.29 - 2002	0.48 1995	m
Periode	Mittel 461.13	Max (Spitze) 461.72 (29.8.2007)					Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95			



Grundwasserstand

Limnigraph RKO - Rechterswil


SO 611/222/001

Koordinaten 2 611 483 / 1 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.865 müM

2016		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	460.98 -	461.30	461.28	461.24	461.28	461.38	461.54	461.33 +	461.15	461.17	461.17	461.23 +	1
	2	460.99	461.27	461.28	461.24	461.30	461.37	461.55	461.31	461.15	461.18	461.17	461.22	2
	3	460.99	461.25 -	461.29	461.23	461.30	461.34	461.51	461.30	461.14	461.18	461.17	461.22	3
	4	461.03	461.26	461.30	461.24	461.28	461.37	461.47	461.29	461.15	461.18	461.16 -	461.22	4
	5	461.06	461.27	461.33	461.24	461.28	461.38	461.45	461.31	461.16	461.17	461.18	461.22	5
	6	461.05	461.27	461.34 +	461.25	461.27	461.36	461.44	461.31	461.16	461.17	461.25	461.21	6
	7	461.05	461.27	461.32	461.24	461.27	461.36	461.42	461.30	461.14	461.16	461.24	461.21	7
	8	461.11	461.27	461.32	461.24	461.26	461.37	461.41	461.29	461.14	461.16	461.22	461.20	8
	9	461.26	461.27	461.31	461.24	461.26	461.40	461.40	461.29	461.14	461.16	461.21	461.20	9
	10	461.25	461.29	461.31	461.23	461.26	461.37	461.40	461.28	461.13	461.15	461.24	461.19	10
	11	461.36 +	461.28	461.30	461.22 -	461.25 -	461.34	461.42	461.27	461.13	461.15	461.32 +	461.18	11
	12	461.35	461.27	461.29	461.22	461.27	461.32 -	461.60 +	461.26	461.12	461.16	461.29	461.18	12
	13	461.32	461.30	461.29	461.25	461.41	461.34	461.60	461.26	461.12	461.17	461.26	461.17	13
	14	461.30	461.36 +	461.28	461.28	461.39	461.43	461.52	461.25	461.11 -	461.17	461.24	461.17	14
	15	461.27	461.35	461.28	461.26	461.36	461.42	461.47	461.25	461.11	461.16	461.24	461.17	15
müM	16	461.25	461.33	461.28	461.26	461.34	461.42	461.45	461.25	461.12	461.16	461.23	461.16	16
	17	461.24	461.31	461.27	461.30	461.33	461.55	461.44	461.24	461.15	461.17	461.23	461.16	17
	18	461.24	461.31	461.27	461.33 +	461.32	461.48	461.42	461.25	461.18	461.17	461.23	461.16	18
	19	461.24	461.30	461.26	461.33	461.31	461.48	461.40	461.24	461.20 +	461.16	461.31	461.16	19
	20	461.23	461.30	461.26	461.32	461.30	461.46	461.39	461.21	461.19	461.16	461.29	461.15	20
21	461.22	461.29	461.26	461.28	461.29	461.43	461.38	461.21	461.19	461.16	461.27	461.14	21	
22	461.21	461.29	461.26	461.28	461.29	461.42	461.38	461.20	461.18	461.15 -	461.26	461.14	22	
23	461.21	461.29	461.26	461.27	461.36	461.40	461.37	461.19	461.18	461.16	461.25	461.14	23	
+ Maximum	24	461.22	461.29	461.25	461.28	461.43	461.40	461.37	461.18	461.17	461.16	461.24	461.14	24
25	461.22	461.30	461.26	461.27	461.39	461.47	461.36	461.17	461.17	461.19	461.24	461.14	25	
- Minimum	26	461.21	461.31	461.25	461.27	461.36	461.47	461.35	461.15 -	461.17	461.25 +	461.23	461.14	26
	27	461.20	461.29	461.25	461.27	461.34	461.44	461.34	461.16	461.17	461.22	461.24	461.13	27
	28	461.19	461.28	461.26	461.28	461.34	461.42	461.34	461.16	461.17	461.20	461.23	461.14	28
	29	461.19	461.28	461.25 -	461.27	461.45	461.40	461.33	461.16	461.18	461.18	461.23	461.13	29
	30	461.19	461.28	461.25	461.27	461.46 +	461.55 +	461.32 -	461.16	461.18	461.18	461.23	461.13	30
31	461.27	461.35	461.25	461.27	461.41	461.41	461.33	461.15	461.18	461.18	461.18	461.12 -	31	
Monatsmittel		461.19	461.29	461.28	461.26	461.33	461.41	461.43 +	461.24	461.15 -	461.17	461.24	461.17	müM
Maximum (Spitze)		461.40	461.38	461.36	461.37	461.50	461.62	461.69 +	461.34	461.21 -	461.27	461.36	461.23	müM
Datum		11.	14.	6.	20.	29. / 30.	30.	12.	1.	19.	26.	11.	1.	
Monatsamplitude		0.43 +	0.14	0.13	0.17	0.26	0.31	0.38	0.22	0.12 -	0.13	0.21	0.13	m
Jahr		Mittel 461.26	Max (Spitze) 461.69 (12.7.)				Min (Spitze) 460.96 (1.1.)			Jahresamplitude (Spitze) 0.72				



Periode 1983 - 2016 (34 Jahre)													
Monatsmittel	461.19 +	461.19 +	461.19 +	461.18	461.17	461.15	461.12	461.07	461.05 -	461.07	461.10	461.14	müM
Maximum (Spitze)	461.49	461.50	461.50	461.68	461.52	461.62	461.69	461.72 +	461.41 -	461.48	461.48	461.57	müM
Jahr	1995	1984	2001	2006	2015	2016	2016	2007	2007	2006	2002	2012	
Minimum (Spitze)	460.77 -	460.90	461.00 +	460.99	460.94	460.92	460.88	460.83	460.82	460.85	460.82	460.79	müM
Jahr	2004	1990	2005	1997	2011	2003	2003	2003	2003	2003	2003	2003	
Monatsamplitude (Max)	0.45	0.44	0.41	0.35	0.33	0.48	0.38	0.52 +	0.37	0.34	0.29 -	0.48	m
Jahr	2004	1990	2001	2006	2015	1990	2016	2007	1984	2004	2002	1995	
Periode		Mittel 461.14	Max (Spitze) 461.72 (29.8.2007)				Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95			





Grundwasserstand

Linnigraph RKO - Recherswil


SO 611/222/001

Koordinaten 611 483 / 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.865 müM

2015		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	461.18 -	461.31 +	461.23	461.17	461.32	461.26	461.17 +	461.04	460.94 -	461.02	461.02	460.95	1	
	2	461.18	461.30	461.26 +	461.16	461.44	461.25	461.16	461.05 +	460.94	461.02	461.01	460.94	2	
	3	461.19	461.29	461.25	461.17	461.46	461.25	461.16	461.04	460.95	461.02	461.01	460.94	3	
	4	461.30	461.28	461.23	461.18	461.47 +	461.24	461.15	461.03	460.96	461.03	461.00	460.93 -	4	
	5	461.27	461.28	461.22	461.20 +	461.42	461.23	461.15	461.02	460.99	461.03	461.00	460.93	5	
	Tagesmittel	6	461.25	461.29	461.20	461.19	461.47	461.24	461.15	461.00	461.01	461.04	460.99	460.94	6
		7	461.23	461.27	461.21	461.18	461.42	461.26	461.15	460.99	461.02	461.04 +	460.98	460.94	7
		8	461.22	461.28	461.21	461.19	461.39	461.25	461.15	460.98	461.01	461.04	460.98	460.95	8
		9	461.22	461.27	461.20	461.17	461.37	461.24	461.15	460.99	461.01	461.04	460.98	460.94	9
		10	461.22	461.27	461.19	461.16	461.36	461.24	461.14	460.98	461.00	461.04	460.98	460.94	10
		11	461.24	461.26	461.19	461.16	461.35	461.24	461.12	460.97	461.00	461.04	460.97	460.95	11
		12	461.23	461.26	461.19	461.14	461.34	461.23	461.12	460.95	461.00	461.04	460.96	460.96	12
		13	461.22	461.25	461.19	461.15	461.34	461.23	461.12	460.95 -	461.00	461.04	460.96	460.96	13
		14	461.22	461.26	461.19	461.15	461.32	461.26	461.11	460.97	461.01	461.04	460.95	460.96	14
		15	461.23	461.25	461.19	461.13	461.33	461.27	461.09	460.98	461.00	461.03	460.94	460.96	15
	müM	16	461.24	461.25	461.19	461.14	461.33	461.27 +	461.06	461.00	461.00	461.03	460.94	460.96	16
		17	461.27	461.24	461.18	461.14	461.32	461.26	461.05	461.00	461.01	461.03	460.93	460.95	17
		18	461.30	461.23	461.18	461.15	461.31	461.25	461.06	460.99	461.02	461.04	460.92 -	460.95	18
		19	461.28	461.23	461.17	461.14	461.30	461.25	461.07	460.99	461.01	461.04	460.92	460.96	19
		20	461.27	461.23	461.17	461.14	461.30	461.24	461.06	460.99	461.02	461.03	460.97	460.96	20
		21	461.27	461.23	461.17	461.13	461.31	461.24	461.04	460.99	461.03	461.03	461.06 +	460.96	21
	+ Maximum	22	461.27	461.23	461.16	461.13	461.30	461.24	461.03 -	460.98	461.02	461.03	461.03	460.96	22
		23	461.27	461.24	461.17	461.13 -	461.30	461.24	461.04	460.99	461.03	461.03	461.01	460.97	23
		24	461.26	461.23	461.16	461.15	461.30	461.23	461.03 -	461.01	461.03	461.02	461.00	460.97	24
		25	461.26	461.22 -	461.16	461.18	461.30	461.22	461.05	461.02	461.03	461.02	461.00	460.97	25
		- Minimum	26	461.26	461.22	461.16	461.19	461.29	461.22	461.05	461.01	461.03	461.02	461.00	460.97
	27		461.25	461.22	461.15	461.19	461.29	461.22	461.05	461.00	461.03	461.01	460.99	460.97	27
	28		461.25	461.22	461.13	461.20	461.28	461.22	461.05	461.01	461.03 +	461.01	460.99	460.98 +	28
	29		461.28	461.13 -	461.19	461.19	461.27	461.21	461.04	460.98	461.02	461.01	460.98	460.98	29
	30		461.36 +	461.18	461.18	461.18	461.27	461.20 -	461.05	460.96	461.02	461.01 -	460.98	460.98	30
	31		461.32	461.19	461.19	461.27 -	461.27	461.27 -	461.04	460.95	461.02	461.02	461.02	460.98	31
Monatsmittel		461.25	461.25	461.19	461.16	461.34 +	461.24	461.09	460.99	461.01	461.03	460.98	460.96 -	müM	
Maximum (Spitze) Datum	461.38 30.	461.32 1.	461.27 2.	461.20 5.	461.52 + 3.	461.29 13.	461.19 1.	461.05 2.	461.04 23.	461.06 6. / 18.	461.09 21.	460.99 - 28. / 31.	müM		
Monatsamplitude	0.21	0.12	0.15	0.09	0.33 +	0.11	0.17	0.12	0.12	0.07 -	0.17	0.07	m		
Jahr	Mittel	461.12			Max (Spitze) 461.52 (3.5.)			Min (Spitze) 460.91 (18.11./19.11.)			Jahresamplitude (Spitze) 0.61				



Periode	1983 - 2015 (33 Jahre)												
Monatsmittel	461.19 +	461.19 +	461.19 +	461.18	461.17	461.14	461.11	461.06	461.05 -	461.06	461.10	461.14	müM
Maximum (Spitze) Jahr	461.49 1995	461.50 1984	461.50 2001	461.68 2006	461.52 2015	461.48 2013	461.46 1999	461.72 + 2007	461.41 - 2007	461.48 2006	461.48 2002	461.57 2012	müM
Minimum (Spitze) Jahr	460.77 - 2004	460.90 1990	461.00 + 2005	460.99 1997	460.94 2011	460.92 2003	460.88 2003	460.83 2003	460.82 2003	460.85 2003	460.82 2003	460.79 2003	müM
Monatsamplitude (Max) Jahr	0.45 2004	0.44 1990	0.41 2001	0.35 2006	0.33 2015	0.48 1990	0.30 1999	0.52 + 2007	0.37 1984	0.34 2004	0.29 - 2002	0.48 1995	m
Periode	Mittel	461.13			Max (Spitze) 461.72 (29.8.2007)			Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95		



Grundwasserstand

Limnigraph RKO - Rechterswil


SO 611/222/001

Koordinaten 611 483 / 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.865 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	461.30	461.27	461.31 +	461.24	461.27	461.20	461.14 -	461.28	461.23 +	461.09	461.10	461.22 +	1	
	2	461.30	461.27	461.31	461.24	461.27	461.21 +	461.15	461.27	461.22	461.09	461.10	461.21	2	
	3	461.30	461.27	461.31	461.23	461.29 +	461.20	461.15	461.27	461.21	461.08	461.10	461.21	3	
	4	461.31	461.26	461.30	461.23	461.28	461.20	461.15	461.27	461.21	461.07 -	461.09 -	461.20	4	
	5	461.35	461.26	461.29	461.23	461.27	461.20	461.17	461.26	461.20	461.08	461.15	461.20	5	
	Tagesmittel	6	461.33	461.25 -	461.29	461.24	461.25	461.19	461.17	461.26	461.21	461.10	461.20	461.20	6
		7	461.32	461.26	461.29	461.25	461.26	461.18	461.22	461.26	461.19	461.09	461.18	461.20	7
		8	461.31	461.28	461.29	461.25	461.26	461.18	461.29	461.26	461.20	461.16	461.16	461.19	8
		9	461.31	461.28	461.28	461.25	461.24	461.17	461.31 +	461.26	461.19	461.15	461.15	461.19	9
		10	461.30	461.28	461.28	461.24	461.25	461.17	461.28	461.28 +	461.19	461.15	461.15	461.19	10
		11	461.30	461.27	461.28	461.23	461.26	461.16	461.28	461.28 +	461.19	461.16	461.15	461.18	11
		12	461.30	461.27	461.28	461.22	461.27	461.16	461.28	461.28	461.18	461.17	461.14	461.18	12
		13	461.29	461.28	461.27	461.22	461.27	461.16	461.27	461.27	461.18	461.18	461.15	461.17	13
		14	461.29	461.34	461.27	461.21	461.27	461.16	461.26	461.26	461.17	461.18 +	461.15	461.18	14
		15	461.29	461.32	461.27	461.21	461.28	461.17	461.24	461.27	461.18	461.16	461.14	461.18	15
	müM	16	461.29	461.40 +	461.27	461.20	461.28	461.17	461.24	461.28	461.16	461.15	461.27	461.17 -	16
		17	461.35 +	461.37	461.27	461.19 -	461.26	461.15	461.23	461.28	461.16	461.16	461.27 +	461.17	17
		18	461.33	461.35	461.26	461.20	461.26	461.15	461.22	461.28	461.15	461.15	461.26	461.21	18
		19	461.32	461.33	461.27	461.20	461.26	461.15	461.22	461.27	461.15	461.15	461.23	461.19	19
		20	461.31	461.33	461.27	461.20	461.25	461.15	461.24	461.27	461.14	461.15	461.22	461.19	20
		21	461.30	461.33	461.27	461.20	461.23	461.13 -	461.28	461.27	461.15	461.14	461.22	461.19	21
	+ Maximum	22	461.29	461.32	461.26	461.20	461.23	461.13	461.31	461.26	461.15	461.15	461.21	461.20	22
		23	461.29	461.32	461.28	461.20	461.25	461.15	461.31	461.25	461.13	461.14	461.22	461.18	23
		24	461.29	461.32	461.29	461.21	461.25	461.18	461.29	461.25	461.13	461.14	461.22	461.18	24
		25	461.29	461.31	461.29	461.22	461.23	461.18	461.27	461.25	461.12	461.13	461.22	461.18	25
		- Minimum	26	461.29	461.31	461.28	461.23	461.24	461.16	461.27	461.25	461.12	461.13	461.23	461.18
	27		461.29	461.31	461.27	461.26	461.24	461.15	461.27	461.26	461.11	461.13	461.23	461.18	27
	28		461.29	461.32	461.26	461.27	461.24	461.15	461.27	461.26	461.11	461.11	461.22	461.19	28
	29		461.28	461.26	461.26	461.28 +	461.22	461.15	461.28	461.25	461.10	461.11	461.22	461.18	29
	30		461.28	461.25	461.25	461.26	461.22	461.15	461.28	461.23	461.09 -	461.10	461.23	461.19	30
	31		461.27 -		461.24 -		461.21 -		461.29	461.23 -		461.10		461.17	31
Monatsmittel		461.30	461.30 +	461.28	461.23	461.25	461.17	461.25	461.26	461.16	461.13 -	461.19	461.19	müM	
Maximum (Spitze)		461.36	461.42 +	461.32	461.29	461.29	461.21 -	461.33	461.29	461.23	461.25	461.28	461.23	müM	
Datum		17.	16.	1.	29.	3.	2.	9.	1.	1.	14.	17.	1.		
Monatsamplitude		0.09	0.18	0.08	0.11	0.09	0.09	0.20	0.06 -	0.15	0.19	0.21 +	0.09	m	
Jahr		Mittel 461.23	Max (Spitze) 461.42 (16.2.)			Min (Spitze) 461.06 (4.10.)			Jahresamplitude (Spitze) 0.36						



Periode	1983 - 2014 (32 Jahre)												
Monatsmittel	461.19 +	461.19 +	461.19 +	461.18	461.16	461.14	461.11	461.07	461.05 -	461.07	461.10	461.14	müM
Maximum (Spitze)	461.49	461.50	461.50	461.68	461.51	461.48	461.46	461.72 +	461.41 -	461.48	461.48	461.57	müM
Jahr	1995	1984	2001	2006	2006	2013	1999	2007	2007	2006	2002	2012	
Minimum (Spitze)	460.77 -	460.90	461.00 +	460.99	460.94	460.92	460.88	460.83	460.82	460.85	460.82	460.79	müM
Jahr	2004	1990	2005	1997	2011	2003	2003	2003	2003	2003	2003	2003	
Monatsamplitude (Max)	0.45	0.44	0.41	0.35	0.21 -	0.48	0.30	0.52 +	0.37	0.34	0.29	0.48	m
Jahr	2004	1990	2001	2006	1985	1990	1999	2007	1984	2004	2002	1995	
Periode	Mittel 461.13	Max (Spitze) 461.72 (29.8.2007)			Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95					



Grundwasserstand

Limnigraph RKO - Rechterswil


SO 611/222/001

Koordinaten 611 483 / 222 617


OK Terrain 462.0 müM

Abstichpunkt 462.86 müM

2013		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	461.44 +	461.36	461.29	461.27	461.27	461.43 +	461.24	461.20	461.16	461.16	461.25 -	461.35	1
	2	461.43	461.43 +	461.28	461.25	461.27	461.38	461.24	461.18	461.15	461.16	461.26	461.35	2
	3	461.42	461.40	461.28	461.23	461.30 +	461.33	461.23	461.17	461.14	461.15 -	461.38	461.35	3
	4	461.41	461.38	461.28	461.23	461.30 +	461.31	461.25	461.17	461.14	461.16	461.39	461.34	4
	5	461.37	461.40	461.27	461.23	461.30 +	461.29	461.24	461.16	461.13	461.17	461.40	461.34	5
	6	461.40	461.41	461.27	461.22	461.29	461.28	461.23	461.15	461.12 -	461.17	461.42 +	461.33	6
	7	461.40	461.39	461.26	461.21	461.28	461.27	461.22	461.16	461.13	461.16	461.40	461.33	7
	8	461.40	461.37	461.26	461.21 -	461.28	461.27	461.22	461.19	461.15	461.16	461.37	461.33	8
	9	461.39	461.36	461.26	461.21 -	461.28	461.26	461.21	461.20 +	461.17	461.15	461.40	461.32	9
	10	461.39	461.35	461.25	461.21	461.29	461.28	461.22	461.20	461.16	461.17	461.40	461.32	10
	11	461.39	461.36	461.25	461.21	461.28	461.27	461.20	461.18	461.16	461.17	461.40	461.32	11
	12	461.39	461.35	461.25	461.33	461.28	461.27	461.21	461.18	461.15	461.19	461.39	461.30	12
	13	461.39	461.34	461.24	461.29	461.27	461.26	461.19	461.16	461.15	461.22	461.38	461.30	13
	14	461.38	461.34	461.24	461.28	461.27	461.26	461.20	461.16	461.14	461.20	461.38	461.30	14
	15	461.37	461.34	461.24	461.26	461.26	461.27	461.20	461.17	461.15	461.20	461.37	461.30	15
müM	16	461.36	461.34	461.23	461.25	461.27	461.26	461.18	461.16	461.15	461.25	461.38	461.28	16
	17	461.35	461.34	461.23	461.25	461.26	461.25	461.18	461.14	461.15	461.23	461.37	461.22	17
	18	461.34	461.33	461.24	461.23	461.26	461.25	461.19	461.15	461.19	461.22	461.37	461.20	18
	19	461.34	461.32	461.24	461.29	461.25	461.24 -	461.20	461.15	461.20 +	461.22	461.37	461.20	19
	20	461.34	461.32	461.23	461.40 +	461.25	461.24 -	461.20	461.15	461.18	461.22	461.37	461.26	20
	21	461.33	461.32	461.24	461.35	461.25	461.25	461.19	461.15	461.17	461.21	461.38	461.28	21
+ Maximum	22	461.32	461.32	461.23	461.32	461.25	461.25	461.18	461.14	461.17	461.21	461.38	461.28	22
	23	461.32	461.31	461.21	461.31	461.24	461.26	461.17	461.14 -	461.17	461.21	461.39	461.27	23
	24	461.32	461.31	461.20	461.29	461.24	461.26	461.18	461.15	461.15	461.21	461.39	461.25	24
	25	461.32	461.30	461.19	461.29	461.24 -	461.26	461.16	461.17	461.14	461.21	461.38	461.25	25
	26	461.31	461.30	461.19	461.28	461.24	461.25	461.15	461.17	461.14	461.20	461.38	461.39 +	26
	27	461.31	461.29	461.18 -	461.28	461.24	461.24 -	461.14 -	461.18	461.15	461.28	461.37	461.36	27
	28	461.31 -	461.29 -	461.18	461.28	461.24	461.24	461.16	461.19	461.15	461.29	461.36	461.33	28
	29	461.31		461.21	461.28	461.27	461.25	461.25 +	461.18	461.16	461.30 +	461.36	461.32	29
	30	461.34		461.26	461.27	461.26	461.24	461.25	461.16	461.16	461.29	461.35	461.31	30
	31	461.35		461.29 +	461.27	461.28	461.24	461.22	461.16	461.16	461.26	461.31	461.31	31
Monatsmittel		461.36	461.34	461.24	461.27	461.27	461.27	461.20	461.17	461.15 -	461.21	461.37 +	461.30	müM
Maximum (Spitze) Datum		461.44 1.	461.45 2.	461.31 30.	461.42 20.	461.38 31.	461.48 + 1.	461.33 29.	461.22 1.	461.21 - 19.	461.33 27.	461.44 6.	461.43 26.	müM
Monatsamplitude		0.15	0.17	0.13	0.22	0.15	0.25	0.21	0.10 -	0.11	0.20	0.21	0.26 +	m
Jahr		Mittel 461.26			Max (Spitze) 461.48 (1.6.)			Min (Spitze) 461.10 (6.9.)			Jahresamplitude (Spitze) 0.37			



Periode	1983 - 2013 (31 Jahre)												
Monatsmittel	461.18	461.18	461.19 +	461.18	461.16	461.14	461.10	461.06	461.05 -	461.06	461.10	461.14	müM
Maximum (Spitze) Jahr	461.49 1995	461.50 1984	461.50 2001	461.68 2006	461.51 2006	461.48 2013	461.46 1999	461.72 + 2007	461.41 - 2007	461.48 2006	461.48 2002	461.57 2012	müM
Minimum (Spitze) Jahr	460.77 - 2004	460.90 1990	461.00 + 2005	460.99 1997	460.94 2011	460.92 2003	460.88 2003	460.83 2003	460.82 2003	460.85 2003	460.82 2003	460.79 2003	müM
Monatsamplitude (Max) Jahr	0.45 2004	0.44 1990	0.41 2001	0.35 2006	0.21 - 1985	0.48 1990	0.30 1999	0.52 + 2007	0.37 1984	0.34 2004	0.29 2002	0.48 1995	m
Periode	Mittel 461.13			Max (Spitze) 461.72 (29.8.2007)			Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95			



Grundwasserstand

Limnigraph RKO - Recherswil


SO 611/222/001

Koordinaten 611 483 / 222 617

OK Terrain 462.0 müM

Abstichpunkt 462.86 müM

2012		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	461.33	461.29 +	461.16	461.09	461.11	461.07	461.12	461.07	460.97	460.96	461.07 -	461.27	1	
	2	461.31	461.27	461.16 +	461.09 -	461.12	461.07	461.14	461.07	460.97 +	460.96 -	461.07 -	461.28	2	
	3	461.30	461.27	461.16	461.09 -	461.11	461.08	461.16	461.06	460.96	460.96	461.07 -	461.28	3	
	4	461.30	461.25	461.15	461.09	461.13	461.10	461.15	461.06	460.97	460.96	461.08	461.32	4	
	5	461.34	461.25	461.15	461.10	461.12	461.09	461.14	461.06	460.97	460.97	461.16	461.34	5	
	müM	6	461.38 +	461.24	461.15	461.10	461.12	461.08	461.18	461.07 +	460.97	460.97	461.15	461.33	6
		7	461.34	461.24	461.14	461.10	461.12	461.08	461.19 +	461.07	460.96	460.97	461.13	461.32	7
		8	461.33	461.22	461.14	461.09	461.11	461.10	461.18	461.06	460.95	460.98	461.13	461.31	8
		9	461.32	461.19	461.14	461.09	461.12	461.11	461.16	461.05	460.94	461.01	461.12	461.31	9
		10	461.31	461.19	461.14	461.09	461.12	461.10	461.16	461.04	460.93	461.04	461.13	461.31	10
		11	461.31	461.18	461.14	461.11	461.12	461.13	461.14	461.04	460.93	461.06	461.27	461.29	11
		12	461.30	461.17	461.13	461.12	461.13	461.15	461.14	461.04	460.94	461.05	461.25	461.28	12
		13	461.30	461.17	461.13	461.15	461.13	461.15 +	461.14	461.04	460.93	461.04	461.21	461.27	13
		14	461.29	461.16	461.13	461.13	461.13	461.14	461.14	461.03	460.93	461.04	461.21	461.27 -	14
		15	461.28	461.16	461.12	461.14	461.13	461.12	461.14	461.02	460.93	461.03	461.22	461.35	15
	+ Maximum	16	461.28	461.16	461.12	461.16 +	461.12	461.11	461.13	461.03	460.93	461.03	461.22	461.44	16
		17	461.28	461.16	461.12	461.16	461.11	461.10	461.12	461.02	460.93	461.03	461.22	461.45	17
		18	461.26 -	461.16	461.12	461.16	461.11	461.10	461.12	461.01	460.92	461.03	461.22	461.51	18
		19	461.27	461.17	461.12	461.16	461.11	461.09	461.11	461.01	460.93	461.04	461.20	461.48	19
		20	461.26 -	461.16	461.13	461.16	461.11	461.09	461.11	461.00	460.92	461.03	461.19	461.45	20
		21	461.30	461.15	461.12	461.16	461.11	461.09	461.11	461.00	460.92	461.04	461.21	461.43	21
	- Minimum	22	461.31	461.14	461.12	461.16	461.14 +	461.08	461.11	461.00	460.93	461.03	461.20	461.44	22
		23	461.30	461.15	461.12	461.16	461.14	461.08	461.10	460.99	460.93	461.03	461.20	461.53 +	23
		24	461.28	461.14 -	461.11	461.16 +	461.12	461.07	461.09	461.00	460.93	461.04	461.19	461.47	24
		25	461.29	461.15	461.11	461.16	461.12	461.08	461.09	461.00	460.93	461.04	461.19	461.45	25
		26	461.28	461.17	461.11	461.14	461.12	461.08	461.08	461.01	460.92 -	461.04	461.20	461.51	26
	27	461.28	461.17	461.11	461.13	461.12	461.08	461.08	460.99	460.93	461.06	461.22	461.48	27	
	28	461.30	461.17	461.11	461.11	461.12	461.07 -	461.08	460.96	460.93	461.07	461.29	461.48	28	
	29	461.32	461.17	461.10	461.11	461.10	461.07	461.09	460.96	460.93	461.07	461.31 +	461.47	29	
	30	461.31	461.17	461.10	461.12	461.08	461.08	461.08	460.96 -	460.95	461.07 +	461.30	461.45	30	
	31	461.30	461.19	461.13	461.13	461.12	461.10	461.12	461.02	460.94 -	461.02	461.19	461.39 +	müM	
Monatsmittel		461.30	461.19	461.13	461.13	461.12	461.10	461.12	461.02	460.94 -	461.02	461.19	461.39 +	müM	
Maximum (Spitze)		461.41	461.30	461.17	461.19	461.14	461.16	461.21	461.08	461.00	461.07	461.33	461.57	müM	
Datum		5. / 6.	1.	1.	16.	22.	13.	6. / 7.	6. / 7.	1.	30.	29.	23.		
Monatsamplitude		0.16	0.18	0.09	0.10	0.08	0.13	0.15	0.14	0.08 -	0.13	0.27	0.31 +	m	
Jahr	Mittel	461.14					Max (Spitze) 461.57 (23.12.)			Min (Spitze) 460.92 (26.9.)			Jahresamplitude (Spitze) 0.65		



Periode	1983 - 2012												(30 Jahre)	
Monatsmittel	461.18	461.18	461.19 +	461.18	461.15	461.13	461.10	461.06	461.04 -	461.06	461.09	461.13	müM	
Maximum (Spitze)	461.49	461.50	461.50	461.68	461.51	461.45	461.46	461.72 +	461.41 -	461.48	461.48	461.57	müM	
Jahr	1995	1984	2001	2006	2006	1990	1999	2007	2007	2006	2002	2012		
Minimum (Spitze)	460.77 -	460.90	461.00 +	460.99	460.94	460.92	460.88	460.83	460.82	460.85	460.82	460.79	müM	
Jahr	2004	1990	2005	1997	2011	2003	2003	2003	2003	2003	2003	2003		
Monatsamplitude (Max)	0.45	0.44	0.41	0.35	0.21 -	0.48	0.30	0.52 +	0.37	0.34	0.29	0.48	m	
Jahr	2004	1990	2001	2006	1985	1990	1999	2007	1984	2004	2002	1995		
Periode	Mittel	461.12					Max (Spitze) 461.72 (29.8.2007)			Min (Spitze) 460.77 (4.1.2004)			Periodenamplitude (Spitze) 0.95	

