

Grundwasserstand

PW Wolfwil - Wolfwil


625/235/001

Koordinaten 2 625 890 / 1 235 920


OK Terrain 429.5 müM

Abstichpunkt 426.65 müM

2023		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	424.61 -	424.63 +	424.08	424.31	424.25	424.05 +	423.65 +	423.62 +	423.50 +	423.44 +	423.44 -	425.04 -	1
	2	424.62	424.60	424.07	424.33	424.26	424.05 +	423.65 +	423.62 +	423.49	423.44 +	423.44 -	425.20	2
	3	424.63	424.58	424.05	424.35	424.27	424.03	423.63	423.62 +	423.49	423.44 +	423.45	425.26	3
	4	424.63	424.56	424.04	424.36	424.27	424.01	423.63	423.62 +	423.49	423.44 +	423.46	425.29	4
	5	424.64	424.53	424.03	424.37	424.26	424.00	423.64	423.62 +	423.49	423.44 +	423.51	425.30	5
	6	424.63	424.51	424.02	424.38 +	424.26	423.98	423.62	423.62 +	423.46	423.43	423.56	425.39	6
	7	424.63	424.49	424.01	424.37	424.24	423.96	423.59	423.62 +	423.46	423.43	423.58	425.42	7
	8	424.63	424.47	423.99 -	424.37	424.24	423.94	423.61	423.62 +	423.45	423.43	423.60	425.45	8
	9	424.67	424.45	423.99 -	424.37	424.24	423.92	423.60	423.61	423.46	423.42	423.61	425.47	9
	10	424.74	424.42	424.00	424.36	424.27	423.88	423.60	423.61	423.46	423.42	423.62	425.61	10
müM	11	424.80	424.40	424.04	424.36	424.30	423.85	423.60	423.60	423.44	423.41 -	423.63	425.75	11
	12	424.83	424.38	424.06	424.36	424.31	423.83	423.62	423.60	423.44	423.41 -	423.67	425.92	12
	13	424.85	424.36	424.08	424.34	424.32	423.77	423.63	423.59	423.45	423.41 -	423.85	426.17	13
	14	424.87	424.34	424.13	424.35	424.33 +	423.76	423.62	423.59	423.46	423.41 -	424.11	426.23 +	14
	15	424.88	424.32	424.18	424.32	424.33 +	423.76	423.60	423.58	423.43 -	423.41 -	424.38	426.23 +	15
	16	424.90	424.30	424.22	424.32	424.33 +	423.74	423.63	423.56	423.44	423.41 -	424.45	426.21	16
	17	424.91 +	424.28	424.24	424.32	424.33 +	423.70	423.62	423.52	423.45	423.41 -	424.51	426.17	17
	18	424.91 +	424.26	424.25	424.32	424.32	423.71	423.60	423.52	423.46	423.41 -	424.55	426.13	18
	19	424.91 +	424.24	424.25	424.32	424.31	423.73	423.60	423.53	423.46	423.44	424.60	426.09	19
	20	424.90	424.23	424.25	424.32	424.30	423.72	423.59	423.49	423.46	423.41 -	424.69	426.05	20
+ Maximum	21	424.88	424.21	424.25	424.32	424.29	423.73	423.58 -	423.48	423.46	423.41 -	424.72	425.99	21
	22	424.87	424.19	424.25	424.31	424.27	423.74	423.59	423.44	423.46	423.41 -	424.73	425.97	22
	23	424.84	424.18	424.24	424.30	424.26	423.75	423.59	423.44	423.46	423.42	424.74	426.00	23
	24	424.82	424.16	424.25	424.30	424.25	423.72	423.59	423.42 -	423.47	423.42	424.74	425.98	24
	25	424.80	424.14	424.25	424.29	424.23	423.70	423.60	423.47	423.46	423.42	424.73	425.97	25
- Minimum	26	424.78	424.13	424.21	424.28	424.21	423.65	423.61	423.48	423.46	423.42	424.72	425.94	26
	27	424.76	424.11	424.22	424.27	424.19	423.62 -	423.61	423.48	423.46	423.43	424.72	425.90	27
	28	424.73	424.09 -	424.24	424.26	424.16	423.64	423.61	423.49	423.45	423.43	424.81	425.86	28
	29	424.70		424.28	424.26	424.14	423.65	423.62	423.50	423.45	423.43	424.87	425.81	29
	30	424.68		424.29 +	424.25 -	424.12	423.66	423.62	423.50	423.44	423.43	424.89 +	425.77	30
	31	424.65		424.29 +		424.09 -		423.62	423.47		423.44 +		425.72	31
Monatsmittel	424.77	424.34	424.15	424.33	424.26	423.81	423.61	423.55	423.46	423.42 -	424.18	425.78 +	müM	
Maximum (Spitze) Datum	424.91 div	424.63 1.	424.29 30. / 31.	424.38 6.	424.33 div	424.05 1. / 2.	423.65 1. / 2.	423.62 div	423.50 1.	423.44 div	424.89 30.	426.23 14. / 15.	müM	
Monatsamplitude	0.30	0.54	0.30	0.13	0.24	0.43	0.07	0.20	0.07	0.03 -	1.45 +	1.19	m	
Jahr	Mittel 424.14	Max (Spitze) 426.23 (15.12.) (div)					Min (Spitze) 423.41 (22.10.) (div)			Jahresamplitude (Spitze) 2.82				



Periode	1979 - 2023 (45 Jahre)												
Monatsmittel	424.64	424.75 +	424.67	424.48	424.27	424.13	424.01	423.85	423.77 -	423.81	423.98	424.30	müM
Maximum (Spitze) Jahr	426.60 2018	426.72 + 1984	426.41 1988	426.29 2006	425.73 2006	425.56 - 2016	426.15 2021	425.67 2021	425.59 2007	425.60 2006	425.79 2002	426.62 1981	müM
Minimum (Spitze) Jahr	423.11 1990	423.19 1990	423.61 + 2014	423.29 2014	423.34 1993	423.14 1993	423.11 2019	422.99 1992	422.86 1989	422.77 - 1989	422.90 1983	423.08 1985	müM
Monatsamplitude (Max) Jahr	2.08 2021	2.54 + 1990	1.77 2001	1.04 1988	1.13 2015	0.86 1987	1.16 2021	0.71 - 2021	0.72 1987	1.35 1981	1.77 1992	2.15 1981	m
Periode	Mittel 424.22	Max (Spitze) 426.72 (9.2.1984)					Min (Spitze) 422.77 (21.10.1989)			Periodenamplitude (Spitze) 3.94			



Grundwasserstand

PW Wolfwil - Wolfwil


625/235/001

Koordinaten 2 625 890 / 1 235 920


OK Terrain 429.5 müM

Abstichpunkt 426.65 müM

2022		Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Dez	
Tagesmittel	1	424.89	424.73	424.91 +	424.28 +	424.09	423.88 +	423.77 +	423.56 +	423.40	423.58 -	423.79	424.07	1
	2	424.91	424.72	424.89	424.27	424.09	423.87	423.77 +	423.52	423.39 -	423.60	423.78 -	424.07	2
	3	424.91	424.74	424.88	424.25	424.08	423.84	423.77 +	423.49	423.41	423.62	423.78 -	424.07	3
	4	424.92	424.74	424.86	424.23	424.08	423.86	423.77 +	423.46	423.41	423.63	423.78 -	424.06	4
	5	424.95	424.72	424.83	424.23	424.07	423.85	423.77 +	423.45	423.41	423.65	423.79	424.06	5
	6	424.96	424.70 -	424.81	424.22	424.09	423.85	423.76	423.47	423.41	423.66	423.79	424.05	6
	7	424.97	424.78	424.78	424.21	424.10 +	423.85	423.75	423.47	423.41	423.73	423.79	424.05	7
	8	424.98	424.81	424.77	424.22	424.10 +	423.85	423.74	423.54	423.41	423.66	423.79	424.04	8
	9	425.07	424.83	424.74	424.25	424.10 +	423.85	423.74	423.41	423.42	423.67	423.79	424.03	9
	10	425.16	424.85	424.72	424.26	424.09	423.84	423.73	423.39	423.42	423.67	423.80	424.02	10
müM	11	425.19	424.85	424.70	424.26	424.08	423.83	423.69	423.35	423.42	423.67	423.81	424.02	11
	12	425.20 +	424.84	424.67	424.26	424.07	423.82	423.68	423.35	423.42	423.67	423.81	424.01	12
	13	425.20 +	424.83	424.65	424.24	424.06	423.81	423.66	423.37	423.42	423.67	423.82	424.00 -	13
	14	425.20 +	424.82	424.62	424.23	424.05	423.80	423.65	423.35	423.42	423.67	423.82	424.00 -	14
	15	425.19	424.80	424.60	424.22	424.02	423.77	423.62	423.36	423.42	423.67	423.83	424.01	15
	16	425.17	424.79	424.58	424.21	424.02	423.78	423.61	423.35	423.43	423.67	423.83	424.05	16
	17	425.14	424.85	424.56	424.20	424.01	423.74	423.59	423.34 -	423.44	423.67	423.83	424.05	17
	18	425.12	424.89	424.54	424.19	423.99	423.72	423.59	423.39	423.44	423.67	423.89	424.07	18
	19	425.10	424.91	424.51	424.17	423.97	423.70	423.54	423.40	423.44	423.67	423.92	424.07	19
	20	425.07	424.92	424.49	424.16	423.96	423.68	423.57	423.41	423.44	423.67	423.94	424.08	20
+ Maximum	21	425.04	424.93	424.47	424.14	423.94	423.67 -	423.57	423.41	423.44	423.67	423.97	424.08	21
	22	425.01	424.95	424.45	424.13	423.95	423.70	423.57	423.42	423.44	423.68	423.99	424.08	22
	23	424.98	424.96	424.43	424.13	423.95	423.70	423.59	423.41	423.44	423.69	424.00	424.14	23
	24	424.95	424.97 +	424.41	424.12	423.95	423.73	423.58	423.41	423.44	423.72	424.02	424.30	24
	25	424.92	424.96	424.39	424.12	423.94	423.74	423.57	423.40	423.44	423.75	424.03	424.38	25
	26	424.90	424.95	424.37	424.12	423.93	423.75	423.58	423.38	423.45	423.76	424.03	424.42	26
	27	424.86	424.94	424.35	424.12	423.92	423.76	423.55	423.40	423.45	423.77	424.05	424.46	27
	28	424.83	424.93	424.33	424.11	423.91	423.76	423.53 -	423.40	423.49	423.77	424.07 +	424.50	28
	29	424.80	424.92	424.32	424.11	423.90	423.76	423.54	423.40	423.55	423.78 +	424.07 +	424.51	29
	30	424.78	424.91	424.31	424.10 -	423.90	423.75	423.56	423.38	423.57 +	423.78 +	424.07 +	424.55	30
31	424.75 -	424.90	424.29 -	424.10 -	423.88 -	423.75	423.54	423.40	423.40	423.78 +	424.07 +	424.58 +	31	
Monatsmittel	425.00 +	424.85	424.59	424.19	424.01	423.78	423.64	423.41 -	423.44	423.69	423.89	424.16	müM	
Maximum (Spitze) Datum	425.20 + div 24.	424.97	424.91 1.	424.28 1.	424.10 div	423.88 1.	423.77 div	423.56 - 1.	423.57 30.	423.78 div	424.07 div	424.58 31.	müM	
Monatsamplitude	0.45	0.27	0.62 +	0.18 -	0.22	0.21	0.24	0.22	0.18 -	0.20	0.29	0.58	m	
Jahr	Mittel 424.05	Max (Spitze) 425.20 (div)				Min (Spitze) 423.34 (17.8.)				Jahresamplitude (Spitze) 1.86				



Periode	1979 - 2022 (44 Jahre)												
Monatsmittel	424.64	424.75 +	424.68	424.48	424.27	424.14	424.01	423.86	423.77 -	423.82	423.97	424.26	müM
Maximum (Spitze) Jahr	426.60 2018	426.72 + 1984	426.41 1988	426.29 2006	425.73 2006	425.56 - 2016	426.15 2021	425.67 2021	425.59 2007	425.60 2006	425.79 2002	426.62 1981	müM
Minimum (Spitze) Jahr	423.11 1990	423.19 1990	423.61 + 2014	423.29 2014	423.34 1993	423.14 1993	423.11 2019	422.99 1992	422.86 1989	422.77 - 1989	422.90 1983	423.08 1985	müM
Monatsamplitude (Max) Jahr	2.08 2021	2.54 + 1990	1.77 2001	1.04 1988	1.13 2015	0.86 1987	1.16 2021	0.71 - 2021	0.72 1987	1.35 1981	1.77 1992	2.15 1981	m
Periode	Mittel 424.22	Max (Spitze) 426.72 (9.2.1984)				Min (Spitze) 422.77 (21.10.1989)				Periodenamplitude (Spitze) 3.94			



Grundwasserstand

PW Wolfwil - Wolfwil


625/235/001

Koordinaten 2 625 890 / 1 235 920


OK Terrain 429.5 müM

Abstichpunkt 426.65 müM

2021		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	424.10 -	426.20	425.16 +	424.51 +	424.03	424.40	424.99 -	425.67 +	424.93 +	424.42 +	424.07 +	423.82 -	1	
	2	424.13	426.21	425.13	424.49	424.03	424.36	425.04	425.67 +	424.91	424.40	424.06	423.84	2	
	3	424.14	426.25	425.09	424.46	424.03	424.36	425.06	425.65	424.88	424.39	424.05	423.84	3	
	4	424.16	426.28 +	425.05	424.44	424.02	424.33	425.08	425.63	424.85	424.38	424.04	423.93	4	
	5	424.16	426.27	425.02	424.43	424.02	424.39	425.08	425.61	424.82	424.37	424.03	424.05	5	
	müM	6	424.17	426.24	424.98	424.41	424.01 -	424.40	425.07	425.59	424.79	424.35	424.02	424.08	6
		7	424.17	426.19	424.95	424.39	424.04	424.40	425.07	425.56	424.77	424.34	424.01	424.09	7
		8	424.17	426.14	424.91	424.37	424.04	424.41	425.09	425.58	424.74	424.33	424.00	424.12	8
		9	424.17	426.08	424.89	424.35	424.03	424.44	425.12	425.56	424.72	424.32	424.00	424.18	9
		10	424.16	426.03	424.85	424.33	424.03	424.44	425.14	425.54	424.70	424.31	423.99	424.22	10
		11	424.25	425.97	424.82	424.32	424.02	424.43	425.14	425.52	424.68	424.30	423.98	424.23	11
		12	424.15	425.92	424.80	424.30	424.02	424.41	425.14	425.49	424.66	424.29	423.97	424.27	12
		13	424.14	425.87	424.77	424.28	424.02	424.39	425.28	425.46	424.65	424.28	423.96	424.29	13
		14	424.47	425.81	424.75	424.26	424.01	424.37	425.35	425.43	424.63	424.27	423.95	424.30	14
		15	424.67	425.77	424.79	424.24	424.01	424.36	425.36	425.40	424.61	424.25	423.94	424.31	15
	+ Maximum	16	424.72	425.73	424.82	424.22	424.01	424.33	426.14	425.37	424.59	424.24	423.93	424.32	16
		17	424.74	425.68	424.82	424.20	424.04	424.31	426.15 +	425.34	424.59	424.23	423.92	424.31	17
		18	424.76	425.64	424.81	424.18	424.09	424.28	426.14	425.32	424.57	424.22	423.91	424.32	18
		19	424.77	425.60	424.79	424.17	424.11	424.28	426.12	425.29	424.56	424.21	423.91	424.33	19
		20	424.78	425.55	424.77	424.16	424.16	424.25	426.09	425.25	424.57	424.19	423.90	424.33	20
		21	424.78	425.51	424.75	424.15	424.18	424.25	426.05	425.22	424.56	424.18	423.89	424.33	21
	- Minimum	22	424.80	425.46	424.73	424.14	424.28	424.24 -	426.01	425.19	424.54	424.17	423.88	424.32	22
		23	424.89	425.41	424.71	424.12	424.35	424.25	425.97	425.17	424.53	424.16	423.87	424.31	23
		24	424.95	425.37	424.69	424.11	424.39	424.32	425.93	425.14	424.51	424.15	423.87	424.30	24
		25	424.98	425.33	424.66	424.09	424.43	424.48	425.89	425.12	424.50	424.14	423.86	424.29	25
		26	424.98	425.29	424.64	424.08	424.45	424.51	425.85	425.09	424.48	424.13	423.85	424.35	26
	Monatsmittel	424.66	425.80 +	424.81	424.25	424.16	424.40	425.57	425.35	424.64	424.24	423.94 -	424.27	müM	
	Maximum (Spitze) Datum	426.18 31.	426.28 + 4.	425.16 1.	424.51 1.	424.45 27./28.	424.90 30.	426.15 17.	425.67 1./2.	424.93 1.	424.42 1.	424.07 1.	424.86 31.	müM	
	Monatsamplitude	2.08 +	1.07	0.63	0.48	0.45	0.66	1.16	0.71	0.50	0.34	0.24 -	1.04	m	
	Jahr	Mittel 424.67	Max (Spitze) 426.28 (4.2.)			Min (Spitze) 423.82 (1.12.)			Jahresamplitude (Spitze) 2.46						



Periode	1979 - 2021 (43 Jahre)												
Monatsmittel	424.63	424.75 +	424.68	424.49	424.27	424.15	424.02	423.87	423.78 -	423.82	423.97	424.27	müM
Maximum (Spitze) Jahr	426.60 2018	426.72 + 1984	426.41 1988	426.29 2006	425.73 2006	425.56 - 2016	426.15 2021	425.67 2021	425.59 2007	425.60 2006	425.79 2002	426.62 1981	müM
Minimum (Spitze) Jahr	423.11 1990	423.19 1990	423.61 + 2014	423.29 2014	423.34 1993	423.14 1993	423.11 2019	422.99 1992	422.86 1989	422.77 - 1989	422.90 1983	423.08 1985	müM
Monatsamplitude (Max) Jahr	2.08 2021	2.54 + 1990	1.77 2001	1.04 1988	1.13 2015	0.86 1987	1.16 2021	0.71 - 2021	0.72 1987	1.35 1981	1.77 1992	2.15 1981	m
Periode	Mittel 424.22	Max (Spitze) 426.72 (9.2.1984)			Min (Spitze) 422.77 (21.10.1989)			Periodenamplitude (Spitze) 3.94					



Grundwasserstand

PW Wolfwil - Wolfwil


625/235/001

Koordinaten 2 625 890 / 1 235 920


OK Terrain 429.5 müM

Abstichpunkt 426.65 müM

2020		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	424.95 +	424.38 -	425.27	425.03 +	424.16	423.90 +	423.81 +	423.42	423.47 +	423.45 -	423.70	423.69	1	
	2	424.94	424.41	425.34	424.98	424.19	423.84	423.81 +	423.46	423.47 +	423.45 -	423.71	423.70	2	
	3	424.93	424.56	425.42	424.95	424.19	423.82	423.80	423.48	423.47 +	423.45 -	423.71	423.70	3	
	4	424.91	424.67	425.45	424.91	424.19	423.83	423.79	423.49	423.47	423.46	423.72	423.68	4	
	5	424.89	424.74	425.49	424.87	424.18	423.84	423.78	423.50 +	423.47	423.47	423.73	423.66	5	
	Tagesmittel	6	424.87	424.77	425.53	424.81	424.21 +	423.83	423.78	423.48	423.47	423.47	423.73	423.66	6
		7	424.84	424.78	425.54	424.78	424.20	423.85	423.76	423.46	423.47	423.48	423.74	423.68	7
		8	424.82	424.78	425.55	424.73	424.19	423.87	423.75	423.42	423.46	423.48	423.74	423.70	8
		9	424.79	424.78	425.55	424.72	424.18	423.88	423.74	423.39	423.46	423.49	423.74	423.71	9
		10	424.77	424.77	425.58	424.67	424.17	423.88	423.73	423.39	423.45	423.49	423.75 +	423.71	10
		11	424.74	424.77	425.66	424.64	424.16	423.88	423.72	423.38	423.44	423.49	423.75 +	423.72	11
		12	424.71	424.79	425.69 +	424.59	424.16	423.87	423.72	423.37 -	423.42	423.49	423.75	423.73	12
		13	424.68	424.80	425.69	424.57	424.15	423.86	423.70	423.38	423.42	423.50	423.75	423.74	13
		14	424.66	424.88	425.68	424.53	424.13	423.86	423.69	423.40	423.41 -	423.50	423.74	423.74	14
		15	424.63	424.91	425.66	424.52	424.13	423.86	423.68	423.39	423.43	423.50	423.74	423.75	15
	müM	16	424.60	424.92	425.63	424.47	424.12	423.86	423.68	423.41	423.42	423.50	423.74	423.76	16
		17	424.57	424.92	425.59	424.44	424.11	423.86	423.68	423.42	423.41 -	423.50	423.74	423.77	17
		18	424.54	424.92	425.56	424.40	424.10	423.86	423.67	423.44	423.41 -	423.50	423.74	423.77	18
		19	424.51	424.93	425.53	424.36	424.08	423.87	423.66	423.44	423.42	423.50	423.74	423.77	19
		20	424.48	424.94	425.49	424.33	424.07	423.87	423.66	423.43	423.43	423.49	423.74	423.78	20
	+ Maximum	21	424.46	424.93	425.45	424.31	424.05	423.87	423.64	423.40	423.43	423.49	423.74	423.78	21
		22	424.44	424.92	425.41	424.28	424.03	423.87	423.64	423.43	423.43	423.48	423.74	423.79	22
		23	424.42	424.91	425.36	424.24	424.02	423.87	423.64	423.44	423.43	423.49	423.71	423.79	23
		24	424.39	424.89	425.33	424.23	424.02	423.86	423.61	423.44	423.44	423.52	423.71	423.83	24
		25	424.37	424.88	425.30	424.20	424.02	423.84	423.60	423.44	423.44	423.53	423.71	423.88	25
	- Minimum	26	424.35	424.94	425.26	424.18	424.00	423.82	423.58	423.44	423.44	423.58	423.70	423.91	26
		27	424.33	424.99	425.22	424.16	424.00	423.83	423.54	423.43	423.43	423.61	423.70	423.94	27
		28	424.32 -	425.10	425.17	424.15 -	423.97	423.82 -	423.52	423.43	423.44	423.62	423.70	423.97	28
		29	424.36	425.16 +	425.14	424.15 -	423.97	423.83	423.48	423.44	423.44	423.65	423.69 -	423.98	29
		30	424.37		425.09	424.15 -	423.95	423.82 -	423.46	423.45	423.45	423.67	423.69 -	424.03	30
		31	424.38		425.06 -		423.92 -		423.43 -	423.46		423.68 +		424.07 +	31
Monatsmittel		424.61	424.83	425.44 +	424.51	424.10	423.85	423.67	423.43 -	423.44	423.52	423.73	423.79	müM	
Maximum (Spitze)		424.95	425.16	425.69 +	425.03	424.21	423.90	423.81	423.50	423.47 -	423.68	423.75	424.07	müM	
Datum		1.	29.	12.	1.	6.	1.	1. / 2.	5.	div	31.	10. / 11.	31.		
Monatsamplitude		0.63	0.79	0.63	0.87 +	0.29	0.08	0.37	0.13	0.06	0.23	0.06 -	0.41	m	
Jahr	Mittel	424.07			Max (Spitze) 425.69 (12.3.)			Min (Spitze) 423.37 (12.8.)			Jahresamplitude (Spitze) 2.32				



Periode	1979 - 2020 (42 Jahre)												
Monatsmittel	424.63	424.73 +	424.68	424.49	424.27	424.14	423.99	423.83	423.76 -	423.81	423.97	424.27	müM
Maximum (Spitze)	426.60	426.72 +	426.41	426.29	425.73	425.56 -	425.61	425.59	425.59	425.60	425.79	426.62	müM
Jahr	2018	1984	1988	2006	2006	2016	2016	2007	2007	2006	2002	1981	
Minimum (Spitze)	423.11	423.19	423.61 +	423.29	423.34	423.14	423.11	422.99	422.86	422.77 -	422.90	423.08	müM
Jahr	1990	1990	2014	2014	1993	1993	2019	1992	1989	1989	1983	1985	
Monatsamplitude (Max)	1.99	2.54 +	1.77	1.04	1.13	0.86	0.69 -	0.71	0.72	1.35	1.77	2.15	m
Jahr	1995	1990	2001	1988	2015	1987	1987	2007	1987	1981	1992	1981	
Periode	Mittel	424.21			Max (Spitze) 426.72 (9.2.1984)			Min (Spitze) 422.77 (21.10.1989)			Periodenamplitude (Spitze) 3.94		



Grundwasserstand

PW Wolfwil - Wolfwil


625/235/001

Koordinaten 2 625 890 / 1 235 920


OK Terrain 429.5 müM

Abstichpunkt 426.65 müM

2019		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	424.32	424.37	424.39	424.43 +	423.98 +	423.92 +	423.51	423.37	423.47 +	423.38 -	423.64 -	423.92 -	1
	2	424.31	424.36 -	424.37	424.42	423.97	423.90	423.54 +	423.37	423.47 +	423.38 -	423.64 -	423.95	2
	3	424.30	424.36 -	424.35	424.40	423.96	423.89	423.51	423.37	423.47 +	423.38 -	423.65	423.96	3
	4	424.28	424.37	424.34	424.39	423.95	423.88	423.49	423.37	423.46	423.38 -	423.66	423.99	4
	5	424.27	424.37	424.32	424.38	423.94	423.86	423.48	423.36 -	423.46	423.38 -	423.68	423.98	5
Tagesmittel	6	424.25	424.37	424.30	424.36	423.93	423.85	423.49	423.37	423.46	423.38 -	423.70	423.98	6
	7	424.23	424.37	424.28	424.35	423.92	423.84	423.51	423.39	423.46	423.39	423.72	423.95	7
	8	424.22	424.36 -	424.26	424.34	423.91	423.83	423.52	423.40	423.46	423.39	423.74	423.95	8
	9	424.21	424.36 -	424.24	424.32	423.91	423.82	423.50	423.39	423.46	423.39	423.75	423.94	9
	10	424.19	424.37	424.22 -	424.31	423.91	423.82	423.48	423.40	423.46	423.41	423.77	423.98	10
Tagesmittel	11	424.18	424.48	424.23	424.29	423.90	423.83	423.45	423.41	423.46	423.42	423.78	424.00	11
	12	424.16 -	424.54	424.23	424.27	423.89	423.84	423.44	423.42	423.45	423.42	423.79	424.02	12
	13	424.29	424.57	424.22 -	424.26	423.89	423.83	423.43	423.43	423.44	423.43	423.79	424.05	13
	14	424.48	424.59	424.23	424.23	423.88	423.83	423.42	423.42	423.43	423.43	423.80	424.17	14
	15	424.54	424.60 +	424.46	424.22	423.87	423.82	423.41	423.42	423.42	423.43	423.44	423.80	424.25
Tagesmittel	16	424.57	424.60 +	424.59	424.20	423.87	423.81	423.40	423.42	423.42	423.45	423.80	424.29	16
	17	424.58 +	424.59	424.63	424.19	423.85	423.80	423.39	423.42	423.41	423.46	423.80	424.32	17
	18	424.58 +	424.59	424.64 +	424.17	423.84 -	423.79	423.33	423.42	423.41	423.46	423.79	424.33	18
	19	424.58 +	424.57	424.64 +	424.14	423.84 -	423.78	423.34	423.43	423.40	423.50	423.79	424.34	19
	20	424.57	424.56	424.64 +	424.12	423.88	423.77	423.32	423.44	423.40	423.53	423.79	424.35	20
Tagesmittel	21	424.55	424.54	424.63	424.11	423.93	423.76	423.32	423.46	423.39 -	423.55	423.79	424.35	21
	22	424.54	424.52	424.62	424.09	423.94	423.73	423.28	423.47	423.39 -	423.57	423.79	424.37	22
	23	424.53	424.51	424.61	424.06	423.94	423.72	423.14	423.47	423.39 -	423.58	423.79	424.48	23
	24	424.51	424.49	424.60	424.05	423.94	423.70	423.11 -	423.48 +	423.39 -	423.59	423.78	424.58	24
	25	424.48	424.47	424.58	424.03	423.94	423.68	423.14	423.48 +	423.39 -	423.60	423.77	424.70	25
Tagesmittel	26	424.47	424.45	424.56	424.02	423.94	423.60	423.17	423.48 +	423.39 -	423.61	423.77	424.75	26
	27	424.45	424.43	424.54	424.02	423.94	423.58	423.22	423.48 +	423.39 -	423.62	423.77	424.84	27
	28	424.43	424.41	424.52	424.01	423.94	423.55	423.29	423.47	423.39 -	423.62	423.77	424.90	28
	29	424.42	424.40	424.50	424.00	423.94	423.56	423.32	423.47	423.39 -	423.63	423.83	424.93	29
	30	424.40	424.48	424.48	423.99 -	423.94	423.47 -	423.34	423.46	423.39 -	423.63	423.89 +	424.95 +	30
Tagesmittel	31	424.39	424.45	424.45	424.03	423.93	423.70	423.36	423.46	423.46	423.64 +	424.95 +	424.95 +	31
	Monatsmittel	424.40	424.47 +	424.44	424.21	423.92	423.77	423.38 -	423.43	423.43	423.49	423.76	424.31	müM
	Maximum (Spitze)	424.58	424.60	424.64	424.43	423.98	423.92	423.54	423.48	423.47	423.64	423.89	424.95	müM
	Datum	div	15. / 16.	div	1.	1.	1.	2.	div	div	31.	30.	30. / 31.	
	Monatsamplitude	0.42	0.24	0.42	0.44	0.14	0.45	0.43	0.12	0.08 -	0.26	0.25	1.03 +	m
Jahr	Mittel 423.91	Max (Spitze) 424.95 (30.12./31.12.)					Min (Spitze) 423.11 (24.7.)			Jahresamplitude (Spitze) 1.84				



Periode	1979 - 2019 (41 Jahre)												
Monatsmittel	424.63	424.72 +	424.66	424.49	424.28	424.15	423.99	423.84	423.77 -	423.82	423.98	424.28	müM
Maximum (Spitze)	426.60	426.72 +	426.41	426.29	425.73	425.56 -	425.61	425.59	425.59	425.60	425.79	426.62	müM
Jahr	2018	1984	1988	2006	2006	2016	2016	2007	2007	2006	2002	1981	
Minimum (Spitze)	423.11	423.19	423.61 +	423.29	423.34	423.14	423.11	422.99	422.86	422.77 -	422.90	423.08	müM
Jahr	1990	1990	2014	2014	1993	1993	2019	1992	1989	1989	1983	1985	
Monatsamplitude (Max)	1.99	2.54 +	1.77	1.04	1.13	0.86	0.69 -	0.71	0.72	1.35	1.77	2.15	m
Jahr	1995	1990	2001	1988	2015	1987	1987	2007	1987	1981	1992	1981	
Periode	Mittel 424.22	Max (Spitze) 426.72 (9.2.1984)					Min (Spitze) 422.77 (21.10.1989)			Periodenamplitude (Spitze) 3.94			



Grundwasserstand

PW Wolfwil - Wolfwil


625/235/001

Koordinaten 2 625 890 / 1 235 920


OK Terrain 429.5 müM

Abstichpunkt 426.65 müM

2018		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	424.91 -	426.12 +	425.18 +	424.78	424.29 +	424.03 +	423.73	423.63 +	423.54 +	423.48 +	423.38	423.35 -	1
	2	425.01	426.11	425.15	424.79 +	424.28	424.01	423.69	423.62	423.54 +	423.48 +	423.38	423.35 -	2
	3	425.11	426.07	425.12	424.79 +	424.27	424.00	423.73	423.59	423.54 +	423.48 +	423.38	423.37	3
	4	425.42	426.02	425.08	424.78	424.26	424.00	423.75	423.57	423.54 +	423.47	423.38	423.41	4
	5	425.86	425.97	425.06	424.78	424.24	423.99	423.77	423.56	423.54 +	423.47	423.38	423.43	5
Tagesmittel	6	425.92	425.92	425.03	424.77	424.23	423.98	423.84	423.53	423.54 +	423.47	423.38	423.44	6
	7	425.93	425.87	425.01	424.76	424.21	423.97	423.89	423.53	423.53	423.47	423.40 +	423.44	7
	8	425.93	425.82	425.00	424.75	424.19	423.96	423.90 +	423.53	423.52	423.46	423.40 +	423.45	8
	9	425.92	425.77	424.99	424.73	424.17	423.95	423.90 +	423.56	423.51	423.46	423.39	423.46	9
	10	425.89	425.72	424.97	424.72	424.16	423.94	423.90 +	423.55	423.50	423.46	423.35 -	423.50	10
müM	11	425.86	425.68	424.96	424.71	424.15	423.94	423.89	423.55	423.48	423.45	423.35 -	423.52	11
	12	425.82	425.63	424.93	424.69	424.13	423.94	423.88	423.54	423.49	423.45	423.36	423.54	12
	13	425.78	425.59	424.94	424.67	424.12	423.96	423.86	423.53	423.49	423.44	423.37	423.55	13
	14	425.74	425.55	424.95	424.65	424.11	423.98	423.84	423.53	423.49	423.44	423.37	423.57	14
	15	425.70	425.50	424.95	424.63	424.11	423.98	423.83	423.54	423.49	423.44	423.37	423.57	15
+ Maximum	16	425.67	425.47	424.94	424.61	424.13	423.97	423.82	423.54	423.49	423.43	423.37	423.58	16
	17	425.66	425.46	424.94	424.59	424.13	423.96	423.80	423.52	423.49	423.43	423.37	423.58	17
	18	425.71	425.47	424.93	424.57	424.13	423.95	423.79	423.52	423.49	423.42	423.37	423.59	18
	19	425.83	425.46	424.91	424.54	424.12	423.94	423.79	423.52	423.49	423.42	423.37	423.58	19
	20	425.85	425.44	424.90	424.52	424.12	423.92	423.79	423.52	423.49	423.41	423.37	423.59	20
- Minimum	21	426.07	425.42	424.88	424.50	424.12	423.91	423.79	423.51 -	423.47 -	423.41	423.36	423.59	21
	22	426.48	425.39	424.87	424.47	424.11	423.89	423.79	423.51 -	423.47 -	423.41	423.36	423.74	22
	23	426.60 +	425.36	424.86	424.45	424.10	423.88	423.79	423.51 -	423.47 -	423.41	423.36	423.79	23
	24	426.55	425.33	424.84	424.44	424.09	423.86	423.78	423.51 -	423.47 -	423.40	423.36	424.17	24
	25	426.48	425.30	424.82	424.42	424.08	423.83	423.75	423.52	423.49	423.40	423.36	424.27	25
Monatsmittel		425.91 +	425.61	424.93	424.59	424.14	423.92	423.79	423.54	423.50	423.43	423.37 -	423.72	müM
Maximum (Spitze)		426.60 +	426.12	425.18	424.79	424.29	424.03	423.90	423.63	423.54	423.48	423.40 -	424.34	müM
Datum		23.	1.	1.	2. / 3.	1.	1.	div	1.	div	div	7. / 8.	29.	
Monatsamplitude		1.69 +	0.91	0.42	0.49	0.26	0.27	0.25	0.12	0.07	0.12	0.05 -	0.99	m
Jahr	Mittel	424.20			Max (Spitze) 426.60 (23.1.)			Min (Spitze) 423.35 (div)			Jahresamplitude (Spitze) 3.25			



Periode	1979 - 2018 (40 Jahre)												
Monatsmittel	424.64	424.73 +	424.67	424.50	424.29	424.16	424.01	423.85	423.78 -	423.82	423.99	424.28	müM
Maximum (Spitze) Jahr	426.60 2018	426.72 + 1984	426.41 1988	426.29 2006	425.73 2006	425.56 - 2016	425.61 2016	425.59 2007	425.59 2007	425.60 2006	425.79 2002	426.62 1981	müM
Minimum (Spitze) Jahr	423.11 1990	423.19 1990	423.61 + 2014	423.29 2014	423.34 1993	423.14 1993	423.21 1993	422.99 1992	422.86 1989	422.77 - 1989	422.90 1983	423.08 1985	müM
Monatsamplitude (Max) Jahr	1.99 1995	2.54 + 1990	1.77 2001	1.04 1988	1.13 2015	0.86 1987	0.69 - 1987	0.71 2007	0.72 1987	1.35 1981	1.77 1992	2.15 1981	m
Periode	Mittel	424.22			Max (Spitze) 426.72 (9.2.1984)			Min (Spitze) 422.77 (21.10.1989)			Periodenamplitude (Spitze) 3.94		



Darstellung nach LHG Standard

Grundwasserstand

PW Wolfwil - Wolfwil

625/235/001


Daten vorhanden bis: 30.12.2017

Koordinaten 2 625 890 / 1 235 920


OK Terrain 629.5 müM

Abstichpunkt 426.65 müM

2017		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	423.87 +	423.87 -	424.09 -	424.45 +	423.97 +	423.72	423.54	423.55 +	423.42 -	423.43	423.37 -	423.78 -	1	
	2	423.86	423.92	424.18	424.43	423.97	423.73	423.53	423.54	423.42	423.43	423.37 -	423.78 -	2	
	3	423.85	423.94	424.24	424.40	423.95	423.72	423.53	423.54	423.43	423.44 +	423.37 -	423.78 -	3	
	4	423.84	423.95	424.28	424.38	423.94	423.74	423.53	423.53	423.43	423.43	423.37 -	423.78 -	4	
	5	423.84	423.98	424.31	424.36	423.93	423.75	423.51	423.52	423.44	423.43	423.37 -	423.78 -	5	
	müM	6	423.83	424.02	424.38	424.33	423.92	423.76 +	423.48	423.52	423.44	423.43	423.37	423.78	6
		7	423.82	424.07	424.50	424.31	423.93	423.75	423.45 -	423.51	423.44	423.43	423.38	423.79	7
		8	423.81	424.11	424.57	424.28	423.95	423.75	423.45	423.51	423.43	423.43	423.38	423.81	8
		9	423.80	424.12	424.64	424.26	423.97	423.73	423.52	423.51	423.44	423.43	423.38	423.83	9
		10	423.79	424.11	424.69	424.23	423.97 +	423.72	423.56	423.51	423.44	423.42	423.38	423.87	10
		11	423.78	424.13	424.73	424.21	423.97 +	423.71	423.59	423.51	423.44	423.42	423.39	424.01	11
		12	423.77	424.14	424.75	424.19	423.97	423.70	423.60	423.51	423.44	423.42	423.49	424.19	12
		13	423.79	424.14 +	424.76	424.15	423.95	423.68	423.61	423.51	423.44	423.41	423.41	424.27	13
		14	423.79	424.14 +	424.78 +	424.13	423.94	423.66	423.61 +	423.51	423.44	423.41	423.66	424.37	14
		15	423.79	424.14	424.76	424.12	423.93	423.65	423.61	423.51	423.44	423.41	423.68	424.58	15
	+ Maximum	16	423.79	424.13	424.76	424.10	423.92	423.64	423.60	423.50	423.44	423.41	423.69	424.67	16
		17	423.79	424.13	424.75	424.09	423.91	423.63	423.59	423.50	423.44	423.41	423.70	424.71	17
		18	423.78	424.12	424.74	424.08	423.90	423.63	423.57	423.50	423.44	423.40	423.71	424.74	18
		19	423.78	424.11	424.73	424.06	423.89	423.59	423.56	423.50	423.45	423.40	423.71	424.74	19
		20	423.77	424.10	424.72	424.05	423.88	423.58	423.57	423.50	423.45 +	423.40	423.71	424.74	20
		21	423.76	424.10	424.70	424.03	423.87	423.57	423.57	423.49	423.45 +	423.39	423.72	424.74	21
	- Minimum	22	423.76	424.09	424.68	424.01	423.87	423.55	423.56	423.49	423.45	423.39	423.72	424.74	22
		23	423.75	424.07	424.66	423.99	423.84	423.52	423.57	423.47	423.44	423.39	423.71	424.74	23
		24	423.75	424.06	424.64	423.98	423.82	423.51	423.57	423.45	423.44	423.39	423.71	424.74	24
		25	423.74	424.05	424.62	423.97 -	423.80	423.51	423.57	423.46	423.44	423.41	423.72	424.73	25
		26	423.73	424.04	424.60	423.99	423.78	423.48 -	423.56	423.45	423.44	423.40	423.73	424.73	26
		27	423.73	424.03	424.58	423.99	423.76	423.48 -	423.56	423.44	423.44	423.38	423.74	424.73	27
		28	423.72	424.04	424.55	423.99	423.74	423.51	423.56	423.43	423.44	423.34 -	423.75	424.72	28
		29	423.72	424.03	424.52	423.99	423.72	423.53	423.56	423.41	423.43	423.36	423.76	424.72	29
		30	423.71 -	424.02	424.50	423.98	423.72	423.53	423.55	423.41 -	423.43	423.37	423.77 +	424.76 +	30
		31	423.74	424.01	424.48	423.97	423.71 -	423.53	423.55	423.42	423.42	423.37	423.72	424.74	31
Monatsmittel		423.78	424.07	424.58 +	424.15	423.88	423.63	423.55	423.49	423.44	423.41 -	423.58	{424.35}	müM	
Maximum (Spitze)		423.87	424.14	424.78	424.45	423.97	423.76	423.61	423.55	423.45	423.44	423.78	{424.81} +	müM	
Datum		1.	div	14.	1.	div	6.	div	1.	div	3.	30.	{424.81} +	30.	
Monatsamplitude		0.16	0.28	0.70	0.48	0.26	0.28	0.17	0.14	0.03 -	0.11	0.41	{1.03} +	m	
Jahr		Mittel {423.82}		Max (Spitze) {424.81} (30.12.)			Min (Spitze) {423.33} (28.10.)			Jahresamplitude (Spitze) {1.48}					



Periode 1979 - 2016 (38 Jahre)													
Monatsmittel	424.62	424.72 +	424.66	424.51	424.31	424.18	424.03	423.87	423.79 -	423.84	424.01	424.28	müM
Maximum (Spitze)	426.50	426.71 +	426.41	426.29	425.73	425.58	425.61	425.57 -	425.59	425.60	425.79	426.61	müM
Jahr	1995	1984	1988	2006	2006	2016	2016	2007	2007	2006	2002	1981	
Minimum (Spitze)	423.12	423.19	423.61 +	423.29	423.35	423.14	423.22	423.00	422.87	422.79 -	422.90	423.08	müM
Jahr	1990	1990	2014	2014	1993	1993	1989	1989	1989	1989	1983	1985	
Monatsamplitude (Max)	2.12	2.53 +	1.77	1.02	1.13	0.86	0.70	0.70 -	0.72	1.26	1.79	2.32	m
Jahr	1995	1990	2001	1988	2015	1987	1980	2007	1994	1981	1992	1981	
Periode	Mittel 424.23		Max (Spitze) 426.71 (9.2.1984)			Min (Spitze) 422.79 (21.10.1989)			Periodenamplitude (Spitze) 3.93				



Grundwasserstand

PW Wolfwil - Wolfwil


625/235/001

Koordinaten 2 625 890 / 1 235 920


OK Terrain 629.5 müM

Abstichpunkt 426.65 müM

2016	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	423.51	425.00 -	425.17 +	424.54 +	424.44	424.93 -	425.58	425.11 +	424.51 +	424.12 +	423.85	424.18 +	1
2	423.51 -	425.05	425.16	424.52	424.45	424.93	425.58	425.08	424.49	424.11	423.84	424.16	2
3	423.52	425.08	425.15	424.50	424.46	424.93 -	425.58	425.05	424.47	424.10	423.84	424.15	3
4	423.57	425.11	425.15	424.47	424.46	424.93 -	425.60	425.04	424.46	424.09	423.83 -	424.14	4
5	423.62	425.14	425.15	424.45	424.46	424.96	425.61 +	425.02	424.45	424.07	423.85	424.12	5
Tagesmittel													
6	423.65	425.16	425.15	424.43	424.45	425.00	425.60	425.00	424.44	424.06	423.89	424.11	6
7	423.69	425.17	425.15	424.41	424.44	425.01	425.57	424.98	424.43	424.06	423.92	424.09	7
8	423.79	425.18	425.14	424.39	424.43	425.03	425.54	424.96	424.41	424.04	423.93	424.07	8
9	423.89	425.19	425.12	424.37	424.42	425.04	425.51	424.94	424.40	424.03	423.96	424.06	9
10	424.01	425.21	425.10	424.35	424.41	425.04	425.49	424.92	424.38	424.03	424.03	424.04	10
11	424.21	425.23	425.08	424.33	424.40 -	425.04	425.49	424.90	424.37	424.02	424.11	424.03	11
12	424.45	425.26	425.05	424.32	424.45	425.06	425.52	424.87	424.35	424.01	424.14	424.01	12
13	424.62	425.32	425.03	424.32	424.55	425.11	425.54	424.85	424.34	424.00	424.15	424.03	13
14	424.70	425.39	425.01	424.32	424.63	425.17	425.54	424.82	424.32	423.98	424.15	424.04	14
15	424.74	425.43	424.98	424.31 -	424.70	425.21	425.52	424.80	424.31	423.97	424.15	424.03	15
müM													
16	424.76	425.45 +	424.96	424.32	424.74	425.28	425.51	424.78	424.29	423.97	424.14	424.01	16
17	424.77	425.45 +	424.93	424.37	424.76	425.37	425.49	424.76	424.28	423.96	424.14	424.00	17
18	424.78	425.43	424.91	424.43	424.76	425.41	425.46	424.75	424.28	423.95	424.17	423.99	18
19	424.77	425.41	424.88	424.47	424.76	425.44	425.44	424.74	424.27	423.94	424.23	423.98	19
20	424.75	425.40	424.85	424.49	424.76	425.46	425.41	424.73	424.26	423.93	424.26	423.97	20
21	424.73	425.38	424.82	424.50	424.76	425.46	425.38	424.72	424.25	423.92	424.27 +	423.96	21
22	424.75	425.36	424.80	424.50	424.75	425.46	425.36	424.70	424.24	423.91	424.26	423.95	22
23	424.78	425.34	424.77	424.50	424.78	425.45	425.34	424.68	424.22	423.90	424.26	423.94	23
+ Maximum													
24	424.78	425.33	424.74	424.50	424.82	425.47	425.32	424.66	424.21	423.90	424.26	423.93	24
25	424.77	425.34	424.72	424.50	424.84	425.50	425.29	424.64	424.20	423.90	424.25	423.92	25
- Minimum													
26	424.77	425.34	424.69	424.50	424.85	425.51	425.27	424.62	424.18	423.91	424.24	423.92	26
27	424.75	425.32	424.67	424.48	424.85	425.52	425.24	424.60	424.17	423.90	424.23	423.91	27
28	424.74	425.30	424.65	424.46	424.85	425.54	425.21	424.58	424.16	423.88	424.22	423.90	28
29	424.72	425.23	424.62	424.44	424.88	425.55	425.18	424.57	424.14	423.86	424.20	423.89	29
30	424.76	425.23	424.60	424.43	424.91	425.57 +	425.15	424.55	424.13 -	423.86	424.19	423.88	30
31	424.88 +		424.57 -		424.92 +		425.13 -	424.52 -		423.85 -		423.88 -	31
Monatsmittel	424.38	425.27	424.93	424.43	424.65	425.24	425.43 +	424.80	424.31	423.97 -	424.10	424.01	müM
Maximum (Spitze)	424.96	425.45	425.18	424.55	424.92	425.58	425.61 +	425.12	424.51	424.12 -	424.27	424.18	müM
Datum	31.	16.	1.	1.	31.	30.	5.	1.	1.	1.	20.	1.	
Monatsamplitude	1.46 +	0.49	0.63	0.24 -	0.53	0.66	0.49	0.61	0.39	0.27	0.44	0.30	m
Jahr	Mittel 424.62	Max (Spitze) 425.61 (5.7.)			Min (Spitze) 423.50 (2.1.)			Jahresamplitude (Spitze) 2.11					



Periode	1979 - 2016 (38 Jahre)												
Monatsmittel	424.62	424.72 +	424.66	424.51	424.31	424.18	424.03	423.87	423.79 -	423.84	424.01	424.28	müM
Maximum (Spitze)	426.50	426.71 +	426.41	426.29	425.73	425.58	425.61	425.57 -	425.59	425.60	425.79	426.61	müM
Jahr	1995	1984	1988	2006	2006	2016	2016	2007	2007	2006	2002	1981	
Minimum (Spitze)	423.12	423.19	423.61 +	423.29	423.35	423.14	423.22	423.00	422.87	422.79 -	422.90	423.08	müM
Jahr	1990	1990	2014	2014	1993	1993	1993	1989	1989	1989	1983	1985	
Monatsamplitude (Max)	2.12	2.53 +	1.77	1.02	1.13	0.86	0.70	0.70 -	0.72	1.26	1.79	2.32	m
Jahr	1995	1990	2001	1988	2015	1987	1980	2007	1994	1981	1992	1981	
Periode	Mittel 424.23	Max (Spitze) 426.71 (9.2.1984)			Min (Spitze) 422.79 (21.10.1989)			Periodenamplitude (Spitze) 3.93					



Grundwasserstand

PW Wolfwil - Wolfwil


625/235/001

Koordinaten 625 890 / 235 920


OK Terrain 629.5 müM

Abstichpunkt 426.65 müM

2015		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	423.92 -	424.57	424.45	424.59	424.51 -	425.03 +	424.45 +	423.81	423.81 +	423.67 +	423.55	423.69	1	
	2	423.92 -	424.59	424.47	424.62	424.85	424.99	424.42	423.80	423.81	423.66	423.56	423.69 +	2	
	3	423.94	424.59 +	424.49	424.66	425.15	424.95	424.39	423.79	423.80	423.65	423.56	423.69 +	3	
	4	424.16	424.59 +	424.51	424.70	425.33	424.92	424.36	423.77	423.79	423.65	423.54	423.69 +	4	
	5	424.31	424.59	424.52	424.73	425.45	424.89	424.35	423.74	423.79	423.66	423.54	423.68	5	
	müM	6	424.36	424.58	424.52	424.75	425.54	424.86	424.32	423.72	423.77	423.65	423.54	423.68	6
		7	424.39	424.57	424.52	424.76	425.61	424.82	424.31	423.72	423.77	423.65	423.53	423.68	7
		8	424.40	424.56	424.51	424.77	425.65	424.79	424.29	423.75	423.76	423.65	423.53	423.67	8
		9	424.41	424.55	424.51	424.77 +	425.66 +	424.77	424.28	423.78	423.76	423.64	423.53	423.65	9
		10	424.42	424.54	424.50	424.77	425.65	424.75	424.25	423.80	423.75	423.64	423.52	423.64	10
		11	424.42	424.53	424.49	424.75	425.64	424.72	424.23	423.81	423.74	423.63	423.52	423.64	11
		12	424.43	424.51	424.48	424.74	425.62	424.70	424.21	423.78	423.73	423.63	423.52	423.63	12
		13	424.44	424.50	424.46	424.73	425.60	424.67	424.19	423.74	423.74	423.63	423.51	423.63	13
		14	424.44	424.49	424.45	424.71	425.58	424.65	424.16	423.70	423.74	423.63	423.51	423.62	14
		15	424.44	424.47	424.43	424.70	425.55	424.65	424.14	423.67 -	423.73	423.63	423.50	423.62	15
	+ Maximum	16	424.44	424.45	424.42	424.68	425.51	424.66	424.11	423.73	423.73	423.62	423.50	423.61	16
		17	424.44	424.44	424.40	424.66	425.49	424.67	424.09	423.86	423.73	423.62	423.50	423.60	17
		18	424.45	424.43	424.38	424.65	425.47	424.66	424.07	423.89 +	423.73	423.61	423.50	423.60	18
		19	424.47	424.42	424.37	424.63	425.43	424.66	424.07	423.88	423.72	423.61	423.49 -	423.59	19
		20	424.47	424.42 -	424.35	424.61	425.40	424.65	424.06	423.88	423.72	423.61	423.51	423.58	20
		21	424.48	424.42 -	424.34	424.59	425.37	424.64	423.98	423.87	423.72	423.60	423.58	423.58	21
	- Minimum	22	424.47	424.42	424.33	424.57	425.34	424.63	423.87	423.87	423.71	423.60	423.64	423.57	22
		23	424.47	424.43	424.31	424.55	425.31	424.62	423.85	423.86	423.71	423.59	423.66	423.56	23
		24	424.46	424.45	424.31	424.53	425.29	424.60	423.81	423.86	423.71	423.57	423.66	423.56	24
		25	424.44	424.45	424.29	424.51	425.25	424.59	423.78	423.86	423.70	423.58	423.66	423.55	25
		26	424.43	424.45	424.28	424.50	425.22	424.57	423.76	423.85	423.70	423.58	423.67	423.55	26
		27	424.42	424.45	424.26	424.48	425.20	424.55	423.76	423.85	423.70	423.57	423.67	423.54	27
	Monatsmittel	424.38	424.50	424.41	424.64	425.36 +	424.71	424.09	423.81	423.74	423.62	423.57 -	423.61	müM	
	Maximum (Spitze) Datum	424.56 31.	424.59 div	424.57 31.	424.77 div	425.66 + 9.	425.05 1.	424.46 1.	423.89 17. / 18.	423.82 1.	423.67 - 1.	423.68 30.	423.69 div	müM	
	Monatsamplitude	0.64	0.17	0.33	0.34	1.20 +	0.59	0.71	0.23	0.15	0.11 -	0.19	0.17	m	
	Jahr	Mittel 424.20	Max (Spitze) 425.66 (9.5.)				Min (Spitze) 423.49 (19.11.)				Jahresamplitude (Spitze) 2.17				



Periode	1979 - 2015 (37 Jahre)												
Monatsmittel	424.63	424.71 +	424.65	424.51	424.30	424.15	423.99	423.84	423.78 -	423.84	424.00	424.28	müM
Maximum (Spitze) Jahr	426.50 1995	426.71 + 1984	426.41 1988	426.29 2006	425.73 2006	425.30 1983	425.05 - 1987	425.57 2007	425.59 2007	425.60 2006	425.79 2002	426.61 1981	müM
Minimum (Spitze) Jahr	423.12 1990	423.19 1990	423.61 + 2014	423.29 2014	423.35 1993	423.14 1993	423.22 1993	423.00 1989	422.87 1989	422.79 - 1989	422.90 1983	423.08 1985	müM
Monatsamplitude (Max) Jahr	2.12 1995	2.53 + 1990	1.77 2001	1.02 1988	1.20 2015	0.86 1987	0.71 2015	0.70 - 2007	0.72 1994	1.26 1981	1.79 1992	2.32 1981	m
Periode	Mittel 424.22	Max (Spitze) 426.71 (9.2.1984)				Min (Spitze) 422.79 (21.10.1989)				Periodenamplitude (Spitze) 3.93			



Grundwasserstand

PW Wolfwil - Wolfwil


SO 625/235/001

Koordinaten 625 890 / 235 920


OK Terrain 629.5 müM

Abstichpunkt 426.65 müM

2014		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
Tagesmittel	1	424.51	424.46	424.60 +	424.03 +	423.83 -	423.85 +	423.66 -	424.13	424.02 +	423.78	423.79	424.08 +	1
	2	424.51	424.45	424.59	424.01	423.86	423.85	423.66	424.13 +	424.02	423.77	423.79 -	424.07	2
	3	424.51	424.44	424.58	423.99	423.90	423.84	423.67	424.13 +	424.01	423.76	423.79 -	424.05	3
	4	424.51	424.43	424.55	423.98	423.96	423.83	423.68	424.13 +	424.00	423.76	423.79 -	424.04	4
	5	424.52	424.42	424.52	423.96	424.00	423.82	423.68	424.13	423.99	423.75	423.79	424.02	5
	6	424.54	424.41	424.49	423.94	424.01	423.80	423.69	424.12	423.98	423.75	423.82	424.01	6
	7	424.54	424.40	424.47	423.93	424.02	423.78	423.69	424.12	423.97	423.74	423.86	424.00	7
	8	424.55	424.40	424.45	423.92	424.03	423.76	423.72	424.11	423.96	423.75	423.88	423.99	8
	9	424.55 +	424.40	424.43	423.91	424.03	423.74	423.77	424.11	423.95	423.75	423.89	423.97	9
	10	424.54	424.40	424.41	423.90	424.04 +	423.73	423.82	424.10	423.94	423.74 -	423.89	423.96	10
müM	11	424.53	424.39	424.39	423.89	424.03	423.71	423.86	424.11	423.93	423.75	423.89	423.95	11
	12	424.53	424.38 -	424.37	423.87	424.03	423.70	423.90	424.11	423.92	423.76	423.89	423.93	12
	13	424.52	424.39	424.35	423.85	424.02	423.68	423.93	424.10	423.92	423.77	423.90	423.92	13
	14	424.51	424.43	424.33	423.84	424.00	423.69	423.95	424.10	423.91	423.77	423.90	423.91	14
	15	424.50	424.47	424.31	423.82	423.99	423.69	423.95	424.09	423.90	423.77	423.91	423.90	15
	16	424.49	424.53	424.29	423.80	423.98	423.69	423.95	424.10	423.89	423.77	423.98	423.89	16
	17	424.50	424.58	424.27	423.79	423.97	423.67	423.95	424.11	423.88	423.76	424.05	423.88 -	17
	18	424.51	424.62	424.25	423.78	423.96	423.65	423.93	424.12	423.87	423.76	424.10	423.89	18
	19	424.51	424.66	424.23	423.76	423.95	423.62	423.92	424.11	423.86	423.76	424.13	423.90	19
	20	424.50	424.67	424.21	423.76	423.93	423.61	423.92	424.11	423.85	423.76	424.15	423.92	20
+ Maximum	21	424.50	424.68	424.18	423.75	423.92	423.59	423.96	424.11	423.85	423.76	424.15 +	423.93	21
	22	424.49	424.69 +	424.17	423.73	423.90	423.57	423.99	424.10	423.84	423.78	424.15 +	423.94	22
	23	424.48	424.68	424.17	423.72	423.90	423.57 -	424.03	424.09	423.84	423.80	424.15 +	423.94	23
	24	424.48	424.67	424.16	423.71	423.90	423.59	424.06	424.09	423.83	423.80	424.15	423.93	24
	25	424.47	424.66	424.14	423.69	423.90	423.62	424.07	424.08	423.82	423.78	424.14	423.93	25
- Minimum	26	424.47	424.65	424.13	423.68 -	423.89	423.63	424.08	424.08	423.82	423.79	424.13	423.92	26
	27	424.47	424.63	424.11	423.69	423.89	423.63	424.09	424.07	423.80	423.80	424.12	423.91	27
	28	424.48	424.61	424.09	423.72	423.88	423.64	424.10	424.06	423.79	423.80 +	424.11	423.92	28
	29	424.48		424.08	423.77	423.88	423.64	424.10	424.05	423.79	423.80 +	424.10	423.92	29
	30	424.47		424.06	423.80	423.87	423.65	424.11	424.04	423.78 -	423.80 +	424.09	423.92	30
	31	424.46 -		424.04 -		423.86		424.12 +	424.03 -		423.80 +		423.92	31
Monatsmittel	424.51	424.52 +	424.30	423.83	423.95	423.70 -	423.90	424.10	423.90	423.77	423.98	423.95	müM	
Maximum (Spitze) Datum	424.55 8. / 9.	424.69 + 21.	424.60 1.	424.04 1.	424.04 9.	423.86 1.	424.12 31.	424.13 div	424.03 1.	423.80 div	424.15 div	424.09 1.	müM	
Monatsamplitude	0.09	0.31	0.57 +	0.36	0.22	0.29	0.47	0.10	0.25	0.06 -	0.36	0.21	m	
Jahr	Mittel 424.03	Max (Spitze) 424.69 (21.2.)			Min (Spitze) 423.57 (22.6./23.6.)			Jahresamplitude (Spitze) 1.12						



Periode	1978 - 2014												(37 Jahre)
Monatsmittel	424.62	424.72 +	424.69	424.53	424.28	424.14	423.98	423.85	423.78 -	423.84	424.00	424.29	müM
Maximum (Spitze) Jahr	426.51 1995	426.72 + 1984	426.41 1988	426.29 2006	425.73 2006	425.30 1986	424.99 - 1987	425.59 2007	425.59 2007	425.60 2006	425.79 2002	426.62 1981	müM
Minimum (Spitze) Jahr	423.11 1990	423.19 1990	423.62 + 1993	423.54 2011	423.34 1993	423.14 1993	423.21 1993	422.99 1992	422.86 1989	422.77 - 1989	422.90 1983	423.08 1985	müM
Monatsamplitude (Max) Jahr	1.99 1995	2.54 + 1990	1.77 2001	0.98 1988	0.76 1994	0.86 1987	0.65 - 1987	0.72 2007	0.72 1987	1.35 1981	1.79 1992	2.15 1981	m
Periode	Mittel 424.22	Max (Spitze) 426.72 (9.2.1984)			Min (Spitze) 422.77 (21.10.1989)			Periodenamplitude (Spitze) 3.94					



Grundwasserstand

PW Wolfwil - Wolfwil


SO 625/235/001

Koordinaten 625 890 / 235 920


OK Terrain 629.5 müM

Abstichpunkt 426.65 müM

2013		Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez		
Tagesmittel	1	425.92 +	425.07	424.98 +	424.52	424.92 +	424.84	424.59 +	424.25	424.00	423.94	423.99 -	424.46	1	
	2	425.87	425.18	424.95	424.52	424.90	424.93	424.57	424.24	423.99	423.93	424.02	424.44	2	
	3	425.82	425.22	424.93	424.52	424.89	424.97	424.55	424.23	423.98	423.92	424.08	424.43	3	
	4	425.79	425.26	424.91	424.52	424.87	425.00 +	424.53	424.22	423.96	423.91	424.15	424.41	4	
	5	425.75	425.33	424.89	424.51	424.86	425.00 +	424.51	424.22	423.95	423.91	424.21	424.40	5	
	müM	6	425.70	425.37	424.87	424.50	424.84	424.99	424.50	424.22	423.94	423.90	424.29	424.38	6
		7	425.66	425.39	424.84	424.49	424.82	424.98	424.49	424.26 +	423.93	423.90	424.35	424.36	7
		8	425.62	425.40 +	424.82	424.49	424.80	424.96	424.47	424.26	423.93	423.89	424.39	424.35	8
		9	425.58	425.39	424.80	424.48 -	424.79	424.96	424.45	424.20	423.94	423.90	424.44	424.33	9
		10	425.55	425.39	424.78	424.48 -	424.78	424.96	424.43	424.18	423.94	423.93	424.50	424.32	10
		11	425.51	425.38	424.76	424.53	424.76	424.96	424.41	424.17	423.93	423.93	424.55	424.30	11
		12	425.46	425.36	424.74	424.61	424.75	424.96	424.39	424.15	423.93	423.91	424.58	424.29	12
		13	425.43	425.34	424.71	424.64	424.74	424.94	424.37	424.13	423.92	423.90	424.60	424.27	13
		14	425.39	425.32	424.69	424.66	424.72	424.92	424.35	424.11	423.91 -	423.89	424.60 +	424.26	14
		15	425.36	425.29	424.67	424.68	424.71	424.90	424.33	424.10	423.91 -	423.89	424.60 +	424.25	15
	+ Maximum	16	425.32	425.27	424.65	424.68	424.69	424.88	424.31	424.08	423.92	423.90	424.60	424.23	16
		17	425.29	425.29	424.64	424.68	424.67	424.86	424.29	424.06	423.94	423.90	424.59	424.21	17
		18	425.26	425.28	424.63	424.68	424.65	424.84	424.28	424.06	423.97	423.90	424.59	424.20	18
		19	425.23	425.22	424.61	424.73	424.63	424.81	424.28	424.07	424.00	423.90	424.57	424.19	19
		20	425.19	425.20	424.60	424.83	424.61	424.79	424.27	424.08	424.01 +	423.89	424.54	424.19	20
		21	425.15	425.18	424.59	424.89	424.60	424.77	424.24	424.05	424.01 +	423.89	424.54	424.21	21
	- Minimum	22	425.12	425.16	424.57	424.93	424.58	424.75	424.23	424.04	424.01	423.89	424.54	424.21	22
		23	425.09	425.14	424.56	424.94	424.57	424.74	424.21	424.04	424.00	423.89	424.54	424.21	23
		24	425.05	425.11	424.54	424.95	424.55	424.72	424.19	424.04	423.99	423.88	424.53	424.21	24
		25	425.02	425.08	424.53	424.95 +	424.53	424.71	424.17	424.04	423.98	423.86	424.52	424.27	25
		26	424.99	425.06	424.52	424.95 +	424.52	424.69	424.14	424.04	423.97	423.85 -	424.52	424.38	26
	Monatsmittel	425.35 +	425.24	424.69	424.70	424.69	424.85	424.34	424.12	423.96	423.90 -	424.44	424.33	müM	
	Maximum (Spitze) Datum	425.94 + 1.	425.40 7.	424.99 1.	424.95 div	424.92 1.	425.00 4.	424.60 1.	424.31 7.	424.01 div	423.98 - 31.	424.60 div	424.50 30.	müM	
	Monatsamplitude	1.02 +	0.42	0.50	0.47	0.42	0.40	0.49	0.31	0.10 -	0.14	0.62	0.32	m	
	Jahr	Mittel 424.54	Max (Spitze) 425.94 (1.1.)				Min (Spitze) 423.84 (25.10.)				Jahresamplitude (Spitze) 2.10				



Periode	1978 - 2013 (36 Jahre)												
Monatsmittel	424.63	424.72 +	424.70	424.55	424.29	424.15	423.99	423.84	423.77 -	423.84	424.00	424.29	müM
Maximum (Spitze) Jahr	426.51 1995	426.72 + 1984	426.41 1988	426.29 2006	425.73 2006	425.30 1986	424.99 - 1987	425.59 2007	425.59 2007	425.60 2006	425.79 2002	426.62 1981	müM
Minimum (Spitze) Jahr	423.11 1990	423.19 1990	423.62 + 1993	423.54 2011	423.34 1993	423.14 1993	423.21 1993	422.99 1992	422.86 1989	422.77 - 1989	422.90 1983	423.08 1985	müM
Monatsamplitude (Max) Jahr	1.99 1995	2.54 + 1990	1.77 2001	0.98 1988	0.76 1994	0.86 1987	0.65 - 1987	0.72 2007	0.72 1987	1.35 1981	1.79 1992	2.15 1981	m
Periode	Mittel 424.23	Max (Spitze) 426.72 (9.2.1984)				Min (Spitze) 422.77 (21.10.1989)				Periodenamplitude (Spitze) 3.94			



Grundwasserstand

PW Wolfwil - Wolfwil


SO 625/235/001

Koordinaten 625 890 / 235 920

OK Terrain 629.5 müM

Abstichpunkt 426.65 müM

2012	Jan	Feb	März	April	Mai	Juni	Juli	Aug	Sept	Okt	Nov	Dez	
1	425.23	425.20 +	424.50 +	424.01	424.13 +	423.90	423.86	423.81 +	423.68	423.65	423.94	424.36 -	1
2	425.28	425.17	424.49	424.00	424.12	423.89	423.88	423.80	423.70	423.65	423.93	424.37	2
3	425.31	425.14	424.48	423.99	424.12	423.89	423.90	423.78	423.70 +	423.65	423.93 -	424.40	3
4	425.43	425.11	424.46	423.98	424.11	423.89	423.90	423.76	423.70 +	423.64	423.96	424.47	4
5	425.59	425.08	424.45	423.97	424.10	423.89	423.90	423.77	423.70 +	423.64	424.01	424.54	5
Tagesmittel													
6	425.68	425.06	424.43	423.97	424.10	423.88	423.91	423.78	423.70	423.64	424.04	424.59	6
7	425.70 +	425.03	424.41	423.96	424.09	423.89	423.93	423.78	423.69	423.64 -	424.06	424.62	7
8	425.70 +	424.99	424.39	423.95	424.09	423.90	423.93 +	423.77	423.69	423.65	424.08	424.63	8
9	425.69	424.94	424.37	423.94	424.08	423.91	423.93 +	423.76	423.69	423.69	424.10	424.64	9
10	425.67	424.91	424.35	423.93	424.07	423.92	423.93 +	423.75	423.68	423.75	424.15	424.64	10
11	425.65	424.87	424.33	423.93	424.06	423.92	423.93 +	423.74	423.68	423.82	424.24	424.64	11
12	425.62	424.84	424.31	423.92 -	424.05	423.93	423.93 +	423.73	423.68	423.88	424.30	424.64	12
13	425.59	424.80	424.29	423.92 -	424.05	423.95	423.93 +	423.72	423.68	423.93	424.33	424.64	13
14	425.55	424.77	424.28	423.92 -	424.04	423.95 +	423.93	423.71	423.68	423.96	424.35	424.66	14
15	425.51	424.73	424.26	423.92	424.03	423.95	423.92	423.70	423.67	423.98	424.36 +	424.74	15
müM													
16	425.47	424.69	424.24	424.15	424.04	423.94	423.92	423.70	423.67	423.98 +	424.36 +	424.96	16
17	425.43	424.66	424.22	424.16	424.03	423.94	423.92	423.69	423.67	423.98 +	424.36 +	425.28	17
18	425.38	424.63	424.21	424.16 +	424.01	423.93	423.91	423.68	423.67	423.98 +	424.36	425.52	18
19	425.35	424.60	424.20	424.16 +	424.00	423.92	423.91	423.68	423.66	423.98	424.35	425.62	19
20	425.35	424.57	424.19	424.16	424.00	423.92	423.90	423.67	423.66	423.97	424.34	425.65	20
21	425.38	424.55	424.17	424.15	423.99	423.92	423.89	423.66	423.66	423.97	424.33	425.67	21
22	425.39	424.52	424.15	424.15	423.99	423.91	423.89	423.65	423.65	423.96	424.31	425.76	22
23	425.38	424.50	424.13	424.15	423.99	423.90	423.88	423.64	423.65	423.96	424.30	425.88	23
+ Maximum													
24	425.37	424.49 -	424.12	424.16	423.98	423.92	423.87	423.64	423.65	423.96	424.28	425.90	24
25	425.35	424.49 -	424.11	424.16 +	423.97	423.92	423.85	423.64	423.65	423.95	424.27	425.92	25
- Minimum													
26	425.32	424.50	424.09	424.16	423.96	423.89	423.84	423.64	423.65	423.93	424.26	425.97	26
27	425.29	424.50	424.08	424.15	423.95	423.88	423.84	423.64	423.65	423.93	424.27	426.01	27
28	425.28	424.50	424.06	424.14	423.94	423.87	423.83	423.64 -	423.64 -	423.94	424.29	426.04 +	28
29	425.26	424.50	424.05	424.13	423.93	423.86	423.83	423.64 -	423.65	423.94	424.33	426.03	29
30	425.24	424.03	424.13	423.92	423.85 -	423.83	423.83	423.64 -	423.65	423.94	424.35	426.00	30
31	425.22 -		424.02 -		423.91 -		423.82 -	423.66		423.94		425.97	31
Monatsmittel	425.44 +	424.77	424.25	424.05	424.02	423.91	423.89	423.70	423.67 -	423.85	424.22	425.18	müM
Maximum (Spitze)	425.70	425.21	424.50	424.16	424.13	423.95	423.93	423.81	423.70 -	423.98	424.36	426.04 +	müM
Datum	7.	1.	1.	div	1.	div	div	1.	div	div	div	28.	
Monatsamplitude	0.51	0.72	0.49	0.24	0.22	0.10	0.12	0.18	0.06 -	0.35	0.44	1.68 +	m
Jahr	Mittel 424.25	Max (Spitze) 426.04 (28.12.)					Min (Spitze) 423.63 (28.8./7.10.)			Jahresamplitude (Spitze) 2.41			



Periode	1978 - 2012											(35 Jahre)	
Monatsmittel	424.61	424.71 +	424.70	424.55	424.28	424.13	423.98	423.83	423.77 -	423.84	423.99	424.29	müM
Maximum (Spitze)	426.51	426.72 +	426.41	426.29	425.73	425.30	424.99 -	425.59	425.59	425.60	425.79	426.62	müM
Jahr	1995	1984	1988	2006	2006	1986	1987	2007	2007	2006	2002	1981	
Minimum (Spitze)	423.11	423.19	423.62 +	423.54	423.34	423.14	423.21	422.99	422.86	422.77 -	422.90	423.08	müM
Jahr	1990	1990	1993	2011	1993	1993	1993	1992	1989	1989	1983	1985	
Monatsamplitude (Max)	1.99	2.54 +	1.77	0.98	0.76	0.86	0.65 -	0.72	0.72	1.35	1.79	2.15	m
Jahr	1995	1990	2001	1988	1994	1987	1987	2007	1987	1981	1992	1981	
Periode	Mittel 424.22	Max (Spitze) 426.72 (9.2.1984)					Min (Spitze) 422.77 (21.10.1989)			Periodenamplitude (Spitze) 3.94			

